

Plusco Supply Corp.

SYMMONS® INDUSTRIES

Lavatory Faucets Symmetrix™

Corrosion-resistant ceramic control cartridge withstands abuse. Remove and interchange kitchen and lavatory faucet cartridge. Handle limit stop allows setting of safe maximum temperature. Include pop-up drain assembly.

Compliances. Meet ANSI A112.181M.



Lever Handle Faucets

Order No.	Mfr. No.	Finish	gpm
1256 22000	S-20-2	Polished Chrome	2



Loop Handle Faucets

Order No.	Mfr. No.	Finish	gpm
1256 22001	S-20-2-LP	Polished Chrome	2

SYMMONS® INDUSTRIES

Kitchen Faucets Symmertrix™

Compliances. ADA Compliant. Meet ANSI A112.181M requirements.



Standard Kitchen Faucets

Order No.	Mfr. No.	Finish	gpm
1256 22100	S-23	Polished Chrome	2



Kitchen Faucets w/Hose & Spray

Order No.	Mfr. No.	Finish	gpm
1256 22101	S-23-2	Polished Chrome	2

SYMMONS® INDUSTRIES

Tub/Shower Faucets Temptrol®

Pressure-balancing mixing valve. Adjustable screw stop limits handle turn. Clear-Flo shower head, arm and flange. Semi-adjustable spray pattern. Multi-angle positioning ball joint. Internal components guard against mineral build-up.

Compliances. Meet EPA '92 requirements.



S-96-2X

No. S-96-2X. Combination integral diverter and volume control.

Tub/Shower Faucets w/Tub Spout

Order No.	Mfr. No.	Desc.	gpm
1256 23700	S-96-2X	w/Tub Spout	2.5



96-2X

No. 96-2X. Built-in choke.

Tub/Shower Faucets w/Diverter Spout

Order No.	Mfr. No.	Desc.	gpm
1256 23710	96-2X	w/Diverter Spout	2.5

MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs and other available publications and data on request.

SYMMONS® INDUSTRIES

Tub/Shower Faucets Temptrol® 2000



Pressure-balancing mixing valve. Combination integral diverter and volume control. Adjustable stop screw to limit handle turn. Tub spout. Clear-Flo shower head with arm and flange. Integral service stops allow water shutoff at valve.

Faucets

Order No.	Mfr. No.	Desc.	gpm
1256 25500	S-25-2X	Lever Handle	2.5
1256 25501	S-25-2XLP	Loop Handle	2.5

Trim Kits

Order No.	Mfr. No.	Desc.
1256-28005	S-15-2X-TRIM	Lever Handle Valve
1256-28010	S-15-2XLP-TRIM	Loop Handle Valve
1256-26000	S-15-2X	Valve Only

SYMMONS® INDUSTRIES

Mixing Valves Temptrol® 2000 - Tub/Shower



Pressure-balancing. Combination integral diverter and volume control. Adjustable stop screw to limit handle turn. Integral service stops allow water shutoff at valve.

Order No.	Mfr. No.	Desc.
1256 26000	S-15-2X	Lever Handle
1256 26001	S-15-2XLP	Loop Handle

Please Phone or Fax
Your Orders

Plusco Supply Corp.

SYMMONS® INDUSTRIES

Mixing Valves
Temptrol® - Tub/Shower



Pressure-balancing. Adjustable stop screw limits handle turn.

Compliances. Meet EPA '92 requirements.

Order No.	Mfr. No.	Desc.	gpm
1256 23850	S-86-2X	w/Comb. Integral Diverter & Vol. Control	2.5
1256 23840	86-2X	w/Built-In Choke for Diverter Spout	2.5

SYMMONS® INDUSTRIES

Mixing Valve Trim
Temptrol®



Order No.	Mfr. No.	Desc.
1256 23870	S-86-2-TRM	Mixing Valve Trim Kit
1256 23880	86-2-TRM	Mixing Valve Trim Kit

SYMMONS® INDUSTRIES

Mixing Valves
Temptrol® II




Pressure balanced mixing valve, color coded directional name plate. Integral service stops allow water shutoff at valve.

Compliances. Meet ANSI A112.181M requirements.

Order No.	Mfr. No.	gpm
1256 23400	BP 46-2X	2.5

SYMMONS® INDUSTRIES

Shower Valves
Safetymix



Compliances. Meet EPA '92 requirements.

Order No.	Mfr. No.	Desc.	gpm
1256 18500	4-500	Concealed	2.5

SMITTY PAN

Repair Plates

Stainless Steel - Shower Escutcheon

Provide means of installing or repiping existing 8" shower and bathtub valves. Cover cutout area.



Angle Edged Repair Plates

Order No.	Mfr. No.	Desc.	Hole Size In.	Size In.
96900	00010-9	Single Handle	5	13x7 ³ / ₈
96905	00013-0	Single Handle	3 ¹ / ₂	13x7 ³ / ₈
96910	00014-7	Single Handle, PP-Avante	4 ¹ / ₂	13x7 ³ / ₈



Oval Repair Plates

Order No.	Mfr. No.	Desc.	Hole Size In.	Size In.
96920	00030-7	Single Handle	5	14x8 ³ / ₄
96925	00031-4	Single Handle	5	14x8 ³ / ₄

SYMMONS® INDUSTRIES

Showerhead Brackets
Nu-arm




Order No.	Mfr. No.	Desc.
1256 00301	301	Head Bracket

In addition to the items shown, we are continually adding new items.

SYMMONS® INDUSTRIES

Showerheads
Ball Joint Type

Compliances. Meet EPA '92 requirements.



Super Showerheads

Order No.	Mfr. No.	Desc.	gpm
1256 16440	4-131	Super	2.5



Clear-Flo Showerheads

Order No.	Mfr. No.	Desc.	gpm
1256 17560	4-206	Clear-Flo	2.5

MOEN®

Lavatory Faucets
Chateau Lever Handle



w/o Waste



w/Waste

Adjustable temperature limit stops. 4" centers. Available with 1/2" connections or 3/8" tubing connections and 16" supplies. Rated 2 gpm (7.6 L/min.).

Compliances. ADA Compliant.

Faucets Without Waste. Removable plug button in lift rod hole.

Faucets With Waste. Metal waste included.

Order No.	Mfr. No.	Finish	Conn. In.	Pkg. Qty.	Wt. Lbs.
w/o Waste					
1243 10501	L4601	Chrome	1/2	12	3.2
1243 10500	L4600*	Chrome	3/8	6	2.5
w/Metal Waste					
1243 10521	L4621	Chrome	1/2	12	2.5
1243 10525	L4625*	Chrome	3/8	6	3.0

*16" supplies.

Plusco Supply Corp.

MOEN® Lavatory Faucets Chateau



w/o Waste



w/Waste

Available with 1/2" connections or with 3/8" tubing connections and 16" supplies. Rated 2 gpm. Centers 4".

Faucets Without Waste. Removable plug button in lift rod hole.

Faucets With Waste. Metal waste included.

Order No.	Mfr. No.	Finish	Conn. In.
w/o Waste			
1243 11160	4600	Chrome	3/8
1243 11150	4601	Chrome	1/2
w/Metal Waste			
1243 11170	4621	Chrome	1/2
1243 11100	4625	Chrome	3/8

MOEN® Lavatory Faucets Monticello - Lever



Widespread. Metal waste. Connections 1/2". Applications 8" to 16". Rated 2 gpm (7.6 L/min.).

Compliances. ADA Compliant.

Order No.	Mfr. No.	Color
1243 25401	4570	Chrome
1243 25402	4570CP	Polished Brass

MOEN® Handle Inserts Monticello - Lever



Large. 2/card.

Order No.	Mfr. No.	Desc.
1243 27372	97372	Chrome
1243 27373	97373	Polished Brass
1243 27374	97374	Clear/Chrome
1243 27375	97375	Clear/Polished Brass
1243 27376	97376	Porcelain/Chrome
1243 27377	97377	Porcelain/Polished Brass

MOEN® Lavatory Faucets Chateau - Wing - Widespread



For 8" to 16" applications. Chateau Wing widespread. Metal waste. Connections 1/2". Rated 2 gpm (7.6 L/min.).

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish
1243 30100	4944	Chrome

MOEN® Faucet Handle Inserts Chateau - Wing



Order No.	Mfr. No.	Finish
1243 34901	14901	Clear
1243 34903	14903	Wood
1243 34904	14904	Chrome
1243 34905	14905	Polished Brass
1243 34906	14906	White

MOEN® Kitchen Faucets Chateau



Supply size 4". Connections 1/2". Three-hole application. Rated 2 gpm (7.6 L/min.).

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1243 11260	7425	Chrome	9
1243 11270	7425W	Glacier	9

MOEN® Kitchen Faucets Chateau



Hose spray. Supplies 4". Connections 1/2". Four-hole application. Rated 2 gpm (7.6 L/min.). Swivel spray aerator rated 2.2 gpm (8.3 L/min.) at 60 psi or 2.5 gpm (9.5 L/min.) at 80 psi.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1243 30200	7430	Chrome	9

MOEN® Kitchen Faucets OneTouch®



Pull-out spray 26". Connections 1/2". Hole applications 1" or 3". Includes 10" deck plate (not required) and integral vacuum breaker. Rating 2.2 gpm (8.3 L/min.).

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish
1243 25300	7385	Chrome/Glacier
1243 25305	7385C	Chrome/Chrome
1243 25310	7385W	Glacier

MOEN® Bar Faucets Chateau - Wing



Wing style handles. Spout height 10 3/4". Connections 1/2". Centers 4". Rated 2 gpm (7.6 L/min.).

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish
1243 25200	4911	Chrome

Plusco Supply Corp.

MOEN®

Tub/Shower Faucets Chateau



Four-port. Chrome. Easy Clean showerhead, arm and flange. Diverter spout.

Order No.	Mfr. No.	Desc.	Finish
1243 10455	2739	w/Diverter Spout	Chrome

MOEN®

Tub/Shower Faucets Chateau - Lever



Lever Handle

Posi-Temp pressure balancing valves automatically adjust to changes in water line pressure keeping temperature constant. Four port cycling valves without volume control. Adjustable temperature limit stop. Diverter spout. Easy clean showerhead, arm and flange. Copper to copper. Showerhead 2.5 gpm (9.5 L/min).

Compliances. ADA Compliant valve control.

Order No.	Mfr. No.	Desc.	Finish
	Standard		
1243 28000	L2353	Lever Hndl.	Chrome

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

MOEN®

Tub/Shower Faucets Monticello



With 4 port cycling valve less volume control. Posi-Temp pressure balancing. Adjustable temperature limit stop. Moenflo 40 series showerhead, arm and flange. Diverter spout. Rated 2.5 gpm (9.5 L/min).

Compliances. ADA Compliant valve control.

Order No.	Mfr. No.	Finish
1243 25110	2347	Chrome
1243 25120	2347CP	Chrome/Polished Brass
1243 25130	2347P*	Polished Brass

*LifeShine™ finish.

MOEN®

Handle Inserts Monticello - Lever



Large. 1/card.

Order No.	Mfr. No.	Desc.
1243 27462	97462	Chrome
1243 27463	97463	Polished Brass
1243 27464	97464	Clear/Chrome
1243 27465	97465	Clear/Polished Brass
1243 27466	97466	Porcelain/Chrome
1243 27467	97467	Porcelain/Polished Brass

MOEN®

Tub Spouts Aerator



Sculptured tub filler 5½" long. IPS connection. Threaded end.

Order No.	Mfr. No.	Finish
1243 12083	3921	Chrome

MOEN®

Tub Spouts



Sculptured diverter spout 5½" long. IPS connection. Threaded end.

Order No.	Mfr. No.	Finish
1243 12322	3911	Chrome

MOEN®

Tub Spouts



Sculptured tub fillers 5½" long. Slip fit. Sweat end.

Order No.	Mfr. No.	Finish
1243 12088	3959	Chrome

MOEN®

Tub Spouts



Sculptured diverter spout 5½" long. Slip fit. Sweat end.

Order No.	Mfr. No.	Finish
1243 12090	3960	Chrome

MOEN®

Showerheads Moenflo®



Order No.	Mfr. No.	Finish
1243 25010	3905	Chrome
1243 25020	3905CP	Chrome/Polished Brass
1243 25030	3905P	Polished Brass

MOEN®

Showerheads



No. 3900. Easy Clean head only.

Order No.	Mfr. No.	Finish
1243 23204	3900	Chrome

Plusco Supply Corp.

MOEN® Faucet Cartridges Replacement



1225B



1200B




1222B

Bulk.

Order No.	Mfr. No.	Desc.
58217	1225B	Single Handle Cartridge
58210	1200B	Brass Single Handle Cartridge
58222	1222B	Posi-Temp Cycling Valve Cartridge


MOEN® Handle Extension Kits Legend & Chateau - 1" - Single



For deep rough-in correction.

Order No.	Mfr. No.	Finish
58150	10399	Chrome

MOEN® Cartridge Tools



Cartridge-release hand tools used on 1200 and 1225 cartridges.

Order No.	Mfr. No.	Desc.
1243 24000	13705	Cartridge Tool

DELTA FAUCET Lavatory Faucets Single Handle



Three-hole installation. Centerset 4". Clear knob handle. Metal pop-up drain. 2.0 gpm at 80 psi (7.6 L/min. at 551 kPa).

Spout
Lgth.
In.
4½

Order No.	Mfr. No.	Finish
1231 00762	522-MPU	Chrome


DELTA FAUCET Lavatory Faucets Single Handle



For 2 and 3 hole installations. Centerset 4". Clear knob handle. Lift rod hole. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

Order No.	Mfr. No.	Finish
1231 00720	502	Chrome


DELTA FAUCET Lavatory Faucets Single Handle



For 2 and 3-hole installation. Centerset 4". Lever handle. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa). **Compliances.** ADA Compliant.

Order No.	Mfr. No.	Finish	Desc.
1231 00700	500	Chrome	w/Lift Rod Hole
1231 00721	501	Chrome	w/o Lift Rod Hole
1231 00765	505	Chrome	w/Lift Rod Hole


DELTA FAUCET Lavatory Faucets Single Handle



Three-hole installation. Lever handle. Centerset 4". Metal pop-up drain. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa). **Compliances.** ADA Compliant.

Order No.	Mfr. No.	Finish
1231 00582	520-MPU	Chrome


DELTA FAUCET Lavatory Faucets Two-Handle



For 2 and 3-hole installations. Centerset 4". Clear blade handles. Metal pop-up drain. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa). **Compliances.** ADA Compliant.

Order No.	Mfr. No.	Finish
1231 00982	2520-MPU	Chrome


DELTA FAUCET Lavatory Faucets 2-Handle



For 2 and 3-hole installation. Centerset 4". Clear blade knob handles. Notched undercover plate for use with chain, stopper. Capped lift rod hole. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa). **Compliances.** ADA Compliant.

Order No.	Mfr. No.	Finish
1231 00900	2500	Chrome


DELTA FAUCET Lavatory Faucets Two-Handle



Three-hole installation. Centerset 4". Clear knob handles with red and blue handle indicators. Metal pop-up drain. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

Order No.	Mfr. No.	Finish
1231 01002	2522-MPU	Chrome


DELTA FAUCET Lavatory Faucets 2-Handle



For 2 and 3-hole installations. Centerset 4". Red/blue clear knob handle indicators. Notched undercover plate accepts chain and stopper. Capped lift rod hole. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

Order No.	Mfr. No.	Finish
1231 00920	2502	Chrome

DELTA FAUCET Lavatory Faucets 2-Handle - Wide Spread




Three-hole installation. Center 6" to 16". Rigid spout. Clear knob handles with red and blue handle indicators. Metal pop-up drain. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1231 01082	3524-MPU	Chrome	4¾

Plusco Supply Corp.

DELTA FAUCET

Lavatory Faucets 2-Handle




Three-hole installation. Wide-spread center 6" to 16". Clear knob handles with red/blue indicators. Metal pop-up drain. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

Spout
Lgth.
In.
4 3/4

Order No. 1231 01131 Mfr. No. 3544-MPU Finish Chrome

DELTA FAUCET

Kitchen Faucets Single Handle



Three-hole installation. Lever handle, 360° swinging spout. Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

Compliances. ADA Compliant.

Spout
Lgth.
In.
6

Order No. 1231 00020 Mfr. No. 100 Finish Chrome

DELTA FAUCET

Kitchen Faucets Single Handle



Three-hole installation. Spout swings 360°. Lever handle, spray hose. Centers 8". Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).


Compliances. ADA Compliant.

Spout
Lgth.
In.
8

Order No. 1231 00100 Mfr. No. 300 Finish Chrome

DELTA FAUCET

Kitchen Faucets Single Handle



Four-hole installation. Spout swings 360°. Lever handle spray hose. Centers 6" or 8". Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).


Compliances. ADA Compliant.

Spout
Lgth.
In.
8

Order No. 1231 00180 Mfr. No. 400 Finish Chrome

DELTA FAUCET

Kitchen Faucets 2-Handle




Three-hole installation. Clear blade knob handles, 360° swinging spout. Shanks 1/2" IPS. Centers 8". Rated 2 gpm at 80 psi (7.6 L/min. at 551 kPa).

No. 2100 Compliances. ADA Compliant.
Faucets - No. 2100

Spout
Lgth.
In.
8

Order No. 1231 00420 Mfr. No. 2100 Finish Chrome




No. 2102. Red/blue handle indicators.
Faucets - No. 2102

Spout
Lgth.
In.
8

Order No. 1231 00460 Mfr. No. 2102 Finish Chrome

DELTA FAUCET

Tub/Shower Faucets Single Handle




Lever handle. Rated 2.5 gpm at 80 psi (9.5 L/min. at 551 kPa) from showerhead.

Spout
Lgth.
In.
8

Order No. 1231 01530 Mfr. No. 641 Finish Chrome

DELTA FAUCET

Tub/Shower Faucets Monitor® - Series 1300 - Single Handle



Scald-Guard® pressure balancing valve with rotational limit stop. Lever handle. Rated 2.5 gpm at 80 psi (9.5 L/min. at 551 kPa) from showerhead.


Compliances. ADA Compliant.

Order No. 1231 12000 Mfr. No. 1343 Finish Chrome

Order No. 1231 12000 Mfr. No. 1343 Finish Chrome

DELTA FAUCET

Drain Assemblies Lavatory



No. RP5651. Complete metal pop-up drain assembly. Metal lift rod.

Pop-Up Drain Assemblies

Order No. 23306 Mfr. No. RP5651 Finish Chrome




Sink Stoppers

Order No. 23147 Mfr. No. RP5648 Finish Chrome

DELTA FAUCET

Faucet Balls Single Handle


Stainless steel. For knob handles.



No. RP70. Not for use with pull-out spray models.

Faucet Balls - No. RP70

Order No. 23103 Mfr. No. RP70 Desc. Faucet Ball



No. RP212. Not for use with tub/shower models No. 1300, 1400 and 1600. Also not for use with pull-out spray models.

Faucet Balls - No. RP212MBS

Order No. 23122 Mfr. No. RP212 Desc. Faucet Ball

Plusco Supply Corp.


DELTA FAUCET Faucet Repair Kits



Include 1 cam-assembly, 4 O-Rings, 2 seats, 2 springs and 1 wrench 1H lever or knob.

Order No. 23126	Mfr. No. RP3614	Desc. Faucet Repair Kit
--------------------	--------------------	----------------------------


DELTA FAUCET Faucet Stems



No. RP1740MBS. For two-handle and basin faucets.

Two-Handle Faucet Stems

Order No. 23132	Mfr. No. RP1740MBS	Desc. w/Stainless Steel Plate
--------------------	-----------------------	----------------------------------




No. RP1991MBS. For Series 1600 tub/shower faucets.

Tub/Shower Faucet Stems

Order No. 23158	Mfr. No. RP1991MBS	Desc. Tub/Shower Stem
--------------------	-----------------------	--------------------------

DELTA FAUCET Faucet Conversion Balls Single Handle




Convert knob into lever model.

Order No. 1231 45010	Mfr. No. RP20111	Desc. Faucet Conversion Balls
-------------------------	---------------------	----------------------------------

**We Appreciate
Your Business!**

DELTA FAUCET Dispensers



For hand lotion or soap. Size 10 oz.

Order No. 1231 41000 1231 41040	Mfr. No. RP1000 RP1000WH	Finish Chrome White
---------------------------------------	--------------------------------	---------------------------

DELTA FAUCET Faucet Diverter Assemblies

For kitchen deck faucets.



Single Handle Diverter Assemblies


Order No. 23113	Mfr. No. RP320MBS	Desc. Single Handle
--------------------	----------------------	------------------------



Two-Handle Diverter Assemblies

Order No. 23316	Mfr. No. RP6073MBS	Desc. Two-Handle
--------------------	-----------------------	---------------------

DELTA FAUCET Faucet Parts



Faucet Seats


Order No. 23125	Mfr. No. RP4993	Desc. Seats & Springs
--------------------	--------------------	--------------------------



Diverter Assemblies


Order No.	Mfr. No.	Desc.	Nut Size In.	Thrd. Size
23154	RP5649	Diverter Assembly	7/8	1 3/16"-20-1H
23255	RP5649AB	Diverter Assembly	7/8	1 3/16"-20-1H
23256	RP5649AL	Diverter Assembly	7/8	1 3/16"-20-1H
23257	RP5649PB	Diverter Assembly	7/8	1 3/16"-20-1H
23258	RP5649SB	Diverter Assembly	7/8	1 3/16"-20-1H
23259	RP5649WH	Diverter Assembly	7/8	1 3/16"-20-1H

DELTA FAUCET Toilet Flappers PROFLAP®



Order No. 1231 32096	Mfr. No. RPF96	Desc. Toilet Tank Flapper
-------------------------	-------------------	------------------------------


AMERICAN STANDARD Lavatory Faucets Cadet - Centerset



Nu-Seal washerless valve cartridge; 1/2" male threaded inlets with coupling nuts; 2.5 gpm flow restrictor; clear acrylic handles.

Order No.	Mfr. No.	Finish
	Less Drain	
1205 35325	2350.310.002	Polished Chrome
	With Metal Pop-Up Drain	
1205 35330	2352.310.002	Polished Chrome


AMERICAN STANDARD Lavatory Faucets Amarilis Heritage - Widespread



All brass construction; washerless ceramic disc valve cartridges; cast brass valve bodies with reinforced flexible hose connections for 6" to 12" installations; 1/2" male pipe inlets with brass coupling nuts; solid brass shank nuts; all brass pop-up drain; 2.5 gpm flow restrictor; less handles.

Order No.	Mfr. No.	Finish
1205 80300	4801.000.002	Polished Chrome

AMERICAN STANDARD Lavatory Faucets Amarilis Heritage - Centerset



All brass construction; washerless ceramic disc valve cartridges; 1/2" male pipe inlets with brass coupling nuts; solid brass shank nuts; 2.5 gpm flow restrictor; brass pop-up drain; less handles.

Order No.	Mfr. No.	Finish
1205 80005	5401.000.002	Polished Chrome

Plusco Supply Corp.

AMERICAN STANDARD

Handle Kits

Amarillis Heritage - Two-Handle



For centerset and above-deck kitchen installations; metal lever.

Order No.	Mfr. No.	Finish
1205 03220	0000.142H.002	Polished Chrome

AMERICAN STANDARD

Faucet Handles

Amarillis Heritage - Two-Handle




Brass crown. For centerset lavatory and above-deck kitchen.

Order No.	Mfr. No.	Finish
1205 81100	0000.102H.002	Polished Chrome

KOHLER®

Lavatory Faucets

Antique™



Lever handles. Widespread. Flexible connections. Pop-up drain with 1 1/4" tailpiece. For 8" to 16" centers.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish
1215 10800	K-108-4-CP	Polished Chrome
1215 10810	K-108-4-PB	Polished Brass

Note: Spout length from inlet to outlet.


MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

KOHLER®

Lavatory Faucets

Alterna




Square handles. Widespread. Pop-up drain with 1 1/4" tailpiece. Aerator. Flexible connections. For 8" to 16" centers.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1215 10500	K-6952-2-CP	Polished Chrome	4 15/16

KOHLER®

Lavatory Faucets

Trend®




Metal handles. Centerset. Aerator. Pop-up drain with 1 1/4" tailpiece. For 4" centers.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1215 61511	K-11800-U-CP	Polished Chrome	3 3/8

KOHLER®

Bar Faucets

Trend®




Metal handles, with 4" gooseneck spout. Spout height 7 5/8". Aerator. For 4" centers.

Order No.	Mfr. No.	Finish
1215 11000	K-11933-U-CP	Polished Chrome

KOHLER®

Laundry Faucets

Trend®



Metal blade handles with threaded swing spout. Spout height 3 7/8". For 4" centers.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1215 12000	K-11935-U-CP	Polished Chrome	5 1/2

KOHLER®

Kitchen Faucets

Coralais™ - Pull-Out



For any large sink. Solid brass body. Washerless ceramic valving. Precise water control. Soft-touch spray control with built-in memory. Pull-out spray with matching color sprayhead. Integral vacuum breaker. Swing spout and retractable hose. Spout height 7 1/2". Touch control stream to spray adjustment. Lever handle. Escutcheon plate 10" for 3-hole installation.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1215 13000	K-15162-CP	Polished Chrome	9 1/2

CHICAGO® FAUCETS

Lavatory Faucets

Single Handle - Metering




Type 665 handle with color coded index buttons. Type E12 aerator. Rated 2.0 gpm at 80 psi. Specify hot or cold index.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236 16350	333-665	Polished Chrome Plate	3 3/8

Plusco Supply Corp.

CHICAGO® FAUCETS

Hospital Faucets



Deck mounted sink faucet with 8" centers. 5 $\frac{3}{8}$ " rigid/swing gooseneck spout and 4" wristblade handles. Quatern stem units. 1.6 gpm internal flow control and stream regulator adapter in spout instead of aerator meets most codes by reducing bacterial growth and producing a laminar flow of water to greatly reduce water splash. Polished chrome finish. Meets ADA requirements.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236-50001	1100GN2FS317	Polished Chrome Plate	5 $\frac{3}{8}$

CHICAGO® FAUCETS

Kitchen Faucets Adjustable Center



Adjustable center 4" to 8 $\frac{3}{4}$ ". Type 369 handles. Female H 1 $\frac{1}{2}$ " supply arms with wall flange. Type E3 aerator. Rated 2.0 gpm at 80 psi.

Order No.	Mfr. No.	Desc.
1236 03540	445	Handles Only

CHICAGO® FAUCETS

Sink Faucets Adjustable Center




Adjustable center 7 $\frac{1}{4}$ " to 8 $\frac{3}{4}$ ". Body inlets on 8" centers. Type 369 handles. G supply arms with integral wall flange. Type E3 aerator. Rated 2.0 gpm at 80 psi.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Desc.	Finish
1236 03700	540-LD	w/6" Spout	Polished Chrome Plate
1236 03710	540-LD-LN	Less Nozzle	Polished Chrome Plate

CHICAGO® FAUCETS

Swing Spouts



Inlet faucet body connection. Type E3 aerator. Rated 2.0 gpm at 80 psi.

No. S6. Available in rough chrome plate with 3/4" hose thread outlet.

No. DJ18. Double jointed spout. Available in rough chrome plate with 3/4" hose thread outlet.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
16320	S6	Polished Chrome Plate	6
16315	DJ18	Polished Chrome Plate	17 $\frac{3}{4}$ "*
16322	L9	Polished Chrome Plate	9 $\frac{1}{2}$
16324	L12	Polished Chrome Plate	12
16326	L14	Polished Chrome Plate	14

*Fully extended length.

CHICAGO® FAUCETS

Bar Faucets



Type GN2A 5 $\frac{3}{8}$ " spout, No. 369 handles with color-coded index buttons, Type E3 aerator with 2.0 gpm at 80 psi, Quatern standard operating cartridge.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236 00520	50	Polished Chrome Plate	5 $\frac{3}{8}$

CHICAGO® FAUCETS

Service Sink Faucets Quatern Combination



Quatern and Slo-compression cartridges. Include vacuum breaker spout; 3/4" hose thread outlet, No. 369 color coded handles, pail hook with wall support, and R integral stop arms. Adjustable inlets: 4" to 8 $\frac{3}{8}$ ". Union coupling on supply arms. Polished chrome or rough finish available.

Order No.	Mfr. No.	Desc.
1236 07680	897	Service Sink Faucet

CHICAGO® FAUCETS

Sink Faucets



8" centers, concealed fitting, Type GN2B 5 $\frac{3}{8}$ " spout, No. 317 4" blade handles, Type E4 spray outlet with 2.0 gpm at 80 psi.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236-06240	786	Polished Chrome Plate	5 $\frac{3}{8}$

CHICAGO® FAUCETS

Sink Faucets



With 8" centers, concealed fitting, Type GN1A 3 $\frac{1}{2}$ " spout, No. 317 4" blade handles, Type E3 aerator with 2.0 gpm at 80 psi.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236 06160	785	Polished Chrome Plate	3 $\frac{1}{2}$

Plusco Supply Corp.

CHICAGO® FAUCETS

Hospital Faucets
Hospital - Quatern Cartridges - Two-Handle



Series 317



Series 320

Type GN1A 3½" rigis/swing field convertible gooseneck spout. Color coded blade handles 4". Centers 4". Type E3 aerator.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236 34154	895-317	Polished Chrome Plate	3½
1236 34160	895-320	Polished Chrome Plate	3½

CHICAGO® FAUCETS

Faucet Handles



317



320



369

Color coded index buttons included.

Compliances. ADA Compliant.

No. 317. Metal wrist blade handle 4". Indexed hot or cold.

No. 320. Canopy wing metal handle. Curved toward user. Hot, cold or plain index.

No. 369. Metal lever handle 2½".

Order No.	Mfr. No.	Finish	Desc.
16220	317	Polished Chrome Plate	Metal Wrist Blade Handle
16235	320	Polished Chrome Plate	Canopy Wing Metal Handle
16240	369	Polished Chrome Plate	Metal Lever Handle

CHICAGO® FAUCETS

Hospital Pedal Valves



Double pedal valves, two ½" female back inlets, one ¾" female back outlet. Rated 2.0 gpm at 8 psi.

Order No.	Mfr. No.	Finish
1236 03840	625	Polished Chrome Plate

CHICAGO® FAUCETS

Hospital Pedal Valves



Double pedal valves for mounting on base of cabinet 5½" above floor, 8" long pedals, two ½" female back inlets, one ¾" female back outlet. Rated 2 gpm at 8 psi.

Order No.	Mfr. No.	Finish
1236 03850	625-LP	Polished Chrome Plate

CHICAGO® FAUCETS

Hospital Spouts



Deck-mount Type GN2A 5¾" spout, spout base, ½" flanged female inlet, Type E3 aerator rated 2.0 gpm at 80 psi.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
1236 03920	626-E3	Polished Chrome Plate	5¾

CHICAGO® FAUCETS

Pre-Rinse Valves



Self-closing pre-rinse valve, insulated handle with hold-down ring and rubber bound spray head, ¾" female inlet.

Order No.	Mfr. No.	Finish	Inlet Size In.
1236 13900	80	Polished Chrome Plate	¾

CHICAGO® FAUCETS

Grid Strainers



Non-removable.

Order No.	Mfr. No.	Tail Piece In.
1236 01830	327A	1¼

CHICAGO® FAUCETS

Vacuum Breakers



½" female inlet and outlet.

Compliances. ASSE1001 Compliant.

Order No.	Mfr. No.	Size In.	Finish
1236 07460	892	½	Polished Chrome Plate

CHICAGO® FAUCETS

Faucet Cartridges
Quatern - Hand Closing



1-100-XT



377-XT-LH

Order No.	Mfr. No.	Desc.
16099	1-99XT	Right Hand, Exposed Cap
16100	1-100-XT	Left Hand, Exposed Cap
16111	1-377-XT-RH	Right Hand, Concealed Cap
16110	1-377-XT-LH	Left Hand, Concealed Cap

CHICAGO® FAUCETS

Faucet Cartridges
Naiaid™ - Push Button



Close upon release of push button.

Order No.	Mfr. No.	Desc.
16120	333-X	For All 333 Basin Faucets
16130	625-X	For All Pedal Valves

Plusco Supply Corp.

MOEN® Lavatory Faucets Sani-Stream® - Metal Commercial




Wrist blade ¼ turn. Connections ½". Removable plug button in lift rod hole. Washerless cartridge. Vandal-resistant screws. Include international

tional hot and cold color indicators. Rated 2 gpm (7.6 L/min.).

Compliances. ADA Compliant.

Order No.	Mfr. No.	Desc.
1243 40000	8800	w/o Waste

MOEN® Lavatory Faucets Sani-Stream® - Medical



Chrome plated brass construction. Supplied less spout. IPS connection ½". Wrist blade style handles 4" with hot and cold color indicators. Ceramic disc design.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish
1243 40030	8133	Chrome

MOEN® Kitchen Faucets Sani-Stream® - Brass - Commercial



Deck mount. Wrist blade handles 4". Centers 8". Vandal-resistant screws. Ceramic ¼ turn disc cartridge. Cast brass. Include international hot and cold color indicators.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Desc.
1243 40020	8123	Brass Commercial

MOEN® Faucets Sani-Stream® - Brass Commercial




Wall mount. Eccentric connections ½". Centers 8". Wrist blade handles 4". Ceramic ¼ turn disc cartridge. Multi-purpose. Vandal-resistant screws. Include international hot and cold color indicators. Cast brass.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Desc.
1243 40010	8121	Brass Commercial

MOEN® Faucet Spouts Sani-Stream® - Heavy Commercial



Include friction washer for rigid spout mounting. Rated 2 gpm (7.6 L/min.).

Order No.	Mfr. No.	A In.	B In.	C In.
1243 40102	S0002	6	5	9 1/8
1243 40104	S0004	6	8 1/2	12 3/8
1243 40107	S0007	8	6	9 3/4
1243 40109	S0009	10	5 3/4	9 3/4

MOEN® Faucet Handles Sani-Stream® - Commercial



Size 4". Include 1 hot and 1 cold. For Series 8100 heavy commercial faucets.

Order No.	Mfr. No.	Style	Finish
1243 30300	16839	Wrist Blade	Chrome

MOEN® Faucet Handles Sani-Stream® - Commercial - Replacement



Hot side ¼ turn. For commercial model Nos. 8798, 8799, 8800, 8810, 8820, 8938, 8940, 8796 and 8797.

Order No.	Mfr. No.	Style	Finish
1243 30500	14834	Wrist Blade	Chrome


MOEN® Faucet Handles Sani-Stream® - Commercial - Replacement



Cold side ¼ turn. For commercial model Nos. 8798, 8799, 8800, 8810, 8820, 8938, 8940, 8796 and 8797.

Order No.	Mfr. No.	Style	Finish
1243 30505	14838	Wrist Blade	Chrome

MOEN® Handle Cartridges Sani-Stream® - Commercial



For Series 8100 heavy commercial faucets except No. 8125. Hot or cold side.

Order No.	Mfr. No.	Desc.
1243 30400	14690	Ceramic Disc Cartridge

MOEN® Cartridge Repair Kits Sani-Stream® - Posi-Temp® - Tub/Shower - Commercial



Carded.

Order No.	Mfr. No.	Pkg. Qty.	Wt. Lbs.
1243 28500	98040	6	1.20

SPEAKMAN Lavatory Faucets Commander® - Widespread Gooseneck



Brass gooseneck style, swivel or rigid, with ¼ turn Perfect® ceramic valve cartridges. Vandal-resistant 4" wrist handles with color-coded indexes.

Order No.	Mfr. No.	Finish
1252 10000	SC-3004-LD	Polished Chrome

T&S BRASS AND BRONZE WORKS Kitchen Faucets Single Handle



NPS threaded shank ½". IPS union tailpieces ¼". Spout 1¼" (31 mm) above deck. Four-arm handle. Include No. B-0199-01 aerator.

Order No.	Mfr. No.	Spout Lgth. In.
1262 01260	B-0711	3

Plusco Supply Corp.

T&S BRASS AND BRONZE WORKS

Kitchen Faucets Single Handle



Single ledge. PVC faucet. Rigid gooseneck. Threaded shank and locknut 1/4". Removable 10-serration hose tip. IPS male inlet 3/8". For use with distilled water. Spread 6". Dual lever control for manual or self-closing operation.

Order No.
1262 10100

Mfr. No.
BL-9515-01

Spout
Ht.
In.
12

T&S BRASS AND BRONZE WORKS

Kitchen Faucets 2-Handle



Built-in screwdriver stops. Wall to faucet center 2 3/8" (60 mm). Wall to outlet center 8 7/8" (225 mm). Vacuum breaker nozzle with 3/4" garden hose thread and pail hook. Top support wall brace.

Order No.
1262 00678

Mfr. No.
B-0665-BSTP

Finish
Polished Chrome-Plated

CC
In.
8

T&S BRASS AND BRONZE WORKS

Kitchen Faucets 2-Handle - w/Sprayer



Deck mounted. Shanks 1". Removable seats. Swing nozzle. Built-in diverter. Self-closing spray valve. Reinforced vinyl hose and hose guide. Center 8". Hose lgth. 4'.

Order No.
1262 06010

Mfr. No.
B-1172

Finish
Bronze

Spout
Lgth.
In.
8

T&S BRASS AND BRONZE WORKS

Lavatory Faucets Medical



Wrist action handles 4" (102 mm). Centers 4". Fit up to 1 3/8" thick sinks. 1/2" NPS shanks. 1/2" OD slip inlets. Top shoulder 1 5/16" dia. to fit 1" dia. hole in basin.

Compliances. ADA Compliant.

No. B-0890. Cast basin spout 3 3/4" (95 mm). Include No. B-0199-03 aerator outlet.

Standard Faucets

Order No.
1262 03085

Mfr. No.
B-0890

Deck
To
Aerator
Clear.
In.
1 1/2



No. B-0892. Centerline to outlet center 2 3/4" (70 mm). Include No. 005028-40 gooseneck and No. B-0199-01 aerator outlet.

Gooseneck Faucets

Order No.
1262 03090

Mfr. No.
B-0892

Deck
To
Aerator
Clear.
In.
5

T&S BRASS AND BRONZE WORKS

Lavatory Faucets Medical



Size 5 1/2" spread rigid gooseneck. Centers 8". Rosespray outlet. Clearance deck to face spray 4 5/16". Wrist action handles 4". Slip inlet OD 1/2". Valve adjust for angle installation. Teflon seat washer.

Compliances. ADA Compliant.

Order No.
1262 61355

Mfr. No.
B-0865-04

Desc.
Medical Lavatory Faucet

T&S BRASS AND BRONZE WORKS

Sink Faucets w/Spring Action Gooseneck



Prerinse unit. Wall-mounted faucet. For food service applications. Female eccentric flanged inlets 1/2" IPS (00AA). Include 18" riser No. 000369-40, No. B-0107 spray valve and No. B-0044-H flexible stainless steel hose. Equipped with internal spring checks to prevent cross flow.

Order No.
85133

Mfr. No.
B-0133

Ctr.
In.
8

Ht.
In.
34

Overhang
In.
15

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

Plusco Supply Corp.

T&S BRASS AND BRONZE WORKS

Sink Faucets Pre-Rinse Unit



Under sink 1/4" IPS tailpieces. 24" riser model. Include No. B-0107 spray valve and No. B-0044-H flexible stainless steel hose. Equipped with internal spring checks to prevent cross flow.

Order No.	Mfr. No.	Ctr. In.	Ht. In.
85113	B-0113	4	48

T&S BRASS AND BRONZE WORKS

Wall Brackets For Pipe



Order No.	Mfr. No.	Size In.	Desc.
1262 07200	B-0109-01	6	Fits 3/8" Pipe
1262 07300	B-0109-02	9	Fits 3/8" Pipe
1262 07400	B-0109-03	12	Fits 3/8" Pipe
1262 07500	B-0109-04	18	Fits 3/8" Pipe
1262 07600	B-0109-05	24	Fits 3/8" Pipe
1262 07700	B-0110	6	Fits 1/2" Pipe

T&S BRASS AND BRONZE WORKS

Water Spray Assemblies



For heavy-duty use in industrial kitchens. Pre-rinse. Include no. B-0107 automatic shut-off valve with spray head and no. B-0044-H flexible stainless steel hose with male inlet 1/2" IPS.

Order No.	Mfr. No.	Lgth. In.	Hose Lgth. Ft.
85100	B-0100	48	3

T&S BRASS AND BRONZE WORKS

Kitchen Spray Valves



Prerinse. Connect directly to flexible stainless steel hose or Roto-Flex handle assembly. For heavy use in industrial kitchens. High-pressure spray. Shut off when handle released.

Order No.	Mfr. No.	Desc.
85107	B-0107	Spray Valve

T&S BRASS AND BRONZE WORKS

Spray Rinse Hoses



Flexible stainless steel. Inner rubber tubing. Supplied with spring action gooseneck.

Order No.	Mfr. No.	Lgth. In.
85426	B0026-H	26
85444	B-0044-H	44
85468	B-0068-H	68

T&S BRASS AND BRONZE WORKS

Add On Faucets



For prerinse units. Less swinging nozzle. Include No. 000358-40 3" nipple. Order spout separately.

Order No.	Mfr. No.	Lgth. In.
85155	B-0155	6

Telephone Your Orders.

T&S BRASS AND BRONZE WORKS

Hose Spray Assemblies Reel-Kleen - w/Reel



B-1400



B-1403

Include No. B-0107 spray valve with heat-resistant handle. Female inlet 3/8" IPS. Adjustable hose bumper. Silver metallic cover. Multi-fit bracket for wall, ceiling or under counter mounting. Pull hose to desired length and reel maintains position. Slight tug will cause it to retract automatically.

No. B-1400. Enclosed reel.

No. B-1403. Open reel.

Order No.	Mfr. No.	Hose ID In.	Hose Lgth. Ft.
Enclosed Reels			
1262 06300	B-1400	3/8	35
Open Reels			
1262 06310	B-1403	3/8	35

T&S BRASS AND BRONZE WORKS

Kitchen Faucets 2-Handle



Deck-mounted. Bronze body. Removable seats. Lever handles. Chrome-plated escutcheon. Spout not included. Shank lgth. 1 1/2".

Compliances. ADA Compliant.

No. B-1110-LN. Escutcheon 6 1/2" L x 2" W.

No. B-1120-LN. Escutcheon 10 1/2" L x 2" W.

Order No.	Mfr. No.	Thrd. Size In.	CC In.
85111	B-1110-LN	1/2	4
85112	B-1120-LN	1/2	8

T&S BRASS AND BRONZE WORKS

Kitchen Faucets 2-Handle



Swivel base. Wall-mounted. Mixing. Lever handles. Eccentric flanged female inlets 1/2" IPS. Spout not included. Not equipped with spring check spindle assemblies. Not for use with prerinse units.

Compliances. ADA Compliant.

Order No.	Mfr. No.	CC In.
85230	B-0230-LN	8

Plusco Supply Corp.

T&S BRASS AND BRONZE WORKS

Workboard Faucets



Splash back mounted. Bronze body. Removable seats. Lever handles. Chrome-plated escutcheon. Spout not included. Shank length 1 1/2". Escutcheon 10 1/2" L x 2" W.

Order No.	Mfr. No.	Thrd. Size In.	CC In.
1262 08015	B-1125-LN	1/2	8

T&S BRASS AND BRONZE WORKS

Swing Nozzles



Order No.	Mfr. No.	Lgth. In.	Rise In.
85080	059X	6	2
85082	060X	8	2 1/4
85084	061X	10	3
85086	062X	12	3 3/4
85087	063X	14	4 1/4
85088	064X	16	5
85089	065X	18	5 3/4

T&S BRASS AND BRONZE WORKS

Faucet Spouts Commercial



Swivel gooseneck.

No. 131X. Female aerator 5/64"-27.

No. 132X. Male aerator 3/8" NPSM.

No. 133X. Female aerator 5/64"-27.

No. 135X. Male aerator 3/8" NPSM.

Order No.	Mfr. No.	Ht. In.	Spread In.
85701	131X	4 3/4	2 3/4
85702	132X	8 3/4	2 5/8
85703	133X	8 3/4	5 1/16
85705	135X	11 3/4	8 1/16

T&S BRASS AND BRONZE WORKS

Drinking Glass Fillers Pedestal - Push Back



Single pedestal type push back. Adjustable flange on pedestal shank. IPS male shank 2" (51 mm) long. Volume regulator. Instantaneous shut-off. Translucent blue Lexan push back arm.

Order No.	Mfr. No.	Inlet Size In.	Ht. In.
1262 02505	B-1210	1/2	8

T&S BRASS AND BRONZE WORKS

Glass Filler Repair Kits



Kit Contents

No.	Desc.	Qty.
000894-45	Springs	2
003199-45	Handle Screw	1
003198-45	Handle Nut	1
000974-45	Bonnet Washer	2
009647-45	Hex Cap Washer	2
009650-45	Seat Washer	2
001100-45	Stem Packing	2
001145-45	Lever Arm	1

Glass Filler Repair Kits

Order No.	Mfr. No.	Desc.
85153	B-1255	Glass Filler Repair Kit

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

T&S BRASS AND BRONZE WORKS

Kitchen Spray Heads



Front trigger. Opening 7/16". Heavy-duty cover. Max. press. 200 psi (12 gpm).

When ordering, specify black or white color.

Order No.	Mfr. No.	Desc.
1262 07100	MV-0522-22	Bronze Body

T&S BRASS AND BRONZE WORKS

Faucet Handles 2-Handle



Order No.	Mfr. No.	Lgth. In.	Type	Finish
85710	B-WH4	4	Wrist-Action	Chrome-Plated Zinc
85712	B-WH4-H*	4	Wrist-Action	Chrome-Plated Zinc
85714	B-WH4-C†	4	Wrist-Action	Chrome-Plated Zinc
85720	B-WH6	6	Wrist-Action	Chrome-Plated Zinc
85722	B-WH6-H*	6	Wrist-Action	Chrome-Plated Zinc
85724	B-WH6-C†	6	Wrist-Action	Chrome-Plated Zinc

*For hot index and screw.

†For cold index and screw.

T&S BRASS AND BRONZE WORKS

Faucet Handles Two Handle



Chrome plated zinc lever handle.

Order No.	Mfr. No.	Desc.
85055	001636-45	Blue Index Button
85056	001637-45	Red Index Button
1262 08010	001638-45	No Index Button

Plusco Supply Corp.

T&S BRASS AND BRONZE WORKS

Sink Aerators Series 3



Nonsplash. Fit lavatory spouts.
Male aerator thread $\frac{1}{8}$ "-27.

Order No. 1262 40010	Mfr. No. B-0199-03	Desc. Aerator
-------------------------	-----------------------	------------------

T&S BRASS AND BRONZE WORKS

Sink Aerators Series 1



Rosespray. Chromium-plated
metal sprayhead.

Order No. 1262 40020	Mfr. No. B-0103-01	Desc. Aerator
-------------------------	-----------------------	------------------

T&S BRASS AND BRONZE WORKS

Spray Head Outlets



Spray face dia. $1\frac{1}{4}$ ". Male
inlet $\frac{3}{8}$ " NPSM.

Order No. 1262 10200	Mfr. No. BL-5550-02	Finish Chrome-Plated Brass	Lgth. In. $\frac{7}{8}$
-------------------------	------------------------	-------------------------------	-------------------------------

T&S BRASS AND BRONZE WORKS

Spray Valve Repair Kits



Kit Contents

No.	Desc.	Qty.
000895-45	Spring	2
000974-45	Bonnet Washer	2
001015-45	Hose Washer	2
009633-45	Seat Washer	2
010202-45	B-0107 Ring	2
001100-45	Packing Stem	2
009306-20	Valve Stem	2

Spray Valve Repair Kits

Order No. 85151	Mfr. No. B-10K	Desc. For Spray Valve No. B-0107
--------------------	-------------------	--

T&S BRASS AND BRONZE WORKS

Spindle Repair Kits Eterna



Kit Contents

No.	Desc.	Qty.
00788-20	RH Eterna Insert	1
00789-20	LH Eterna Insert	1
00811-25	RH Spindle Insert	1
00812-25	LH Spindle Insert	1
00933-45	Seat Washer Screw	6
009646-45	Bottom Gasket	12
009643-45	Top Basket	12
009841-45	Seat Washer	24
001098-45	Packing	6
009745-45	Washer	6
001063-45	D-Ring	6

Spindle Repair Kits

Order No. 1262 10300	Mfr. No. B-6K	Desc. Spindle Parts Kit
-------------------------	------------------	----------------------------

T&S BRASS AND BRONZE WORKS

Lever Handle Kits



Kit Contents

No.	Desc.	Qty.
001637-45	Lever Handle Hot	1
001636-45	Lever Handle Cold	1
001661-45	Red Index Button (Hot)	1
001660-45	Blue Index Button (Cold)	1
000922-45	Lever Handle Screw	2

Lever Handle Kits

Order No. 85150	Mfr. No. B-9K	Desc. Lever Handle Kit
--------------------	------------------	---------------------------

T&S BRASS AND BRONZE WORKS

Handle Repair Kits



Kit Contents

No.	Desc.	Qty.
000800-25	RH Spindle	1
000801-25	LH Spindle	1
000933-45	Seat Washer Screw	4
000986-45	Bonnet Washer	2
002726-45	SS Bonnet Washer	2
001074-45	O-Ring	2
009841-45	Seat Washer	4
001075-45	O-Ring	8
009752-45	Bonnet Washer	4

Handle Repair Kits

Order No. 85149	Mfr. No. B-20K	Desc. Handle Repair Kit
--------------------	-------------------	----------------------------

T&S BRASS AND BRONZE WORKS

Spindle Repair Kits Eterna - Spring Check



Kit Contents

No.	Desc.	Qty.
002711-40	LH Eterna Spindle w/Spring Check	1
002712-40	RH Eterna Spindle w/Spring Check	1

Spindle Repair Kits

Order No. 85152	Mfr. No. B-23K	Desc. Spindle Repair Kit
--------------------	-------------------	-----------------------------

**We Appreciate
Your Business!**

Plusco Supply Corp.

POWERS PROCESS CONTROLS

Mixing Valves

Series 420 - Hydroguard - Thermostatic



Use on shower and tub/shower installations. Concealed. Liquid-filled motor compensates for temperature and pressure fluctuations. Built-in adjustable temperature limit stop reduces chance of accidental scalding due to overadjustment of handle. Heavy cast-brass body. Stainless steel faceplate. Lucite knob-type handle. Corrosion-resistant material.

Compliances. ISO 9001 Registered.

L Series. Lever handle.

Compliances. ADA Approved.

No. L421. Use when hot water supply temperature below 120°F (49°C).


No. L422. Use when hot water supply temperature below 120°F (49°C).

Order No.	Mfr. No.	Mfr. No. Ports
1219 20000	T421	3
1219 20200	T422	4
1219 20400	L421	3
1219 20600	L422	4

POWERS PROCESS CONTROLS

Mixing Valves

Series 900 - BILTMORE



Use in shower and tub/shower installations. Concealed. Pressure balancing. Use diaphragm type pressure balancing mechanism. Lime-resistant Celcon® polymer internal parts. Integral adjustable limit stop reduces possible overadjustment of handle to restrict hot water mix.

Cast brass body. Chrome-plated ABS face plate with color graphic insert. Ergonomically designed chrome plated ABS lever type handle. Corrosion-resistant material throughout. Cast-in integral checkstops reduce installation time. Construction allows shallow wall installation to 2". Back to back installation possible in 4" without cross-piping.


Compliances. ISO 9001 Registered.

Order No.	Mfr. No.	Mfr. No. Ports
1219 20800	P905	4

LEONARD® VALVE CO.

Mixing Valves

Showermaster® - Thermostatic



Dura-trol® solid bimetal thermostat linked directly to porting valve to control hot water intake and compensate for supply temperature or pressure fluctuations. Responsive. Cannot be damaged by temperature extremes. Integral combination checkstops.

Outlet volume control/shutoff with 4 arm handle. Internal parts of bronze, brass and stainless steel. Brass wall flange and cast lever handle. Maximum operating pressure 125 psi (860 kpa). Adjustable high temperature limit stop set for 110°F.


Order No.	Mfr. No.	Inlet In.	Outlet In.	Finish
1228 00380	M-10-C	1/2	1/2	Polished Chrome
1228 00420	M-20-C	3/4	3/4	Polished Chrome

In addition to the items shown, we are continually adding new items.

LEONARD® VALVE CO.

Mixing Valves

Showermaster® - Thermostatic



Dura-trol® solid bimetal thermostat linked directly to porting valve to control hot water intake and compensate for supply temperature or pressure fluctuations. Responsive. Cannot be damaged by temperature extremes. Built-in shut-off for single handle operation. Cast wall flange and lever handle. Integral cast wall mounting bracket. Maximum operating pressure 125 psi (860 kpa). Adjustable high temperature limit set for 110°F. Color-coded dial OFF through HOT with directional indicators.

Series LVC Mixing Valves. Tub or shower installation.

Series LVC-V Mixing Valves. Tub/shower combination.

Order No.	Mfr. No.	Inlet Size In.	Outlet Size In.	Finish	Desc.
1228 01420	LVC	1/2	1/2	Polished Chrome	Mixing Valve
1228 01430	LVC-F	1/2	1/2	Polished Chrome	Angle Checkstops, IPS Connection
1228 01440	LVC-TB	1/2	1/2	Polished Chrome	Straight Brass Checkstops, IPS Connection
1228 08000	LVC-S	1/2	1/2	Polished Chrome	Straight Stops, IPS Connection
1228 09000	LVC-SB	1/2	1/2	Polished Chrome	Straight Brass Checkstops, Copper Tube Connection
1228 10000	LVC-BL	1/2	1/2	Polished Chrome	Cast Bronze Blade Handle
1228 11000	LVC-V	1/2	1/2	Polished Chrome	Mixing Valve
1228 12000	LVC-V-F	1/2	1/2	Polished Chrome	Angle Checkstops, IPS Connection
1228 13000	LVC-V-TB	1/2	1/2	Polished Chrome	Straight Brass Checkstops, IPS Connection
1228 14000	LVC-V-S	1/2	1/2	Polished Chrome	Straight Stops, IPS Connection
1228 15000	LVC-V-SB	1/2	1/2	Polished Chrome	Straight Brass Checkstops, Copper Tube Connection
1228 16000	LVC-V-BL	1/2	1/2	Polished Chrome	Cast Bronze Blade Handle

Our order desk is always ready to assist you.

Plusco Supply Corp.

FISHER MFG. Wall Faucets 2-Handle - Swing Spout



Adjustable 8". Inlet 1/2".

Order No.	Mfr. No.	Spout Lgth. In.
1289 10101	3250	6
1289 10201	3251	8
1289 10301	3252	10
1289 10401	3253	12
1289 10501	3254	14

FISHER MFG. Backsplash Faucets 2-Handle - Swing Spout



Adjustable 8" c/c. Inlet 1/2".

Order No.	Mfr. No.	Spout Lgth. In.
1289 15010	3410	6
1289 15020	3411	8
1289 15030	3412	10
1289 15040	3413	12
1289 15050	3414	14
1289 15060	1767	16

FISHER MFG. Backsplash Faucets 2-Handle - Swing Spout



Adjustable 4" c/c. Inlet 1/2".

Order No.	Mfr. No.	Spout Lgth. In.
1289 18000	3610	6
1289 18002	3611	8
1289 18004	3612	10
1289 18006	3613	12
1289 18008	3614	14
1289 18010	1783	16

FISHER MFG. Swing Spouts



Order No.	Mfr. No.	Lgth. In.
1289 39600	3960	6
1289 39610	3961	8
1289 39620	3962	10
1289 39630	3963	12
1289 39640	3964	14
1289 39650	3967	16

FISHER MFG. Gooseneck Spouts Swivel



Order No.	Mfr. No.	Lgth. In.
1289 31100	3965	12
1289 31200	3968	6

FISHER MFG. Spray Valves



Rated 2.65 gpm at 80 psi.

Order No.	Mfr. No.	Desc.
1289 29900	2990	Spray Valve

FISHER MFG. Rinse Handles Insulated



Order No.	Mfr. No.	Desc.
1289 29130	2913	Pre-Rinse Reel Rinse
1289 29135	2913-3/8	

FISHER MFG. Pre-Rinse Hoses



Order No.	Mfr. No.	Desc.	Lgth. In.
1289 29140	2914	Pre-Rinse Hose & Spring	36
1289 29145	2915	Utility Spray Hose	60

FISHER MFG. Pre-Rinse Risers



Order No.	Mfr. No.	Size In.	Lgth. In.
1289 29268	2927-4302	3/8	12
1289 29269	2927-4303	3/8	16
1289 29270	2927-4300	3/8	21
1289 29271	2113-4301	3/8	25

FISHER MFG. Waste Valves Rotary




Vandal-resistant flat strainer, end cap and slip joint. Rough chrome.

Order No.	Mfr. No.	Desc.
1289 10677	10677	Rotary Waste Valve

Plusco Supply Corp.

FISHER MFG. Faucet Stem Kits Check Stem - 1/2"




Kit Contents

No.	Desc.
2000-7500	Screw
2000-8000	Red Button
2000-8001	Blue Button
2000-2301	Lever Handle
2000-3002	Bibb Cap
10464	Duck Gasket
2000-5000	Washer
2000-3406	LH Check Stem
2000-3407	RH Check Stem
2000-6000	Spring
2000-0001	Retainer Assy.
10456	Lube

Check Stem Kits

Order No.	Mfr. No.	Desc.
1289 92004	2000-0004	RH Check Stem Repair Kit
1289 92005	2000-0005	LH Check Stem Repair Kit


BELVEDERE® Sink Fixtures Flo-Temp Deck Mount



With tailpiece. Single handle control.

Order No.	Mfr. No.	Desc.
34210	622TC	Clear


BELVEDERE® Spray Hoses Whiz Spray



With single screw on connector.

Order No.	Mfr. No.	Lgth. In.
34240	5090028B	42

CENTRAL BRASS® Lavatory Faucets Centerset




Solid cast brass body. Centerset 4". Replaceable seats.

Series 1133. 4 5/8" extended spout.

Order No.	Mfr. No.	Aerator gpm
1230 04940	1137-A	2.2
1230 04980	1137-DA*	2.2
1230 04780	1133-A	2.2
1230 04820	1133-DA*	2.2

*Includes pop-up drain w/17 gauge tailpiece.

CENTRAL BRASS® Sink Fittings Wall Mount



1/2-14 NPS female inlet. Replaceable seats.

Order No.	Mfr. No.	Aerator gpm	Spout Size In.	Finish
1230 00220	0047-UA	2.2	6	Polished Chrome
1230 00225	0047-UA-3	2.2	12	Polished Chrome


CENTRAL BRASS® Bar/Laundry Faucets Centerset



6" tube spout. Centerset 4".

Order No.	Mfr. No.	Finish	Aerator gpm
1230 00660	0094-A	Polished Chrome	2.2

CENTRAL BRASS® Shower Stops



Self-closing. Cast brass. 1/2-14 NPS. Replaceable seat.

Order No.	Mfr. No.	Desc.
1230 02300	0335-1/2	w/Pull Chain

CENTRAL BRASS® Bubbler Heads




Cast brass body; flange with replaceable cartridge.

Order No.	Mfr. No.	NPS Shank Size	Finish
1230 02340	0360	1/2-14 Male	Polished Chrome
1230 02380	0361	3/8-18 Female	Polished Chrome
1230 02420	0362*	3/8-18 Female	Polished Chrome

*w/o Flange.

CENTRAL BRASS® Drinking Faucets Wall Mount



Brass, brush finish round bowl. Self-closing lever handle. Replaceable seat. NPS shank size 3/8-18 female.

Order No.	Mfr. No.	Finish
1230 02585	0366-HX8WB	Polished Chrome

B&K® Lavatory Faucets Series IV Plus - Single Lever

Brass waterways. Metal housing. Replaceable ball and seats. Washerless. Tool free installation. Center distance 4".

Compliances. ISO 9002 Compliant.



Acrylic Faucets

Order No.	Mfr. No.	Finish	Desc.
15450	121-104	Chrome	Acrylic Handle Less Pop-Up
15452	121-114	Chrome	Acrylic w/Brass Pop-Up



Metal Faucets

Order No.	Mfr. No.	Finish	Desc.
15460	121-814	Chrome	Metal w/Brass Pop-Up
15462	121-804	Chrome	Metal Handle Less Pop-Up

Plusco Supply Corp.

B&K®

Lavatory Faucets Series I Plus - Dual Handle - Nonmetallic




Acrylic handle with plastic pop-up. Replaceable quarter turn washerless cartridges. Tool free installation. Center distance 4".

Order No.	Mfr. No.	Finish
15411	121-024	Chrome Plated

JAMECO INDUSTRIES

Pop-Up Wastes Brass



No. 5-5-3BA. Chrome plated brass.
No. 5-5PB. Polished brass
No. 5-6-1BA. Chrome plated ABS.

Order No.	Mfr. No.	Pkg. Qty.
72550	5-5-3BA	1
72560	5-5PB	1
72570	5-6-1BA	1

B&K®

Laundry Tray Faucets Top Mount - Compression



Brass waterways. Tubular spout. Aerator 2.0 gpm. Hose thread adapter included; seats and stems replaceable.

Order No.	Mfr. No.	Finish	Spout Lgth. In.
43500	125-503	Chrome Plated	4

B&K®

Kitchen Faucets Series I Plus - Dual Handle- Nonmetallic



Acrylic handle. Replaceable quarter turn washerless cartridges. Tool free installation. Center distance 8".

Order No.	Mfr. No.	Finish
43400	122-018	Chrome Plated

B&K®

Wallmount Faucets



Brass body. Tubular spout. Aerator 2.0 gpm. 1/2" female threaded eccentric couplings; seats and stems are replaceable. Soap dish included. Center distance 8".

Order No.	Mfr. No.	Finish	Spout Lgth. In.
15470	123-009	Chrome Plated	8
15475	123-011	Chrome Plated	12

B&K®

Shower Valves




Brass body; chrome plated. Spring loaded self closing mechanism; for indoor or outdoor use. Pull chain and clips. Stem, cam and spring mechanisms are replaceable.

Order No.	Mfr. No.	Finish	Faucet Size In.
15053	126-006	Chrome Plated	1/2

AMERICAN STANDARD

Undercounter Mount Lavatories Ovalyn II - Vitreous China




Unglazed rim for undercounter mount with mounting kit.
Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Color	Bowl Size In.	Rim Size In.
1001 02318	0496.011.020	White	17x14	19 1/4 x 16 1/4
1001 02390	0497.012.020	White	19x15	21 1/4 x 17 3/4

AMERICAN STANDARD

Countertop Lavatories Rondalyn - Vitreous China




19" diameter. Self-rimming with template and color-matched sealant.
Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Ctr. In.	Color
1001 02230	0491.019.020	4	White
1001 02186	0490.011.020	8	White
1001 02184	0490.156.020*	...	White

*Center hole only.

AMERICAN STANDARD

Countertop Lavatories Aqualyn - Vitreous China




20"x17". Self-rimming with template and color-matched sealant.
Compliances. ADA-Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Ctr. In.	Color
1001 02522	0476.028.020	4	White
1001 02474	0475.020.020	8	White
1001 02260	0475.047.020*	...	White

*Center hole only.

AMERICAN STANDARD

Wall Hung Lavatories Lucerne - Vitreous China




20"x18". For wall hanger (included) or concealed arms by others.
Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Ctr. In.	Color
1001 10100	0355.012.020	4	White
1001 10200	0356.015.020	8	White

AMERICAN STANDARD

Wall-Hung Lavatories Wheelchair Access - Vitreous China




27"x20". Arranged for concealed arm carrier by others.
Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Ctr. In.	Color
1001 05044	9141.011.020	4	White
1001 05060	9140.013.020	12	White

AMERICAN STANDARD

Institutional Sinks Clinic Service - Vitreous China



Stainless steel cover plates.


Order No.	Mfr. No.	Lgth. In.	Wdth. In.	Color
1001 10300	9504.010.020	20	28	White

Plusco Supply Corp.

AMERICAN STANDARD

Two-Piece Toilets

Yorkville - Elongated - Pressure-Assisted - Vitreous China



Floor mounted. Wall outlet. Less seat. Close-coupled flushometer tank. Pressure-assisted siphon jet flushing action. Speed Connect™ tank/bowl coupling system with hex nuts. Chrome trip lever. 1.6 gpf.

Compliances. ADA Compliant. Meet ANSI A117.1 Requirements. Meet ANSI/ASME Low-Consumption, Water Conservation Requirements.

Order No.	Mfr. No.	Color
1001 04500	2320.100.020	White

AMERICAN STANDARD

Toilets

Madera EL - Vitreous China




Siphon jet flush action. 1.6 gpf. 10" elongated rough flush valve toilets less seat. 14 1/8" rim height. two bolt caps. top spud.

Order No.	Mfr. No.	Color
1001 54431	2234.015.020	White

AMERICAN STANDARD

Elongated Toilets

Madera EL - Vitreous China



1.6 gpf. 10" elongated rough flush valve toilets less seat. 17" rim height. top spud. siphon jet flush action.


Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Color
1001 54451	3043.102.020	White

AMERICAN STANDARD

Wall-Hung Toilets

Afwall EL - Vitreous China



1.6 gpf. Flush valve. Elongated bowl only. Less seat. Top spud. Siphon jet flush action.

Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Color
1001 54411	2257.103.020	White

ZURN

Closet Carrier Kits




Set of nuts, bolts and washer for carriers.

Order No.	Mfr. No.	Desc.
0240 98010	ZR-1203-07-TRIM	Closet Carrier Kit

ZURN

Closet Gaskets

Neo-Seal



Positive sealing. Special adhesive formula eliminates leakage. Expanded closed cell neoprene gasket. Controlled analysis, specially prepared seal. Retain resiliency permanently. Resist water, petroleum products, chemicals and rotting.

Order No.	Mfr. No.	Desc.
0240 51600	Z-1210-57	Neo-Seal Gasket Kit


MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs and other available publications and data on request.

AMERICAN STANDARD

Urinals

Lynbrook - Vitreous China



Blowout flush action. Low flush valve .85 gpf to 1 gpf. Top spud, wall hanger and outlet connection 1 1/4". Capacity 6.1 cu. ft. Weight 71 lbs.

Compliances. ADA Compliant. Meet ANSI A117.1 Requirements. Meet all ANSI/ASME Low-Consumption, Water Conservation Requirements.

Order No.	Mfr. No.	Color
1001 10400	6601.012.020	White

AMERICAN STANDARD

Urinals

Allbrook - Vitreous China



Siphon jet flush action. Low flush valve .7 gpf to 1 gpf. Extended rim 14". Top spud, wall hanger and outlet connection 3/4". Capacity 3.1 cu. ft. Weight 34 lbs.


Compliances. ADA Compliant. Meet ANSI A117.1 Requirements. Meet all ANSI/ASME Low-Consumption, Water Conservation Requirements.

Order No.	Mfr. No.	Color
1001 08473	6541.132.020	White

AMERICAN STANDARD

Urinals

Washbrook - Low-Consumption - Vitreous China



Washout flush action. 14" extended rim. 3/4" top spud, wall hangers, outlet connection. 0.7 to 1.0 gpf.


Compliances. ADA Compliant. Meet ANSI A117.1 Requirements.

Order No.	Mfr. No.	Color
1001 08389	6501.010.020	White

KOHLER®

Undercounter Lavatories

Caxton™



Include No. 42047 clamp assembly.


Compliances. ADA Compliant.

No. K-2211-0. ADA Compliant when specified without overflow.

Order No.	Mfr. No.	Lgth.	Wdth.	Color
1015 41335	K-2209-0	15	12	White
1015 08424	K-2210-0	17	14	White
1015 08430	K-2211-0	19	15	White

Plusco Supply Corp.


KOHLER® Countertop Lavatories Brookline™ - Vitreous China - Self-Rimming



Compliances. ADA Compliant when installed in 21" minimum depth countertop.
No. K-2202-4-0. 19" diameter. Self rimming w/sealant., 4" centers. 3 faucet holes.
No. K-2202-8-0. 19" diameter. Self rimming w/sealant., 8" centers. 3 faucet holes.

Order No.	Mfr. No.	Color
1015 08232	K-2202-4-0	White
1015 08284	K-2202-8-0	White

KOHLER® Wall-Mount Lavatories Greenwich™



Vitreous china. Back, wall hanger. Ship wt. 42 lbs.
Compliances. ADA Compliant when installed with K-13885 offset drain.
No. 2030. Drilled 8" centers.
No. 2032. Drilled 4" centers.

Order No.	Mfr. No.	Lgth. In.	Wdth. In.	Color
1015 41325	K-2030-0	20	18	White
1015 41330	K-2032-0	20	18	White


KOHLER® Kitchen Sinks Lakefield™ - Double Bowl - Self-Rimming



Cast iron. Self-rimming. Deeper disposal basin. Sink cut-out and drain location. Left basin depth 6"; right basin depth 9½". Minimum base cabinet width required 33". Faucet and accessories sold separately.

Order No.	Mfr. No.	Wdth. In.	Lgth. In.	Drill- ings	Color	Faucet Centers In.
1015 41300	K-5924-3	22	33	3	White	3
1015 41305	K-5924-4	22	33	4	White	4
1015 41310	K-5924-5	22	33	5	White	...


KOHLER® Toilet Seats Lustra™ - Elongated - Residential



Closed front with cover.

Order No.	Mfr. No.	Color
1015 41350	K-4652-0	White

KOHLER® Combination Toilets Wellworth™ - Elongated - Vitreous China



Vitreous China. Elongated. Pressure Lite™ operating system. Rated 1.6 gpf. Rough-in 12". Include polished chrome trip lever, less seat and supply. Combination of No. K-4276 bowl and No. K-4620 tank.

Order No.	Mfr. No.	Color
1015 56500	K-3422-0	White

KOHLER® Two-Piece Toilet Highline™ - Elongated - Commerical




Elongated toilet combination. Rough-in 12". Include polished chrome trip lever, less seat and supply. Bowl height 16½". Gpf 1.6.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Color
1015 41340	K-3427-0	White

KOHLER® One-Piece Toilets San Raphael™ - Elongated - Residential - Full Line



Residential. Elongated. Rough-in 12", includes K-4653 French Curve™ seat, polished chrome trip lever, less supply, 1.6 gpf.

Order No.	Mfr. No.	Color
1015 41200	K-3384-0	White


KOHLER® Commercial Toilets Wellcomme™ - Elongated - Vitreous China



Vitreous china. Elongated bowl toilet with 1½" top spud. Rated 1.6 gpf. Rough-in 10" or 12".

Order No.	Mfr. No.	Color
1015 41000	K-4350-0	White

KOHLER® Commercial Toilets Highcliff™ - Elongated - Vitreous China



Vitreous china. Elongated bowl. With 1½" top spud. 1.6 gpf. 10" or 12" rough-in.
Compliances. ADA Compliant with bowl height 17½".


Order No.	Mfr. No.	Color
1015 12028	K-4368-0	White

**Please Phone or Fax
Your Orders**

Plusco Supply Corp.

KOHLER®

Commercial Toilets
Kingston - Elongated - Vitreous China




Vitreous china. Elongated wall-hung bowl with 1½" top spud. Rated 1.6 gpf.

Compliances. ADA Compliant when installed at required height 17" to 19" from floor to seat top.

Order No.	Mfr. No.	Color
1015 12033	K-4330-0	White

KOHLER®

Washout Urinals
Bardon™ - Vitreous China




Compliances. ADA Compliant when rim mounted no higher than 17" from finished floor. With ¾" Top spud. 1.0 gallon or less flush.

Order No.	Mfr. No.	Color
1015 41100	K-4960-T-0	White

KOHLER®

Urinals
Stanwell™ Lite




Blow-out with 1¼" top spud. One gallon or less flush. Ship. wt. 63 lbs.

Compliances. ADA Compliant when rim mounted no higher than 17" from floor.

Order No.	Mfr. No.	Color
1015 41315	K-4972-T-0	White

KOHLER®

Urinals
Dexter™ Lite




Siphon jet with ¾" top spud. One gallon or less flush. Ship. wt. 39 lbs.

Compliances. ADA Compliant when rim mounted no higher than 17" from floor.

Order No.	Mfr. No.	Color
1015 41320	K-5016-T-0	White

BRIGGS®

Under Counter Lavatories
Marlowe - Vitreous China



Concealed front overflow. Available in white or bone. Size 19"×16". Weight 18 lbs.

Lavatories


Order No.	Mfr. No.	Desc.	Size
1021 34500	6503	Oval	Cu. In. 2.2

Accessories

Order No.	Mfr. No.	Desc.	Screw
1021 34510	500039	Mounting Clips w/Screws	Size In. 1¼

BRIGGS®

Porcelain/Steel Lavatories
Homer - Economy




Self-rimming. Multi-bracket clamping. Acid-resistant finish, faucet holes 4" on center, concealed front overflow. Weight 10 lbs.

Order No.	Mfr. No.	Desc.	Color
1021 06625	3002-733	Round	Bone
1021 06440	3002-130	Round	White

BRIGGS®

Porcelain/Steel Lavatories
Anderson - Economy



Measure 20"×17". Oval, self-rimming. Multi-bracket clamping. Acid-resistant finish, faucet holes 4" on center, concealed front overflow.

Order No.	Mfr. No.	Desc.	Color
1021 07200	3004-130	Oval	White
1021 07385	3004-733	Oval	Bone

BRIGGS®

Countertop Lavatories
Vitreous China



6500



6510

4" centerset.


No. 6510-130. Self-rimming. Concealed front overflow.

No. 6510-733. Self-rimming. Concealed front overflow.

Order No.	Mfr. No.	Desc.	Color	Size
				In.
		Perle		
1021 34160	6500-130	Round	White	19
1021 34170	6500-733	Round	Bone	19
		Margery		
1021 37160	6510-130	Oval	White	20×17
1021 37170	6510-733	Oval	Bone	20×17

BRIGGS®

Wall Hung Lavatories
Whitman - Vitreous China




Anti-splash rim. Concealed front overflow. Wall hanger included. Twin soap depressions. Size 19"×17". Center faucet holes 4". Weight 32 lbs.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Size	Color
1021 43440	6602	Cu. In. 2.3	White

Plusco Supply Corp.


BRIGGS® Porcelain/Steel Bathtubs Pendant 60 - Economy



Measure 60"x30"x14 1/4". Below floor rough-in, sloping back, slip-resistant bottom, full tiling flange.

Order No.	Mfr. No.	Outlet	Color
1021 03680	2204-130	RH	White
1021 04060	2205-130	LH	White

CHATHAM BRASS Bath Safety Treads Slip-X®



Nonslip. Resilient. Mildew-resistant. White. For tub or shower stall. Eight strips per package.

Order No.	Mfr. No.	Desc.	Size In.
15600	3720	Display Pack	14x3/4
15610	4020	Institutional Pack	17x3/4

BRIGGS® Toilet Bowls, Tanks & Lids Gravity Operated




No. 4234. ADA Compliant.


Order No.	Mfr. No.	Desc.	Color
Abingdon - Tanks			
1021 9101	4430		White
Abingdon - Bowls			
1021 9671	4320	Round	White
1021 9689	4325	Elongated	White
Abingdon - Bowl & Tank Combo			
1021 9488	4234*	Consists of No. 4430 Tank & No. 4328 Bowl	White

*Handicap.

BENJAMIN MFG. Countertop Lavatories Lustre-Lav® - Ackralac®



1800



1720

Strong as iron, more elegant than ceramic. Resist corrosion and scratching. No scouring or polishing required. Available in white or bone.

Compliances. Meet and exceed Housing Code Standards.

Order No.	Mfr. No.	Desc.	Size In.
18002	1800	Round	18 5/8
18720	1720	Oval	17x20

GERBER® PLUMBING FIXTURES

Low Consumption Toilets Ultra-Flush - Pressurized Unit Closet




Elongated bowl. Siphon jet. Rough-in 12". Water surface from rim 4 5/16". 1.6 gpf. Trapway exceeds minimum 2". Water surface exceeds minimum 12"x10". Water seal exceeds minimum 2 1/2".

No. 21-318. Handicap combination.

Order No.	Mfr. No.	Ht. In.	Wdth. In.	Dpth. In.
1210 10312	21-312	27 1/2	20 1/4	30
1210 10318	21-318	30 1/2	20 1/4	30

MUSTEE & SONS Laundry Tubs Durastone®




Sturdy, one-piece construction. Marbleized white, single sink. Size 23 1/2"x23". Faucet not included.

No. 17F. Has heavy-gauge steel legs with leveling devices.

No. 17W. Has mounting gasket and hardware.

Order No.	Mfr. No.	Mount Style
7215 30000	17F	Floor
7215 40000	17W	Wall

MUSTEE & SONS Laundry Trays Utilatwin® - Thermoplastic



Double models accommodate single and 4" or 8" center set faucets. Seamless molded corners and edges prevent fine fabric snag. Feature self-draining soap/storage shelves, recessed divider wall between trays and twin waste, one-piece molded construction. Include drain assembly. Faucet not included.

No. 27F. Includes heavy-gauge steel legs with leveling devices.

No. 27W. Includes mounting bracket and hardware.

Order No.	Mfr. No.	Mount Style
7215 10000	27F	Floor
7215 20000	27W	Wall


**IF YOU CAN'T FIND
IT HERE....**

Let us know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

Plusco Supply Corp.

TRUEBRO Pipe Covers LAV GUARD™



Protect wheelchair users from scalding and sharp, abrasive surfaces. Protect undersink drain piping and angle valve supply. Antimicrobial. Rotatable, Soft, flexible and durable. Easy installation. Fit all 1 1/4" or 1 1/2" cast brass or tubular P-trap assemblies and 3/8" or 1/2" angle stop assemblies regardless of geometry or rotational offset.


Lock-Lid™ covers angle stop valves while allowing for convenient servicing and minimized tampering. Snap-Clip™ reusable fasteners simplify installation and servicing. Internal rib design maximizes safety. Feature molded, closed cell vinyl, smooth high gloss finish and UV protection prevents fading and discoloring.

Thermal conductivity: K valve of 1.17 plus dead air space. Nominal wall 1/8". Available in China white or light gray. Can be painted with acrylic enamel to match any decor.

Compliances. UL Listed. ADA Compliant. ANSI Approved. BOCA Approved. California P 1504B Compliant. New York and other state and local regulations.

Order No.	Mfr. No.	Desc.
18820	103-WHT	Pipe Cover

TRUEBRO Lavatory Enclosures LAV SHIELD™




Protect wheelchair users from scalding and sharp, abrasive surfaces. Conceal all lavatory piping, electronic faucet connections, mixing valves, trap primers and instantaneous hot water heaters at once. Single-piece shield. Provide proper knee and toe clearances for wheelchair users. Prevent pipe component tampering. High-impact. Stain-resistant. Include 7 stainless steel fasteners. Fit all ADA Approved 20"x18" wall hung china lavatories. Molded, ridged vinyl. Fine haircell finish. UV protection prevents fading and discoloring. Nominal wall 1/8". China white color.

Compliances. UL Classified. In accordance with ADA article 4.19.4 22FF.

Order No.	Mfr. No.	Desc.
18822	2018	Lavatory Enclosure

Note: Lavatory rough in should be considered to allow mounting room for water heater behind enclosure.

TRUEBRO Lavatory Enclosures BASIN GUARD™




Protect wheelchair users from scalding and sharp, abrasive surfaces. Conceal continuous-waste plumbing connections, garbage disposals, electronic wiring components, mixing valves and trap primer components at once. Single-piece shield. Provide proper knee and toe clearances for wheelchair users. Prevent pipe component tampering. High-impact. Stain-resistant. Include fastening screws. Fit all ADA Approved kitchen sinks and lavatories with countertops and sidewalls up to 36". Bolteron Rigiwall E™ vinyl. Fine haircell finish. UV protection prevents fading and discoloring. Nominal wall .093". Soft beige color.

Compliances. UL Classified. In accordance with ADA article 4.19.4 22FF.

Order No.	Mfr. No.	Desc.
18824	36	Lavatory Enclosure

TCI PRODUCTS Pipe Insulation Kits Skal+Gard®



Specifications

Material: Integral skin, polyurethane foam.

Hardness: Soft/shore hardness 31.06.

Nominal Wall: 3/8" (9.53 mm).

Color: White or gray.

Closure: T.T. fasteners.

Insulation: R factor 2.

Compliances. ADA Compliant. UPC Compliant. Meet ASTM fire rating test method D-635. Meet UL fire rating test method HBF 94. ASTM G-210 Compliant for measured fungal growth. ASTM G-220 Compliant for measured bacterial growth.

Kit Contents

No.	Desc.
SG-101	Trap Device
SG-102	Angle Stop/Riser Device

Insulation Kits

Order No.	Mfr. No.	Desc.
18810	SG-100B	Skal+Gard® Insulation Kit

SLOAN® VALVE

Flush Valves

Royal® - Exposed Closet Flushometers



For floor-mounted or wall-hung bowls. Deliver complete flush and refill and are immediately ready for repeat operation. Nonhold-open feature means shut off automatically after flushing cycle, even if handle is held. Flush under pressure, cleaning fixture. Vandalproof. Diaphragm-type flusher, chrome plated, 1" IPS screwdriver Bak-Chek® angle stop with vandal resistant cap, adjustable tailpiece, vacuum breaker flush connection, spud coupling and flange for 1 1/2" top spud, sweat solder adapter ring for 1" copper tube installation, chrome-plated cover tube and chrome-plated cast set screw wall flange. Virtually vandalproof.

Compliances. CSA Certified. ADA Compliant. UPC Listed. IAPMO Listed.

No. 110. Centerline of supply 11 1/2" above fixture.

No. 111. Centerline of supply 11 1/2" above fixture.

Order No.	Mfr. No.	Desc.	gpf
1254 00340	110	Water Saver	3.5
1254 00019	111	Low Consumption	1.6

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

Plusco Supply Corp.

SLOAN® VALVE

Flush Valves
Royal® - Exposed Urinal Flushometer



Deliver complete flush and refill and are immediately ready for repeat operation. Non-hold-open feature means shut off automatically after the flushing cycle, even if the handle is held. Flush under pressure, thus more efficiently cleaning the fixture. Virtually vandal-proof. Diaphragm-type flusher, chrome plated, 1" IPS screwdriver Bak-Chek® angle stop with vandal resistant cap, adjustable tailpiece, vacuum breaker flush connection, spud coupling and flange for 1 1/4" top spud, sweat solder adapter ring for 1" copper tube installation, chrome plated cover tube and chrome plated cast set screw wall flange.

Compliances. CSA Certified. UPC Compliant. IAPMO Listed. ADA Compliant.

Order No.	Mfr. No.	Desc.	gpf
1254 06520	180	Conventional	3.5
1254 06540	180-1.5	Water Saver	1.5
1254 06560	180-1	Low Consumption	1.0

SLOAN® VALVE

Flush Valves
Royal® - Exposed Urinal Flushometer



Deliver complete flush and refill and are immediately ready for repeat operation. Nonhold-open feature means valves shut off automatically after the flushing cycle, even if the handle is held. Flush under pressure, thus more efficiently cleaning the fixture. Virtually vandal-proof. Diaphragm-type flusher, chrome plated, 3/4" IPS screwdriver Bak-Chek™ angle stop with vandal resistant cap, adjustable tailpiece, vacuum breaker flush connection, spud coupling and flange for 3/4" top spud, sweat solder adapter ring for 3/4" copper tube installation, chrome plated cover tube and chrome plated cast set screw wall flange.

Compliances. CSA Certified. UPC Listed. IAPMO Compliant. ADA Compliant.

Order No.	Mfr. No.	Desc.	gpf
1254 07100	186-Royal	Water Saver	1.5
1254 07150	186-1-Royal	Low Consumption	1.0

SLOAN® VALVE

Vacuum Breakers
Series V500AA - Chrome Plated



Order No.	Mfr. No.	Size In.
76210	V-500-AA-3/4X9	3/4x9
76215	V-500-AA-3/4X15	3/4x15
76220	V-500-AA-1-1/4X9	1 1/4x9
76230	V-500-AA-1-1/4X13-1/2	1 1/4x13 1/2
76235	V-500-AA-1-1/4X21-1/2	1 1/4x21 1/2
76250	V-500-AA-1-1/2X9	1 1/2x9
76260	V-500-AA-1-1/2X13-1/2	1 1/2x13 1/2
76270	V-500-AA-1-1/2X21-1/2	1 1/2x21 1/2
76280	V-00-AA-1-1/2X26	1 1/2x26
76290	V-500-AA-1-1/2X32-1/2	1 1/2x32 1/2

SLOAN® VALVE

Flushometer Diaphragm Kits
For Royal® & Regal® Flushometers



For use in exposed valves only. Kit includes dual filtered diaphragm assembly, B-51-A triple seal handle repair kit, V-651-A high back pressure vacuum repair kit and H-553 tailpiece O-ring.

Order No.	Mfr. No.	gpf	Use With
1254 50010	A-1101-A	1.6	For Low Consumption Water Closet
1254 50020	A-1102-A	3.5	For Water Saver Water Closet
1254 50030	A-1106-A	.5	For Wash Down Urinal
1254 50040	A-1107-A	1.0	For Low Consumption Urinal

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

SLOAN® VALVE

Closet Flush Systems
Flushmate®



Flush Cartridge



Supply Groups

Order No.	Mfr. No.	Desc.
Flush Cartridges		
1254-55500	C-100500-K	For All Series Except 200
Complete Supply Groups		
1254-55100	RK100100	For All Series

SLOAN® VALVE

Battery Powered Urinal Retrofit
Sensor Kit



Black Plastic Cover



Chrome Plated Metal Cover

Convert existing manual Royal® and Regal® Flushometer into totally automatic flushing system. No AC hookups or wall alterations necessary. Operate by infra-red sensor; no physical contact with flushometer surface. Water consumption, maintenance and operating costs reduced. Solid state electronic circuitry. Low battery flashing LED. Infrared sensor range adjustment screw. Chrome plated metal handle cap. Include 4 AA-size batteries and installation tools.

Compliances. UL Listed. CSA Listed. ADA Compliant.

Order No.	Mfr. No.	Desc.	gpf
1254 40606	RESSU1	Low Consumption	1.0
1254 40605	RESSU1.5	Water Saver	1.5
1254 40770	RESS-U-1.5-MC	Water Saver	1.5
1254 40780	RESS-U-1.0-MC	Low Consumption	1.0
1254 40790	RESS-U-0.5-MC	Kit	.5

Plusco Supply Corp.

SLOAN® VALVE

Battery Powered Closet Retro-Fit
Sensor Kits
Optima Plus® - Exposed Closet Units



Black Plastic Cover



Chrome Plated Cover

Sensor-operated Flushometers triggered by beam of infrared light. Retro-fit kits install on existing Royal® and Regal® closet Flushometers, turning them into automatic sensor-operated flushers.

Sensor units with override button operate on four AA batteries and equipped with low-battery indicator LED. Also feature range adjustment screw, range indicator light, decorative handle cap and decorative stop cap.

Compliances. UL Listed. CSA Listed. ADA Compliant.

Order No.	Mfr. No.	Desc.	gpf
1254 40601	RESS-C 3.5C	Water Saver	3.5
1254 40602	RESS-C 1.6	Retro-Fit Sensor Kit	1.6
1254 40710	RESS-C-3.5-MC	Water Saver	3.5
1254 40720	RESS-C-1.6-MC	Low Consumption	1.6

A number of items in
this catalog are listed
in condensed form.
Complete catalogs and
specifications will be
sent to you on request.
Please call us.

SLOAN® VALVE

Battery Powered Flushometers
Optima Plus® - Exposed Closet Units



Triggered by a beam of infrared light. Automatic sensor-operated flushers with override button operate on four AA batteries and are equipped with a low-battery indicator LED. Chrome-plated, diaphragm type for exposed closet installation. Range adjustment screw. Range indicator light. Protective handle cap. 1" IPS screwdriver Bak-Chek® angle stop with protective cap. Adjustable tailpiece. Vacuum breaker flush connection and spud coupling for 1½" top spud, wall and spud flanges. Set screw cast wall flange and sweat solder adapter kit.

Order No.	Mfr. No.	Desc.	gpf
1254 41020	8110	Water Saver	3.5
1254 41030	8111	Low Consumption	1.6

SLOAN® VALVE

Battery Powered Flushometers
Optima Plus® - Exposed Urinal Units



Triggered by beam of infrared light. Automatic sensor-operated flushers operate on four AA batteries and equipped with low-battery indicator LED. Chrome-plated, diaphragm type for exposed urinal installation. Range adjustment screw. Range indicator light. 24-hr. sentinel flush. Protective handle cap. 1" IPS screwdriver Bak-Chek® angle stop with protective cap. Adjustable tailpiece. Vacuum breaker flush connection and spud coupling for 1¼" top spud, wall and spud flanges. Set screw cast wall flange and sweat solder adapter kit.

Order No.	Mfr. No.	Desc.	gpf
1254 41050	8180	Regular	3.0

SLOAN® VALVE

Battery Powered Flushometers
Optima Plus® - Exposed Urinal Units



Sensor-operated flushometers are triggered by a beam of infrared light. Automatic sensor-operated flushers operate on four AA batteries and are equipped with a low-battery indicator LED. Chrome plated, diaphragm type for exposed urinal installation. Range adjustment screw. Range indicator light, 24-hour sentinel flush. Protective handle cap. ¾" IPS screwdriver Bak-Chek® angle stop with protective cap. Adjustable tailpiece. Vacuum breaker flush connection and spud coupling for ¾" top spud, wall and spud flanges. Set screw cast wall flange and sweat solder adapter kit.

Order No.	Mfr. No.	Desc.	gpf
1254 41040	8186	Water Saver	1.5

SLOAN® VALVE

Battery Powered Faucets
Optima® Plus - Series EBF-650



Waterproof circuit control module. Sensor range adjustment screw. Low battery LED indicator light. User friendly variable time out settings. Serviceable filtered solenoid valve. Aerator/spray head with pressure compensating flow control. Sensor lead metal jacket wire protection. Include 4 C-size alkaline batteries and mounting hardware.

Compliances. ADA Compliant.

No. EBF-650-2. For tempered or hot/cold application. Automatic operation by means of infrared sensor. No handles or buttons, help to control spread of infectious diseases. Include (4) C-size alkaline batteries.

Order No.	Mfr. No.	Finish	Spout Lgth. In.	gpf
1254 41060	EBF-650-2	Chrome	4	...
1254 41065	EBF-650-A	Chrome	4	0.5
1254 41070	EBF-650-B	Chrome	4	2.2
1254 41075	EBF-650-C	Chrome	4	2.2

Plusco Supply Corp.

SLOAN® VALVE

Bedpan Washers Slimline®



Bedpan washers install on the plumbing centerline. Lower diverter arm to bedpan and activate. Double-action feature washes and rinses bedpan in seconds and flushes fixture simultaneously. Exposed, diaphragm-type closet Flushometer. Chrome-plated nonhold-open handle. Wall support, 1" IPS screwdriver Bak-Chek™ angle stop with vandal resistant cap. Adjustable tailpiece. Vacuum breaker flush connection. Spud coupling and flange for 1½" top spud. Sweat solder adapter ring for 1" copper tube installation. Chrome-plated cover tube and cast set screw wall flange.

Order No.	Mfr. No.	Desc.	gpf
1254 33452	BPW-1000	Water Saver	3.5

SLOAN® VALVE

Washer Diverter Assemblies Slimline® - Bedpan



For use in retrofit installations where Flushometers installed. Also for replacing older in-line type bedpan washers. Solid one-piece body construction. Counter balanced pivot assembly. Solid brass spray arm. High back pressure vacuum breaker with one-piece bottom hex coupling nut. Wall support, spud coupling and flange for 1½" top spud. Vacuum breaker molded from PERMEX™ rubber compound for chloramine resistance.

Order No.	Mfr. No.	Lgth. In.
1254 33500	DV-100	34¾

SLOAN® VALVE

Showerheads Act-O-Matic® - Self-Cleaning



Feature unique spray disc action. With water on disc moves downward into shower position delivering cone-within-cone spray. When water is turned off disc moves upward into drain position completely washing out all water-borne substances that clog ordinary shower heads. Chrome plated with vandalproof feature tapped for ½" IPS; 2.5-gallon flow control; thumb screw volume control.

Order No.	Mfr. No.	Desc.
1254 34280	AC-11	Self-Cleaning

COYNE & DELANY

Flush Valves



Polished chrome plated finish. Diaphragm type. Adjustable for water conservation. Capped screwdriver angle stop with backcheck. Renewable main valve seat. Metal "Rubberflex" oscillating handle, "Turn-to-Silence" equipment and "Kwikfit" threaded union tailpiece. Vacuum breaker, wall flange, spud nut and spud flange.

Order No.	Mfr. No.	In.	Spud Size	Desc.
1233 04723	451	¾		Urinal
1233 04725	452	1¼		Urinal
1233 04715	402	1½		Closet
1233 04717	402-1*	1½		Closet

*Low consumption. 1.6 gallons per flush.

COYNE & DELANY

Flush Valve Retro-Fit Kits Impulse - Sensor Operated




Battery operated Sensor-Flush valve retrofit kit. Completely self-contained. Simple when retrofitting to any exposed Coyne & Delany flush valve. Exclusive optional remote control for test and adjustment.

Order No.	Mfr. No.	Desc.	gpf
1233-27604	I3003A-1	Low Consumption Urinal	1.0
1233-27605	I3003A-1.6	Low Consumption Closet	1.6
1233-27606	I3003A-3	Water Saver Closet	3.5
1233-27603	I3003A	Water Saver Closet or Urinal	4.0 to 4.5
1233-27610	I3050	Remote Control	...

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

ZURN

Retrofit Flush Valves



Courtesy and automatic 24-hour flush features. Automatic flush can be manually controlled. On-demand magnetic override system. Equipped with infrared sensor, 6V DC solenoid and integral battery holder for 4 "AA" Duracell® alkaline batteries. Include tempered glass, replaceable lens, 4 batteries, switchable automatic 24-hr. flush, switchable courtesy flush, maintenance override, range adjustment light, low battery indicator, abnormal reflection indicator, chrome plated metal housing, field adjustable range and infrared beam tilt adjustment.

Range adjustment, low battery and abnormal reflection indicator light. 12" to 60" adjustable detection range. Specify proper kit from following table.

Order No.	Mfr. No.	Desc.	Cap. Gal.
Water Closet			
0240 30000	ZRKC-4.50B	Full Flow	4.5
0240 30005	ZRKC-3.50B	Water Saving	3.5
0240 30010	ZRKC-1.60B	Low Consump.	1.6
Urinal			
0240 30015	ZRKU-3.0	Full Flow	3.0
0240 30020	ZRKU-1.5	Water Saving	1.5
0240 30025	ZRKU-1.0	Low Consump.	1.0

Note: Retrofit kit reuses the existing stop valve, main valve body and flush tube. For new main valve body with the sensor factory assembled, specify Model ZR-6000-X flush valve. For complete new valve, including stop valve and flush tube, specify Model ZR-6000XL flush valve.

COAST FOUNDRY & MFG.

Spud Valves Brass



Brass nut, rubber seal washer and galvanized friction ring.



Order No.	Mfr. No.	In.	Desc.
19356	56356	1x¾	Urinal
19357	56396	1¼x1¼	Bowl
19358	56416	1½x1½	Bowl
19360	56436	2x2	Bowl

Plusco Supply Corp.

RHEEM®

Water Heaters

Rheemglas® - Energy Miser® - Residential - Electric



Heater

R-Foam® insulation process for heat retention. Isolated tank design reduces heat loss. High efficiency heating elements. Rated 1Ø.

Compliances. UL Listed. Meet or exceed NAECA requirements.

Specifications

No.	Std. Non-Simultaneous Wiring Volts	Max. Non-Simultaneous Wiring Volts	Std. Simultaneous Wiring Volts	Max. Simultaneous Wiring Volts
81V40D	4500	6000	4500	5500
81V52D	4500	6000	4500	5500
81SV30D	4500	6000	4500	5500
81SV40D	4500	6000	4500	5500

Tall Boy Water Heaters

Order No.	Mfr. No.	Volts	Cap. Gal.	Ht. In.	Water Conn. Ht. In.	Dia. In.
1011 40000	81V40D	240	40	45 ¹³ / ₁₆	45 ¹³ / ₁₆	19
1011 52000	81V52D	240	50	56 ³ / ₈	56 ³ / ₈	19

Low Boy Water Heaters

Order No.	Mfr. No.	Volts	Cap. Gal.	Ht. In.	Water Conn. Ht. In.	Dia. In.
1011 00030	81SV30D	240	30	29 ¹ / ₁₆	29 ¹ / ₁₆	21 ³ / ₄
1011 00040	81SV40D	240	40	31 ⁷ / ₁₆	31 ⁷ / ₁₆	23

Note: Also available in 208V AC, 277V AC and 480V AC.

PLASTIC ODDITIES

Water Heater Pans



Prevent water damage to floors, moldings, ceilings and walls. Include PVC adapter kit for drainage; connect to 1" FPT. Gray.

Order No.	Mfr. No.	Size In.
0247 98100	PWP-24	24
0247 98200	PWP-30	30

ROBERT MANUFACTURING CO.

Flex Hose

Robt-Flex® - Series C78 - w/Connectors - Copper



Order No.	Mfr. No.	Hose Size In.	Hose Lgth. In.
0759 50102	C7812B	3/4 FIPx3/4 FIP	12
0759 50152	C7815B	3/4 FIPx3/4 FIP	15
0759 50182	C7818B	3/4 FIPx3/4 FIP	18
0759 50222	C7824B	3/4 FIPx3/4 FIP	24

CHATHAM BRASS

Water Heater Elements Chromalox®



High watt density. Electric. Less surface, run hotter. Include AG-1 gasket.

Screw Flanges

Order No.	Mfr. No.	Watts	Volts	Insd. Tank Lgth. In.
1659 01265	SG1153	1500	240	7 ⁵ / ₈
1659 01285	SG1253	2500	240	9 ³ / ₈
1659 01260	SG1353	3500	240	12 ⁹ / ₁₆
1659 01272	SG1453	4500	240	13 ⁹ / ₁₆

Accessories

Order No.	Mfr. No.	Desc.
1659 03365	66T4400	Limit (Manual Reset), 1 or 2 Elements
1659 05765	59T4000	Thermostat, Lower or 1 Element
1659 05768	59T4100	Upper Thermostat, 2 Element
1659 05237	HLC1610	Limit (Manual Reset), 1 or 2 Elements

CHATHAM BRASS

Water Heater Elements Chromalox®



For State Stove and Kenmore. Round flange. No threads. High watt density. Less surface, run hotter.

Order No.	Mfr. No.	Watts	Volts	Insd. Tank Lgth. In.
1659 00910	LS1153	1500	240	7 ¹¹ / ₁₆
1659 00948	LS1253	2500	240	9 ¹ / ₂
1659 00978	LS1453	4500	240	13 ¹¹ / ₁₆

IN-SINK-ERATOR®

Garbage Disposals Badger



BADGERI



BADGERV

Continuous feed, galvanized steel grinding elements with 2 stainless steel 360° swivel impellers. Corrosionproof grind chamber. Permanently lubricated upper and lower bearings. Quick-lock mounting for fast installation. Stainless steel sink flange with positive seal one-piece polypropylene stopper. Overload protector manual reset dishwasher drain connection. Exclusive self-service wrenchette.

Order No.	Mfr. No.	hp	Desc.
1605 00160	BADGERI	1/3	Disposal
1605 00140	BADGERV	1/2	Disposal w/2 SS Impellers

IN-SINK-ERATOR®

Household Disposals



115V AC, single phase, 60 Hz motors.

No. 77. Continuous feed, automatic reversing switch.


Order No.	Mfr. No.	hp
1605 00020	77	3/4

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

Plusco Supply Corp.


IN-SINK-ERATOR® Hot Water Dispensers Model H-770



Chrome plated faucet insulated from 190°F water. Snap action adjustable thermostat from 140°F to 200°F. Die molded, expanded polystyrene thermal barrier surrounds tank for low heat loss. Convenient drain, thermally fused to resist tank damage from dry start-up or loss of water. Instant self-closing valve. Tank open to atmospheric pressure, requires no relief valves. Up to 60 cups of 190°F water/hr. With 3-wire cord and 3-prong plug. 230V H-773 model also available.
Compliances. UL Listed. Meet UL 94HF-1 flammability specification.

Order No.	Mfr. No.	Cap. Gal.	Watts	Amps	Volts
1605 00240	H-770	1/2	750	6.5	115

WHITEROCK Garbage Disposals Sinkguard® - Standard - Galvanized



For home use. Snap-on clamp. Corrosion-resistant composite grind hopper. Cast stainless steel, anti-jam swivel impellers work with galvanized grinding components and turntable. Composite BMC housing eliminates corrosion inside and outside.

Copper-coiled AC motor. Sealed cap on motor axle eliminates leakage protecting motor from moisture.

Continuous feed. Permanently lubricated bearings. Manual reset overload protector. Available with power cord.

Compliances. UL Listed.

Order No.	Mfr. No.	A In.	B In.	C In.	D In.	E In.	hp
1605 90250	SE250	12 1/4	6 1/4	5	6 11/16	4 1/2	1/2


CONTROLLED ENERGY Electric Water Heaters Ariston



Thick foam insulation; adjustable thermostatic control; lightweight; and compact. Works well in warehouses, factories, stores, offices, homes, RVs, and mobile homes. Single phase; 110/120V; 11.25A; with heating capacity of 1350W. Dimensions: 14"Hx14"Wx12"D. 65°F-145°F; recovery at a 90°F rise, 8 gph temperature range. 1/2" NPT water connection. 3/4" FPT relief valve opening. UL listed and IAPMO approved.

Order No.	Mfr. No.	Water Press. psi
1683 10000	P10S	150
1683 10100	P15S	150

CONTROLLED ENERGY Powerstream Electric Water Heaters



Adjustable heat setting control; mounts almost anywhere; tough, durable plastic casing; and lead construction. Use electricity only when faucet is on. Great for kitchen sinks, offices, warehouses, service stations, and other places where hot water is needed. Average temperatures between 80°F and 115°F with a flow average of 0.5-2.5 gpm. Water pressure 15-150 psi.

Compliances. UL Listed. IAPMO Approved.

Order No.	Mfr. No.	Volts
1683 10300	RP1	240/208
1683 10400	RP3	110

ELKAY® Kitchen Sinks Dayton



No. D-12522. Size 25"Lx22"W. Inside bowl size 21"Lx15 3/4"Wx6 1/2". Cutout 24 3/8"Lx21 3/8"W.

Order No.	Mfr. No.	No. Faucet Holes
1060 72140	D-12522-3	3
1040 72142	D-12522-4	4

ELKAY® Kitchen Sinks Dayton



Sound undercoated. Seamlessly drawn of heavy-gauge, nickel-bearing stainless steel. Raised faucet deck. Self-rimmed.

Series. D-23322. Size 33"Lx22"W. Inside bowl size 14"Lx15 3/4"Wx6 1/2"D. Cutout 32 3/8"Lx21 3/8"W.

Order No.	Mfr. No.	No. Faucet Holes
1060 71940	D-23322-3	3
1060 71942	D-23322-4	4

ELKAY® Single Bowl Sinks Self Rim



Seamless. Nickel-bearing stainless steel. 18 gauge. Type 302. Satin finish. 1 3/4" radius coved corners. 7/16" drop ledge with raised faucet deck. Underside protected by sound guard undercoating.

Order No.	Mfr. No.	Lgth. In.	Wdth. In.	Bowl Dpth. In.	Drain Open. In.	Faucet Hole Size In.
1060 04985	LR-2522-4	25	22	8	3 1/2	1 1/2

IF YOU CAN'T FIND IT HERE....

Let us know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

Plusco Supply Corp.

ELKAY®

Kitchen Sinks

Lustertone® - Double Bowl



Type 302 self rim. 18 gauge. Provide use from either side. Nickel bearing stainless steel. Drain opening size 3 1/2". Satin finish. Coated undersides. Cutout in counter top (1 1/2" radius corners).

Order No.	Mfr. No.	Lgth. In.	Wdth. In.	Dpth. In.	Counter Top Cutout Lgth. In.	Counter Top Cutout Wdth. In.	No. Faucet Holes
1060 05070	LR-3322-3*	33	22	8	32 3/8	21 3/8	3
1060 05075	LR-3322-4*	33	22	8	32 3/8	21 3/8	4

*Has 7/16" drop ledge with raised faucet deck.

ELKAY®

Single Bowl Sinks

Series DLR - Deep



Nickel bearing stainless steel. 1 3/4" radius coved corners. 3/16" recessed bowl and faucet below outside edge of sink. Hand blended satin finish. 3 1/2" drain opening. Fully undercoated. 18-ga. Inside bowl 21"Lx15 3/4"W. Cutout in counter top (1 1/2" radius corners) 24 3/8"Lx21 3/8"W.

Order No.	Mfr. No.	Lgth. In.	Wdth. In.	Insd. Bowl Lgth. In.	Insd. Bowl Wdth. In.	Insd. Bowl Dia. In.	Counter Top Cutout Lgth. In.	Counter Top Cutout Wdth. In.	No. Faucet Holes	Wt. Lbs.
1604 12010	DLR-1722-10	17	22	13 1/2	16	10	16 3/8	21 3/8	3	14 3/4
1604 12020	DLR-1919-10*	19 1/2	19	16	13 1/2	10	18 7/8	18 3/8	3	14 1/2
1604 12030	DLR-2222-10	22	22	19	16	10	21 3/8	21 3/8	3 or 4	15
1604 12040	DLR-2222-12	22	22	19	16	12	21 3/8	21 3/8	3 or 4	17
1604 12050	DLR-2522-10	25	22	21	15 3/4	10	24 3/8	21 3/8	3 or 4	18 1/2
1604 12060	DLR-2522-12	25	22	21	15 3/4	12	24 3/8	21 3/8	3 or 4	19

*Underside fully protected by Sound Guard undercoating.

ELKAY®

Bar Sinks

Celebrity® - Stainless Steel



Type 302 self rim. 20 gauge. Nickel bearing stainless steel. Trimmed corner design. Bowl and faucet deck recessed 3/16" below outside sink edge. Bowl has 2 1/4" radius vertical coved corners. Machine polished. Fully coated under-side. Drain opening size 2".

Order No.	Mfr. No.	Counter Top Cutout Lgth. In.	Counter Top Cutout Wdth. In.	No. Faucet Holes
1060 00155	BCR-15-1	15	15	1
1060 00165	BCR-15-2	15	15	2

Note: Countertop cutout dimensions with 1 1/2" radius corners.

ADVANCE TABCO

Hand Washing Sinks

Spec-Line Unit



Splash mount faucet. Lever operated drain with overflow. P-trap. Wall bracket.

Order No.	Mfr. No.	Size In.	Cap. Cu. Ft.	Wt. Lbs.
6898 10000	7-PS-50	15 1/4x17 1/4	2	15

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

ADVANCE TABCO

Hand Washing Sinks

Wheelchair Access



Deck mounted faucet with wrist handles. Basket drain. Soap dispenser pump. Wall brackets. **Compliances.** ADA Compliant.

Order No.	Mfr. No.	Bowl Size In.
6898 10020	7-PS-25	14x16x6

ADVANCE TABCO

Hand Washing Sinks

w/Tubular Wall Supports



Splash mounted. Goose-neck faucet. Basket drain. Wall bracket.

Order No.	Mfr. No.	Bowl Size In.	Cap. Cu. Ft.	Wt. Lbs.
6898 10010	7-PS-64	10x14x5	2	25

Hand Washing Sinks

Order No.	Mfr. No.	Bowl Size In.	Cap. Cu. Ft.	Wt. Lbs.
6898 10010	7-PS-64	10x14x5	2	25

Accessories

No.	Desc.
7-PS-24	Tubular Wall Bracket

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

Plusco Supply Corp.

ADVANCE TABCO Convenience Store Sinks Stainless Steel - 16 Ga.



Feature (2) 11 $\frac{5}{8}$ " drainboards.
Compliances. NSF Compliant.

Order No.	Mfr. No.	No. Comp.	Lgth. In.	Bowl Size In.	Cap. Cu. Ft.	Wt. Lbs.
6898 11980	K7-CS-19	1	35	10x14x10	11	70
6898 11990	K7-CS-20	2	48	10x14x10	15	80
6898 12000	K7-CS-21	3	60	10x14x10	18	83
6898 12010	K7-CS-22	3	72	10x14x10	22	95
6898 12020	K7-CS-25	4	72	10x14x10	22	115
6898 12040	K7-CS-29	3	72	14x16x12	24	110
6898 12050	K7-CS-35	4	89	14x16x12	28	145
6898 12060	K7-CS-32	3	66	12x20x12	24	110

SUSSMAN-AUTOMATIC Steambath Generators MrSteam® - Residential



For homes and hotels. Size 17"Lx14 $\frac{3}{4}$ "Hx6 $\frac{3}{4}$ "D. Available in 208V/1Ø and 240V/1Ø. Include polished chrome SMART/ONE electronic 60 minute time control and matching steam head.

Compliances. UL Listed. CSA Certified. City of Los Angeles Approved. CE Compliant.

Generators

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Wt. Lbs.
1008 12050	MS 65	65	4.5	36
1008 12100	MS 90	100	5.0	39
1008 12150	MS 150	175	6.0	40
1008 12200	MS 225	250	7.5	40
1008 12250	MS 300	325	8.5	43
1008 12300	MS 400	375	9.0	45

Accessories

No.	Desc.
MS1-PB	SMART/ONE Control, Brass
MS2-PC	SMART/TWO Control, Chrome
MS2-PB	SMART/TWO Control, Brass
MSPLUS-PC	SMART/PLUS® Control, Chrome
MSPLUS-PB	SMART/PLUS® Control, Brass
MSREMOTE-PC	SMART/REMOTE® Control, Chrome
MSREMOTE-PB	SMART/REMOTE® Control, Brass
MS81500S	AUTOFLUSH®
MS81500SK	AUTOFLUSH® Field Instal. Kit
MS-99212 PC	Designer Steam Head, Chrome
MS-99212 PB	Designer Steam Head, Brass
MS-99212 G	Designer Steam Head, Gold
MS103412	Steam Shield

SUSSMAN-AUTOMATIC Steambath Generator Accessories MrSteam®



SMART/ONE

SMART/ONE Controls w/Matching Steam Head

Order No.	Mfr. No.	Finish
1008 20100	MS1-PB	Polished Brass



SMART/TWO®

SMART/TWO® Controls w/Matching Steam Head

Order No.	Mfr. No.	Finish
1008 20105	MS2-PC	Polished Chrome
1008 20110	MS2-PB	Polished Brass
1008 20115	MS2-PN	Polished Nickel
1008 20120	MS2-SN	Satin Nickel
1008 20125	MS2-PEW	Pewter
1008 20130	MS2-PG	Polished Gold



SMART/PLUS®

SMART/PLUS® Controls w/Matching Steam Head

Order No.	Mfr. No.	Finish
1008 20200	MSPLUS-PC	Polished Chrome
1008 20205	MSPLUS-PB	Polished Brass
1008 20210	MSPLUS-PN	Polished Nickel
1008 20215	MSPLUS-SN	Satin Nickel
1008 20220	MSPLUS-PEW	Pewter
1008 20225	MSPLUS-PG	Polished Gold



SMART/REMOTE®

SMART/REMOTE® Controls. Use with SMART/TWO and SMART/PLUS®.

SMART/REMOTE® Controls

Order No.	Mfr. No.	Finish
1008 20300	MSREMOTE-PC	Polished Chrome
1008 20310	MSREMOTE-PB	Polished Brass



AUTOFLUSH®

AUTOFLUSH® Automatic Clean Steams

Order No.	Mfr. No.	Desc.
1008 20400	MS81500S	Factory Installed
1008 20405	MS81500SK	Field Installation Kit

Designer Steam Heads w/Matching Escutcheon

Order No.	Mfr. No.	Finish
1008 20410	MS-99212 PC	Polished Chrome
1008 20415	MS-99212 PB	Polished Brass
1008 20420	MS-99212 G	Polished Gold

Steam Shields

Order No.	Mfr. No.	Finish
1008 20425	MS103412	Clear Acrylic

Plusco Supply Corp.

SUSSMAN-AUTOMATIC

Steambath Generators

MrSteam® - Super Series - Residential



Available in 208V/1Ø and 240V/1Ø.

Compliances. UL Listed. CSA Certified. City of Los Angeles Approved. CE Compliant.

Series MS SUPER-1. Include in-steamroom SMART/PLUS® programmable timer and temperature control with matching finish steam head.

Series MS SUPER-1 Generators

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Finish	Wt. Lbs.
1008 20500	MS SUPER-1 PC	475	10	Polished Chrome	60
1008 20505	MS SUPER-1 PB	475	10	Polished Brass	60

Series MS SUPER-2. Include in-steamroom SMART/PLUS® programmable timer and temperature control with matching finish steam head.

Series MS SUPER-2 Generators

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Finish	Wt. Lbs.
1008 20510	MS SUPER-2 PC	575	12	Polished Chrome	65
1008 20515	MS SUPER-2 PB	575	12	Polished Brass	65

Series MS SUPER-3. Include in-steamroom SMART/PLUS® programmable timer and temperature control with matching finish steam head.

Series MS SUPER-3 Generators

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Finish	Wt. Lbs.
1008 20520	MS SUPER-3 PC	675	15	Polished Chrome	70
1008 20525	MS SUPER-3 PB	675	15	Polished Brass	70

Series MS SUPER-4 Generator Packages. Include 2 MS SUPER-1 generators and 1 in-steamroom SMART/PLUS® programmable timer and temperature control with 2 matching finish steam heads.

Series MS SUPER-4 Generator Packages

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Finish	Wt. Lbs.
1008 20530	MS SUPER-4 PC	875	20	Polished Chrome	120
1008 20535	MS SUPER-4 PB	875	20	Polished Brass	120

Series MS Super-5 Generator Packages. Include 2 MS SUPER-2 generators and 1 in-steamroom SMART/PLUS® programmable timer and temperature control with 2 matching finish steam heads.

Series MS SUPER-5 Generator Packages

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Finish	Wt. Lbs.
1008 20540	MS SUPER-5 PC	1075	24	Polished Chrome	130
1008 20545	MS SUPER-5 PB	1075	24	Polished Brass	130

Series MS Super-6 Generator Packages. Include 2 MS SUPER-3 generators and 1 in-steamroom SMART/PLUS® programmable time and temperature control with 2 matching finish steam heads.

Series MS SUPER-6 Generator Packages

Order No.	Mfr. No.	Max. Cap. Cu. Ft.	kW	Finish	Wt. Lbs.
1008 20550	MS SUPER-6 PC	1275	30	Polished Chrome	140
1008 20555	MS SUPER-6 PB	1275	30	Polished Brass	140

Accessories

No.	Desc.
MSREMOTE-PC	SMART/REMOTE® Control, Chrome
MSREMOTE-PB	SMART/REMOTE® Control, Brass
MS81500S	AUTOFLUSH® Installed
MS81500SK	AUTOFLUSH® Field Instal. Kit
MS-99212 PC	Designer Steam Head, Chrome
MS-99212 PB	Designer Steam Head, Brass
MS-99212 G	Designer Steam Head, Gold
MS103412	Steam Shield

**We Appreciate
Your Business!**

SUSSMAN-AUTOMATIC

Steambath Systems

MrSteam® - Steam-On-Demand™ - Commercial



For hotels, resorts, clubs and spas. Available in 208V/3Ø, 240V/3Ø and 480V/3Ø, 50-60 Hz.

Compliances. UL Listed. CSA Certified. Built to ASME B and PV Code. City of Los Angeles Approved.

Steambath Systems

Order No.	Mfr. No.	Max. Room Vol. Cu. Ft.	kW	Wt. Lbs.
1008 10045	CU360*	360	9	200
1008 10050	CU500*	500	12	220
1008 10100	CU750*	750	18	230
1008 10150	CU1000*	1000	24	300
1008 10200	CU1250	1250	30	310
1008 10250	CU1400	1400	36	315
1008 10300	CU2000	2000	48	330
1008 10350	CU2500	2500	60	380
1008 10400	CU3000	3000	72	390
1008 10450	CU4500	4500	108	625

*Available in 208V/1Ø and 240V/1Ø, 50-60 Hz.

Required Operating Equipment

No.	For Model No.
CU-103136-1EL	CU360, CU500, CU750
CU-103136-2EL	CU1000, CU1250, CU1400, CU2000, CU2500, CU3000
CU-103136-3EL	CU4500

Accessories

No.	Desc.
CU81500	Automatic Blowdown System, Soft Water
CU81600	Automatic Blowdown System, Hard Water
CU-99212PC	Chrome Steam Head
CU-103412	Steam Shield
CU-99216B	30 Min. Timer
CU-99331	Transformer
CU-1PW	1-Phase Wiring For CU360, CU500, CU750 & CU1000

SUSSMAN-AUTOMATIC

Steambath System Operating Equipment

Series F1 Plus - MrSteam® - Steam-On-Demand™ - Commercial

Include electronic adjustable temperature control, room temperature sensor, steam solenoid valve and steam head.

Order No.	Mfr. No.	Desc.	For Model No.
1008 31000	CU-103136-1EL	w/One 1/2" NPT Steam Head & One 1/2" NPT Steam Valve	CU360, CU500, CU750
1008 31005	CU-103136-2EL	w/Two 1/2" NPT Steam Heads & One 1" NPT Steam Valve	CU1000, CU1250, CU1400, CU2000, CU2500, CU3000
1008 31010	CU-103136-3EL	w/Four 1/2" NPT Steam Heads & Two 1" NPT Steam Valves	CU4500

(561) 241-9666

32

Fax: (561) 997-5499

Plusco Supply Corp.

SUSSMAN-AUTOMATIC Steambath System Accessories MrSteam® - Steam-On-Demand™ - Commercial

Blowdown Systems. Programmable 24 hr./7 day time cycle.

No. CU81600. Include H.D. motorized valve for usage exceeding 8 hours a day.

Automatic Blowdown Systems

Order No.	Mfr. No.	Desc.
1008 31015	CU81500	Soft Water
1008 31020	CU81600	Hard Water

Steam Heads

Order No.	Mfr. No.	Finish	Size NPT In.
1008 31025	CU-99212PC	Chrome	1/2

Steam Shields

Order No.	Mfr. No.	Desc.
1008 31030	CU-103412	Steam Shield

Timers

Order No.	Mfr. No.	Desc.
1008 31035	CU-99216B	30 Minute

Transformers

Order No.	Mfr. No.	Rated KVA	Desc.
1008 31040	CU-99331	1/4	For 120V Control Circuit Voltage

Wiring Equipment

Order No.	Mfr. No.	Phase	For Model No.
1008 31045	CU-1PW	1	CU360, CU500, CU750, CU1000

ELKAY® Water Coolers Pushbar Front



One-piece backsplash and basin, polished to satin finish. Include mounting hangers.

Compliances. ADA Compliant. Easily accessible to the handicapped and able-bodied.

Order No.	Mfr. No.	Ht. In.	Lgth. In.	Wdth. In.	Rated Cap. gph	Full Load Amps	hp
1604 09533	EHFA-8	24 1/2	18	18 3/4	7.6	4.8	1/5

ELKAY® Water Coolers



Wheelchair accessible. 1-piece stainless steel basin w/integral drain grid & embossed bubbler pad. Flexi-Guard safety bubbler. HFC-134a refrigerant. Unique (light touch) front and side pushbars. Cabinet design for flush-to-wall mounting. Available in all colors. Filtrex system prevents impurities from entering the cooler with a Y strainer that installs with inlet tube connections.

Compliances. UL Listed. ADA Compliant.

Order No.	Mfr. No.	Color	Rated Cap. gph	Full Load Amps	Rated Watts	hp	Nonpressurized Cooling Tank	Pre Cooler	Hot & Cold	Glass Filler Option
1604 07900	EBFSA-4-G	Gra/Bge.	4.0	4.8	410	1/5	YES	NO	NO	YES
1604 07920	EBFSA-8-G	Gra/Bge.	4.0	4.8	410	1/5	YES	NO	NO	YES
1604 07939	EBFSA-8-S	SS	4.0	4.8	410	1/5	YES	NO	NO	YES

Note: Pressurized cooling tanks required for models equipped with glass filler and models that supply chilled water to remote fountains. Indicate With Pressurized Water System for this type of order and consult factory for cost. **Nonpressurized** cooling tank. Combination tube-type. Fully insulated. Storage tank subject to line pressure only when regulator button is pressed. If tank bursts, only stored water is released. GPH capacity based on 80°F inlet water temperature, 90°F room temperature, 50°F drinking water temperature. ADA Compliant.

ELKAY® Water Coolers Two-Level



For businesses, schools and public institutions. Copper component waterway systems free of lead-containing materials. Wall mount. Front pushbars. Use HFC-134a refrigerant.

Compliances. Meet all UL Requirements. ADA Compliant. Exceed 1986 Safe Drinking Water Act standards. Exceed 1988 Lead Contamination Control Act.

Order No.	Mfr. No.	Ht. In.	Lgth. In.	Wdth. In.	Rated Cap. gph	Full Load Amps	hp
1604 09540	EBFATL-8	28 3/8	37 3/8	19	8	4.8	1/5

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

IF YOU CAN'T FIND IT HERE

Let us know! Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

Plusco Supply Corp.

ELKAY® Water Coolers



Slant Front Wall. Raised-rib basin; snap-out drain strainer. Removable 1-piece wrap-around cabinet. Mounting hangers furnished. No glass filler or hot & cold options. Available in colors Sandalwood Vinyl (T) and Stainless Steel (S). GPH capacity based on 80°F inlet water temperature, 90°F room temperature, 50°F drinking water temperature.

Order No.	Mfr. No.	Rated Cap. gph	Full Load Amps	Rated Watts	Comp. HP 1/15 1/10	Nonpressurized Cooling Tank	Pre- Cooler	Ht. In.	Wdth. In.	Lgth. In.
1604 09630	HEW-3-T	3.0	2.0	180		YES	YES	15	15 3/4	13
1604 09640	HEW-5-T	4.6	2.5	210		YES	YES	15	15 3/4	13

ELKAY®

Water Coolers

Space-Ette - No-Lead - Floor Model



Save space. Ideal for new or replacement installations. Free of lead-containing brass parts. Has integral vandalproof stainer.

Flexi-Guard safety bubbler. Nonpressurized cooling tank. Flush-to-wall. Removable front panel. Sandalwood color standard unless otherwise specified.

Order No.	Mfr. No.	Ht. In.	Wdth. In.	Lgth. In.	Rated Full Cap. gph	Load Amps
1604 09352	FD-700-3	38 7/8	12	12	2.8	3.0 1/10
1604 09353	FD-700-5	38 7/8	12	12	5.0	2.2 1/10
1604 09487	FD-700-5 SS	38 7/8	12	12	5.0	2.2 1/10
1604 09354	FD-700-8	38 7/8	12	12	8.1	3.5 1/6

Note: Glass fillers optional.

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

HAWS®

Eyewash Fountains



Safety green ABS plastic receptor is impervious to damage from alkalis, salt solutions, oils, most acids. Twin eye wash heads with dust covers that are removed when water is turned on.

All functional parts are chrome-plated brass for extra protection against corrosion. Each unit includes a universal emergency sign. Supply is 1/2" IPS. Waste is 1 1/4" IPS.

No. 7260B. Wall mounted unit with Buna N® covered ABS plastic patented with Soft-Flo anti-surge heads in safety green. Angled to direct gentle but generous streams of water into eyes and ocular areas of face. Instant action, push-type chrome-plated brass ball valve stays open until manually closed. Steady, safe water flow under varying pressure with dual automatic pressure compensation devices. Includes mounting bracket and 1 1/4" OD tailpiece.

No. 7260BT. Same as 7260B. Also includes trap.

Order No.	Mfr. No.	Wt. Lbs.
1601 09005	7260B	8
1601 09007	7260BT	10

Telephone
Your Orders.

HAWS®

Eye/Face Wash Safety Equipment Series 7611



For counter or sink mounting. Twin Feather-Flo patented ABS plastic heads in Safety Green. 1/2" OD slipjoint supply. Include universal emergency sign. 7 lbs.

Order No.	Mfr. No.	Desc.
1601 09020	7611	Single Action Swing Away

HAWS®

Gravity Operated Eyewashes



16 gal. cap. tank. Made of FDA high-density polyethylene material. Single top handle for easy carrying when empty and dual double-wide side handles for two-person handling when full. Thread cap and wide opening for easy filling, inspection and cleaning. In stand-by position, eyewash heads are protected in recessed area from airborne debris. Drain hose provided. High visibility yellow arm on safety green tank allowing arm to be located and activated. Flushing time of more than 15 minutes of full flow pattern at not less than .4 gpm (1.5 liters per minute). Can be wall mounted or shelf mounted (bracket included). Bacteriostatic additive to permit storage of water for several months (Model 9081).

Order No.	Mfr. No.	Ht. In.	Wdth. In.	Dpth. In.	Wt. Lbs.
1601 09015	7500	22 1/2	21 1/2	19 1/2	17

Plusco Supply Corp.

HAWS®

Combination Eye/Face Washes



Shower head 10" ABS plastic in safety green. Rigid stainless steel pull rod activates stay-open chrome plated brass ball valve equipped with stainless steel stern. Standard 9" dia. floor flange with 1/4" hot dipped galvanized steel pipe. Stanchion includes cast air gap/supply fitting that separates supply and waste. Include two 21" long self adhesive high visibility stripes in safety green and bright yellow. 11" stainless steel bowl with #7 bright finish on exterior. Twin Soft-Flo patented ABS plastic anti-surge eyewash heads in safety green (Model SP11). Dust covers protect heads and automatically release with water pressure.

Stainless steel push flag and foot treadle operate stay-open chrome plated brass ball equipped with stainless steel ball and stern. Steady water flow under varying pressure assured with dual automatic pressure compensation devices. Fully serviceable in-line mesh strainer measures 50x50, and filters debris from eyewash.

No. 8300CRP. Green coating for additional protection against corrosive atmospheres covering all exposed piping except valves, bowl and head assemblies.

Order No.	Mfr. No.	Desc.
1601 09090	8300	Eye/Face Wash
1601 09095	8300CRP	Corrosion Resistant

BRADLEY®

Eye Wash Fixtures Personal - Faucet Mount



Use in laboratories. Universal mount for standard, goose neck faucets. Include universal identification sign, inspection tag. Activate by turning on water at faucet water supply, pulling actuator pin toward user. Water supply pressure keeps actuator pin open for a gently water flush treatment to eyes. By closing pin, water will continue to flow through faucet as per normal operation. Pipe and fittings are chrome plated brass. Highly visible yellow dust caps are flexible plastic and pop off eye wash sprayheads when unit is activated. Chrome plated brass adapter replaces faucet aerator, providing for eye wash mounting to faucet. Support plumbed, self contained units. Comply with American National Standard Z358.1-1990 as personal eye wash only.

Order No.	Mfr. No.	Adapter Thrd. Size
1520 10000	S19-200	55/64x27 15/16x27 13/16x27

Note: To eliminate risk of scalding eyes during use, it is recommended that hot water supply to faucet be disconnected or that tempered water be provided.

BRADLEY®

Eye Washes



10" (254 mm) diameter eye wash bowl. Sprayhead assemblies include flow control and pop off protective sprayhead dust covers. 1/2" IPS chrome plated brass stay open ball eye wash valve. 1/4" galvanized steel pipe, waste tee and floor flange protected with Brad-tect™ yellow coating. 1/2" IPS female water supply. Dome type strainer and 1/4" IPS female drain fitting. ANSI Z358.1-1990 Compliance.

Eye Washes. Feature chrome plated brass soft flow sprayhead designed to gently cleanse eyes. Exceed minimum flow .4 gpm at 30 psi.

Order No.	Mfr. No.	Desc.
1520 20000	S19-210	Plastic Bowl
1520 30000	S19-210B	Stainless Steel Bowl

BENEKE

Toilet Seats Plastic - Closed Front



With cover. For use in commercial, hospital, industrial and institutional installations.

Order No.	Mfr. No.	Desc.	Color
7500 20000	520H SS	Elongated Self-Sustaining Seat	White

BENEKE

Elongated Toilet Seats Plastic - Open Front




With cover. For use in health care, commercial, industrial and institutional installations.

Order No.	Mfr. No.	Desc.	Color
7500 10000	521H SS	Elongated Self-Sustaining Seat	White

OLSONITE®

Toilet Seats Plastic - Elongated


For elongated bowl. Commercial, industrial and institutional use. Open front without cover. One-piece stainless steel hinge posts. Molded-in permanent bumpers.



No. 10CC. Concealed check hinge.

Heavy-Duty Seats

Order No.	Mfr. No.	Color	Desc.
1566 40830	10 CC WH	White	Open Front



No. 95. ComfortCurve™. Without surface check.

Extra Heavy-Duty Seats

Order No.	Mfr. No.	Color	Desc.
1566 40600	95	White	Open Front

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.


Plusco Supply Corp.

OLSONITE®

Toilet Seats


Residential/Commercial - Plastic

Include cover.



Regular Bowl Seats

Order No.	Mfr. No.	Color	Desc.
1566 00108	40 WH	White	Closed Front



Elongated Bowl Seats


Order No.	Mfr. No.	Color	Desc.
1566 01259	44 WH	White	Closed Front
1566 12862	46 WH	White	Open Front

OLSONITE®

Toilet Seats


Solid Plastic - Standard Grade

Include cover.



Regular Bowl Seats

Order No.	Mfr. No.	Color	Desc.
1566 01310	90	White	Closed Front
1566 01320	92	White	Open Front



Elongated Bowl Seats


Order No.	Mfr. No.	Color	Desc.
1566 40590	94	White	Closed Front
1566 40636	96	White	Open Front

OLSONITE®

Toilet Seats


Wood Composition

Closed front with cover. Enameled.



Regular Bowl Seats

Order No.	Mfr. No.	Color	Desc.
1566 13324	100 WH	White	Closed Front




Elongated Bowl Seats

Order No.	Mfr. No.	Color	Desc.
1566 13852	104 WH	White	Closed Front

OLSONITE®

Toilet Seats

Elongated - Replacement



One-piece water closet. Posts on 7" centers through tank. Elongated bowl. Closed front with cover.

Order No.	Mfr. No.	Color	Desc.
1566 50080	1100	White	Closed Front


In addition to the items shown, we are continually adding new items.

OLSONITE®

Toilet Seats


Eljer - Emblem Design - Replacement

Include cover.




Regular Bowl Solid Plastic Seats

Order No.	Mfr. No.	Color	Desc.
1566 37705	124-0200	White	Closed Front
1566 37751	124-0330	White	Open Front



Elongated Bowl Solid Plastic Seats

Order No.	Mfr. No.	Color	Desc.
1566 37710	124-0205	White	Closed Front
1566 37755	124-0335	White	Open Front



Elongated Bowl Molded Composition Seats

Order No.	Mfr. No.	Color	Desc.
1566 37720	124-0215	White	Closed Front


OLSONITE®

Toilet Seat Hinges

Order No.	Mfr. No.	For Model
1566 01260	HINGE-30/40	30, 40
1566 01261	HINGE-90	90
1566 01261	HINGE-92	92
1566 01261	HINGE-94	94
1566 01261	HINGE-96	96

Plusco Supply Corp.


LAVELLE Hinge Bolt Washers Toilet Seat



White synthetic rubber.

Order No.	Mfr. No.	Size In.	ID In.	OD In.	Thick. In.
1467 34193	1140A	1	3/8	1	1/8

WATCO MFG. Tubular Bathwastes PRESFLO™




Fit any 14" or 18" high tubs. White PVC pipe. Chrome-plated.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Dia. In.
1495 14360	500-PF-PVC-CP	1 1/2

WATCO MFG. Tubular Bathwastes PRESFLO™




Fit any 14" or 18" high tubs. Brass pipe. Chrome-plated.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Dia. In.	Ga.
1495 14340	501-PF-BRS-CP	1 1/2	17


WATCO MFG. Tubular Bathwastes PUSH PULL™



Fit any 14" or 18" high tubs. Brass pipe. Chrome-plated.

Order No.	Mfr. No.	Dia. In.	Ga.
1495 14350	501-PP-BRS-CP	1 1/2	17

WATCO MFG. Tubular Bathwastes PUSH PULL™



Fit any 14" or 18" high tubs. White PVC pipe. Chrome-plated.

Order No.	Mfr. No.	Dia. In.
1495 14330	500-PP-PVC-CP	1 1/2

WATCO MFG. Schedule 40 Bathwastes PRESFLO™




Schedule 40. Solvent weld. White PVC pipe. Chrome-plated.

Compliances. ADA Compliant.

Order No.	Mfr. No.	Dia. In.
1495 14500	600-PF-PVC-CP	1 1/2

WATCO MFG. Schedule 40 Bathwastes PUSH PULL™



Schedule 40. Solvent weld. ABS stopper. White PVC pipe. Chrome-plated.

Order No.	Mfr. No.	Dia. In.
1495 14510	620-PP-PVC-CP	1 1/2

WATCO MFG. Lavatory Drains PUSH PULL™



Brass pipe. Chrome-plated. With overflow.

Order No.	Mfr. No.	Dia. In.
1495 14610	800-PP-BRS-CP	1 1/2

WATCO MFG. Lavatory Drains PRESFLO™



Brass pipe. Chrome-plated. With overflow.


Compliances. ADA Compliant.

Order No.	Mfr. No.	Dia. In.
1495 14600	800-PF-BRS-CP	1 1/2

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

Plusco Supply Corp.


WATCO MFG. Bathwaste Trim Kits NuFit™ - PRESFLO™



Include brass body, plastic stopper assembly, brass overflow plate, adapter bar and screw suction cup. Epoxy packet. Chrome-plated.

Order No.	Mfr. No.	Desc.
1495 15000	48100-CP	Trim Kits

WATCO MFG. Bathwaste Trim Kits NuFit™ - PUSH PULL™




Include brass body, plastic PUSH-PULL™ stopper assembly, $\frac{3}{8}$ " pin, $\frac{5}{16}$ " pin, brass overflow plate, adapter bar and screw. Epoxy packet. Chrome-plated.

Order No.	Mfr. No.	Desc.
1495 15010	48500-CP	Trim Kits

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

WATCO MFG. Bathwaste Trim Kits PRESFLO™



Chrome-plated. Strainer body dpth. $1\frac{1}{4}$ ".

Compliances. ADA Compliant.


No. 38250-CP. Trade designation $1\frac{1}{2}$ "-11 $\frac{1}{2}$ ". Coarse thread.

No. 38260-CP. Trade designation $1\frac{3}{8}$ "-16. Fine thread.

No. 38270-CP. Trade designation $1\frac{3}{8}$ "-16.

Order No.	Mfr. No.	Thrd. Size
1495 15020	38250-CP	1.865" OD-11 $\frac{1}{2}$
1495 15030	38260-CP	1.6" OD-16
1495 15040	38270-CP	1.6" OD-16 or
		1.865" OD-11 $\frac{1}{2}$ w/Bushing
1495 15050	38280-CP	2.11" OD-16

WATCO MFG. Bathwaste Trim Kits PUSH PULL™



Actual thread size 1.6" OD-16 or 1.865" OD-11 $\frac{1}{2}$ with bushing. Strainer body dpth. 1" to $1\frac{1}{4}$ " with bushing.

Order No.	Mfr. No.	Finish
1495 16040	38190-CP	Chrome-Plated
1495 16046	38190-PB	Polished Brass
1495 16050	38190-WH	White
1495 16052	38190-BO	Bone
1495 16042	38190-AB	Antique Brass


WATCO MFG. Tub Closures NuFit™ - PRESFLO™



Brass body, plastic stopper assembly and suction cup. Epoxy packet. Chrome-plated. Eliminates the need to remove old drain. Remove stopper and glue on NuFit™.

Order No.	Mfr. No.	Desc.
90200	48200-CP	Tub Closures


WATCO MFG. Tub Closures NuFit™ - PUSH PULL™



Brass body, plastic PUSH-PULL™ stopper assembly and $\frac{3}{8}$ " pin and $\frac{5}{16}$ " pin. Epoxy packet. Chrome-plated.

Order No.	Mfr. No.	Desc.
90600	48600-CP	Tub Closures

WATCO MFG. Tub Closures PRESFLO™



Chrome-plated.

Compliances. ADA Compliant.

No. 38360-CP. Trade designation $1\frac{1}{2}$ "-11 $\frac{1}{2}$ ". Strainer body dpth. $1\frac{1}{4}$ ". Coarse thread.

No. 38350-CP. Strainer body dpth. $1\frac{1}{4}$ " with bushing.

No. 38375-CP. Strainer body dpth. $1\frac{1}{4}$ " with bushing.

No. 38385-CP. Strainer body dpth. $1\frac{1}{4}$ " with bushing.

No. 38380-CP. Trade designation $1\frac{3}{8}$ "-16. Strainer body dpth. $1\frac{1}{4}$ ".

No. 38370-CP. Strainer body dpth. $1\frac{1}{4}$ " with bushing.


No. 38395-CP. Strainer body dpth. $1\frac{1}{4}$ ".

Order No.	Mfr. No.	Thrd. Size
90360	38360-CP	1.865" OD-11 $\frac{1}{2}$
90350	38350-CP	1.8" OD-14
90375	38375-CP	1.9" OD-14
90385	38385-CP	1.8" OD-16
90380	38380-CP	1.6" OD-16
90370	38370-CP	2.11" OD-16
90395	38395-CP	1.6" OD-14

Plusco Supply Corp.

WATCO MFG.

Tub Closures Lift & Turn




Chrome-plated.
No. 38205-CP. Trade designation 1 $\frac{3}{8}$ "-16. Fine thread. Strainer body dpth. 1".
No. 38201-CP. Trade designation 1 $\frac{3}{8}$ "-16. Fine thread. Strainer body dpth. 1 $\frac{1}{4}$ ".

No. 38209-CP. Trade designation 1 $\frac{1}{2}$ "-11 $\frac{1}{2}$ ". Coarse thread. Strainer body dpth. 1 $\frac{1}{4}$ ".

Order No.	Mfr. No.	Thrd. Size
90205	38205-CP	1.6" OD-16
90201	38201-CP	1.6" OD-16
90209	38209-CP	1.865" OD-11 $\frac{1}{2}$

WATCO MFG.

Tub Closures PUSH PULL™



Chrome-plated.
No. 38301-CP. Trade designation 1 $\frac{3}{8}$ "-16. Strainer body dpth. 1 $\frac{1}{4}$ ". Fine thread.
No. 38305-CP. Trade designation 1 $\frac{1}{2}$ "-11 $\frac{1}{2}$ ". Strainer body dpth. 1 $\frac{1}{4}$ ". Coarse thread.

No. 38306-CP. Flange dia. 3.05". Strainer body dpth. 1 $\frac{1}{4}$ ".

No. 38307-CP. Flange dia. 3.05". Strainer body dpth. 1 $\frac{1}{4}$ ".

No. 38308-CP. Flange dia. 3.05". Strainer body dpth. 1 $\frac{1}{4}$ ".

No. 38309-CP. Trade designation 1 $\frac{3}{8}$ ". Strainer body dpth. 1 $\frac{1}{4}$ ".

No. 38313-CP. Strainer body dpth. 1" with bushing.

No. 38317-CP. Strainer body dpth. 1 $\frac{1}{4}$ " with bushing.

No. 38321-CP. Strainer body dpth. 1 $\frac{1}{4}$ " with bushing.

No. 38325-CP. Trade designation 1 $\frac{3}{8}$ "-16. Strainer body dpth. 1". Fine thread.

No. 38329-CP. Strainer body dpth. 1 $\frac{1}{4}$ " with bushing.


No. 38333-CP. Strainer body dpth. 1 $\frac{1}{4}$ ".

No. 38220-CP. Strainer body dpth. 1 $\frac{1}{4}$ ".

Order No.	Mfr. No.	Actual Thrd. Size
90301	38301-CP	1.6" OD-16
90305	38305-CP	1.865" OD-11 $\frac{1}{2}$
90306	38306-CP	1.865" OD-11 $\frac{1}{2}$
90307	38307-CP	1.6" OD-16
90308	38308-CP	1.6" OD-14
90309	38309-CP	1.6" OD-14
90313	38313-CP	1.8" OD-14
90317	38317-CP	1.9" OD-14
90321	38321-CP	1.8" OD-16
90325	38325-CP	1.6" OD-16
90329	38329-CP	2.11" OD-16
90333	38333-CP	1.749" OD-12
90220	38220-CP	1.375" OD-16

CHICAGO SPECIALTY

Bath Plug Kits Uni-Lift




Chrome plate 1 $\frac{1}{4}$ " with 1 $\frac{1}{2}$ " adapter ring.

Order No.	Mfr. No.	Desc.
1429 02110	K27-1	Bath Plug Conversion Kit

ZIN-PLAS

Bath Waste Overflow Plates Single Hole




Dpth. 1 $\frac{1}{2}$ ". Notched for use with chain.

Order No.	Mfr. No.	Finish
96149	12-5211-A	Polished Chrome

ZIN-PLAS

Bath Waste Overflow Plates Two-Hole




Dpth. 1 $\frac{1}{2}$ ". Notched for use with chain.

Order No.	Mfr. No.	Finish
96150	12-5111-A	Polished Chrome

ZIN-PLAS

Waste Overflow Assemblies Trip Lever



Square handle with spring clip. Dpth. 1 $\frac{1}{2}$ ".

Order No.	Mfr. No.	Finish
96155	12-1711-A	Polished Chrome

ZIN-PLAS

Overflow Plate Screws




1 $\frac{1}{4}$ "-20x1 $\frac{1}{2}$ ". Plated brass. Slotted oval head.

Order No.	Mfr. No.	Finish
96169	12-9012-A	Polished Chrome

WATCO MFG.

Tub Stoppers PUSH PULL™




Brass. Chrome-plated.

No. 38516-CP. Lgth. 1 $\frac{1}{4}$ ".

Order No.	Mfr. No.	Desc.
90516	38516-CP	w/5 $\frac{1}{16}$ " & 3 $\frac{3}{8}$ " Pins
90517	38540-CP	w/1 $\frac{1}{4}$ " Short Pin

LSP

Tub Stoppers Finishing Touches® - Model SF-1501



Toe-touch. Size 3 $\frac{3}{8}$ ". Push to open or close. Rubber boot activated. No springs. Accommodate 1 $\frac{3}{8}$ " deep strainer body.


Order No.	Mfr. No.	A In.	B In.	C In.	Finish
6833 00203	RFT-203-C	2 $\frac{3}{16}$	1 $\frac{15}{16}$	1 $\frac{11}{16}$	Chrome

Plusco Supply Corp.

LSP

Tub Stoppers

Finishing Touches® - Model RF-1201-Z




Toe-touch. Size 3/8". Push to open or close. Rubber boot activated. No springs. Accommodate 1 1/4" deep strainer body.

Order No.	Mfr. No.	A In.	B In.	C In.	Finish
6833 00202	RFT-202-C	2 3/16	1 15/16	1 11/16	Chrome

LSP

Tub Stoppers

Finishing Touches® - FIT-KIT® - Model SK-106



Toe-touch. No springs. Include coarse thread strainer body.

Order No.	Mfr. No.	Size In.	tpi	Finish
6833 00300	R-66300	1 1/2	11 1/2	Chrome

AMERICAN PLUMBER™

Water Filters

Type 304 Stainless Steel




Order No.	Mfr. No.	Lgth. In.	Inlet Dia. In.
1904 10200	ST-1	10	3/4

Telephone Your Orders.

AMERICAN PLUMBER™

Water Filters

Standard - Whole House




Opaque with pressure relief button. Without cartridges.

Order No.	Mfr. No.	Ht. In.	Inlet Dia. In.
1904 10505	W34-PR	10	3/4

AMERICAN PLUMBER™

Water Filters

Slim-Line Housing




Opaque with pressure relief button and mounting bracket.

Order No.	Mfr. No.	Inlet Dia. In.
1904 10605	W38-PR	3/8

AMERICAN PLUMBER™

Water Filters

Compact - Slim-Line Housing




Opaque with pressure relief button and mounting bracket.

Order No.	Mfr. No.	Housing Lgth. In.	Inlet Dia. In.
1904 30000	W385-PR	4 7/8	3/8

AMERICAN PLUMBER™

Icemaker Filters

Taste/Odor



Quick connect fittings. Disposable in-line.

Order No.	Mfr. No.	In-Line Dia. In.
1904 00595	WIC	1/4

AMERICAN PLUMBER™

Water Filters

Taste & Odor Cartridges




Act. carbon impregnated cellulose. 5 micron. For WDFS-100.

Order No.	Mfr. No.	Lgth. In.
1904 20100	W5CIP	Activated Carbon Impregnated Cellulose

AMERICAN PLUMBER™

Water Filters

Compact Cartridges



Act. carbon impregnated cellulose. 5 micron.

Order No.	Mfr. No.	Lgth. In.
1904 20200	5CIP478	4 7/8

MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs and other available publications and data on request.

Plusco Supply Corp.

EVERPURE®

Water Filters Insurice™ 2000 - Single



For ice makers. Reduce most common water-related ice machine problems. Reduce common off-tastes and odors such as chlorine. Filters out dirt as small as 1/2 micron. Filter out cysts, asbestos fibers and particulate lead. Reduce scale build-up. Reduce machine maintenance and downtime. Save energy. Keep ice maker functioning at full capacity. **Caution:** Do not use where water is microbiologically unsafe or with waters of unknown quality without adequate disinfection.

Compliances. Tested and Certified to ANSI/NSF/RvC Standard 42 Aesthetic Effects taste, odor and chlorine reduction class I, mechanical filtration unit particulate reduction class I 99.9%.

Tested and Certified to ANSI/NSF/RvC Standard 53 Health Effects mechanical filtration unit turbidity reduction, cyst reduction and asbestos reduction.

Specifications

Inlet Connection: 3/8" 1PT.

Minimum Service Flow Rate: .01 gpm.

Maximum Service Flow Rate: .67 gpm.

Minimum Pressure: 20 psi.

Maximum Pressure: 125 psi.

Maximum Temperature: 100°F (38°C).

Size: 29"x7"x7".

Operating Weight: 14 lbs.

Filters

Order No.	Mfr. No.	Cubes/ Day Lbs.	Flakes/ Day Lbs.
8015 10010	9324-01	750	1500

Accessories

Order No.	Mfg. No.	Desc.
8015 20010	9612-21	Replacement Cartridge

TOUCH-FLO MFG.

Kitchen Faucets Single Handle



Designed for use with any kind of undersink filter system. Machined from solid brass bar. Hand-polished and chrome-plated. Corrosion-resistant Sani Tip added to spout to prevent chrome damage. Unbreakable celcon handle. Input 1/4" compression. Adapters for 3/8" and 1/2" available. Installation hole 7/16".

Order No.	Mfr. No.	Finish	Spout Lgth. In.	Spout Ht. In.
1921 00900	0-3	Chrome	3	5

TOUCH-FLO MFG.

Faucet Repair Kits



For repairing Series 0-3 faucets. Include instructions.

Order No.	Mfr. No.	Desc.
1921 01000	SP-2	Faucet Repair Kit

FRANKLIN MACHINE PRODUCTS

Waste Valves

Lever



Nickel-plated bronze body. Stainless steel strainer, flange and handle.

Order No.	Mfr. No.	Sink Open. In.	NPS Drain Outlet In.	Flange Dia. In.
1315 10200	100-1000	3	1 1/2	4 1/8
1315 10234	100-1034	3	2	4 1/8
1315 10312	100-1012	3 1/2	1 1/2	4 3/8
1315 10235	100-1035	3 1/2	2	4 3/8

FRANKLIN MACHINE PRODUCTS

Waste Valves

Lever - w/1 1/2" Overflow Outlet



Nickel-plated bronze body. Stainless steel strainer, flange and handle.

Order No.	Mfr. No.	Sink Open. In.	NPS Drain Outlet In.	Flange Dia. In.
1315 00520	100-1017	3	1 1/2	4 1/8
1315 00820	100-1036	3	2	4 1/8
1315 00530	100-1018	3 1/2	1 1/2	4 3/8
1315 00830	100-1037	3 1/2	2	4 3/8

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

FRANKLIN MACHINE PRODUCTS

Waste Valves

Twist



Nickel-plated bronze body. Stainless steel strainer, flange and handle.

Order No.	Mfr. No.	Sink Open. In.	NPS Drain Outlet In.	Flange Dia. In.
1315 10226	100-1026	3	1 1/2	4 1/8
1315 10238	100-1038	3	2	4 1/8
1315 10231	100-1031	3 1/2	1 1/2	4 3/8
1315 10239	100-1039	3 1/2	2	4 3/8

FRANKLIN MACHINE PRODUCTS

Waste Valves

Twist - w/1 1/4" Overflow Outlet




Nickel-plated bronze body. Stainless steel strainer, flange and handle.

Order No.	Mfr. No.	Sink Open. In.	NPS Drain Outlet In.	Flange Dia. In.
1315 00580	100-1032	3	1 1/2	4 1/8
1315 00900	100-1040	3	2	4 1/8
1315 00590	100-1033	3 1/2	1 1/2	4 3/8
1315 00910	100-1041	3 1/2	2	4 3/8

FRANKLIN MACHINE PRODUCTS


Drain Overflow Assemblies

Fit lever and twist waste valves with 1 1/4" overflow outlets. Cut to size.



Heads

Order No.	Mfr. No.	Desc.
1315 10224	100-1024	Overflow Head




Elbows

Order No.	Mfr. No.	Size In.	Desc.
1315 01824	100-1021	1 1/4x14x18	Overflow Elbow

Plusco Supply Corp.

TUNDRA SPECIALTIES Strainer Locks



Prevent loss of snap-in strainer. Stainless steel. Fit most lever and rotary drains. Include standard and vandalproof screws.

Order No.	Mfr. No.	Dia. In.
1315 40100	11-949	3 7/16
1315 40000	11-948	3 1/8

FRANKLIN MACHINE PRODUCTS

Waste Valve Tools Lever/Twist - Heavy-Duty



For removing or installing lever and twist wastes with 2 3/4" or 3 1/8" slots. Also for sink opening sizes 3" and 3 1/2". Stainless steel.

Order No.	Mfr. No.	Desc.
1315 30300	142-1113	Lever/Twist Waste Valve Tool

FRANKLIN MACHINE PRODUCTS

Waste Valve Reducers



Eliminate stocking 2 sizes of lever waste valves. Nickel-plated brass.

Order No.	Mfr. No.	Desc.
1315 03060	100-1042	2" NPT Female x 1 1/2" NPT Male

FRANKLIN MACHINE PRODUCTS

Waste Repair Kits



For all Franklin Machine Products, Barnett Premier, Chicago, Component Hardware Group, Standard Keil and T&S Brass wastes. Contain 1 each 3" flange washer, 3 1/2" flange washer, body bushing, packing nut bushing, plunger o-ring, coupling nut washer, handle o-ring, twist handle snap ring and washer.

Order No.	Mfr. No.	Desc.
1315 04510	100-1011	Waste Repair Kit

FRANKLIN MACHINE PRODUCTS Cast Drain Assemblies



Include lock nut and washer.

Brass Cast Drain Assemblies

Order No.	Mfr. No.	NPS Drain Size In.	Flange Size In.	Lgth. In.
1315 01801	102-1000	1/2	1 1/8	2
1315 01802	102-1004	1	2	1 1/2
1315 01804	102-1007	1	2	3 1/4
1315 01803	102-1009	1	2	4
1315 01806	102-1011	1 1/2	3	1 1/2
1315 01809	102-1014	1 1/2	3	3

Nickel-Plated Brass Cast Drain Assemblies

Order No.	Mfr. No.	NPS Drain Size In.	Flange Size In.	Lgth. In.
1315 20202	102-1001	1/2	1 1/8	2
1315 20204	102-1003*	3/4	1 1/2	1 3/4
1315 20206	102-1005	1	2	1 1/2
1315 20208	102-1008	1	2	3 1/4
1315 20210	102-1010	1	2	4
1315 20212	102-1012	1 1/2	3	1 1/2
1315 20214	102-1015	1 1/2	3	3
1315 20216	102-1017	2	3 3/8	2

*Does not include lock nut and washer.

FRANKLIN MACHINE PRODUCTS

Faucets

Commercial Duty - Hand Sink



Centers 4". NPS 1/2" x 3/4" shank. Brass. Wall mount.

Order No.	Mfr. No.	Finish	Spout Lgth. In.	Desc.
1315 21000	107-1036	Chrome	6	Standard
1315 21010	107-1035	Chrome	10	Standard
1315 21020	107-1037	Chrome	...	Gooseneck

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

FRANKLIN MACHINE PRODUCTS

Faucets

Dipperwell - w/Long Shank



NPS 1/2" x 2 1/2" shank. Sweat connection ID 5/16". Brass.

Order No.	Mfr. No.	Desc.	Finish
1315 22000	107-1034	Dipperwell Faucet	Chrome Plate

FRANKLIN MACHINE PRODUCTS

Strip Curtains For Refrigeration



Save energy. Cut operating cost of walk-in to 35%. Made of long life compound. Will not dry out, crack or discolor. Loop attachment for one person installation. Temperature range -40°F to 150°F. Thickness .062". Overlap 50%. Include mounting bar and hardware.

Compliances. USDA Accepted.

Curtains

Order No.	Mfr. No.	Strip Size In.	Curtain Size In.	Door Size In.
1315 23100	124-1218	4	31x84	28x78
1315 23103	124-1219	4	37x84	34x78
1315 23106	124-1220	6	33x84	29x78
1315 23109	124-1221	6	38x84	34x78
1315 23112	124-1222	6	42x84	38x78
1315 23115	124-1223	6	46x84	42x78
1315 23118	124-1224	8	44x90	41x84
1315 23121	124-1225	8	50x90	47x84

Replacement Strips

No.	Size In.
124-1267	4x84
124-1216	6x84
124-1270	8x90

Plusco Supply Corp.

FRANKLIN MACHINE PRODUCTS Bucket Openers



Steel

No. 142-1441. For opening plastic buckets, metal buckets and paint cans. Cuts lid flanges on plastic buckets without knife. Screwdriver type tip for puncturing air vents in metal containers and opening paint can lids. Hanging hole. Plastic handle.

Steel Bucket Openers

Order No.	Mfr. No.	Desc.
1315 24010	142-1441	Tempered Steel



Plastic

No. 142-1359. Opens plastic pails. Will not distort or damage container.

Plastic Bucket Openers

Order No.	Mfr. No.	Desc.
1315 24020	142-1359	Heavy-Duty Plastic

PETERSON INDUSTRIES Tub/Shower Doors Series 200 - Camero



For bypass enclosures. Premium grade brite finish anodized aluminum frame. Adjustable rollers. Two towel bars.

When ordering, specify obscure glass, KD or clear glass.

Order No.	Mfr. No.	Ht. In.	Desc.
8200 10000	158C	57 1/2-59	Tub
8200 10100	258C	57 1/2-59	Shower

SLOAN® VALVE Showerheads Act-O-Matic® - Self-Cleaning



Feature unique spray disc action. With water on disc moves downward into shower position delivering cone-within-cone spray. When water is turned off disc moves upward into drain position completely washing out all water-borne substances that clog ordinary shower heads.

Chrome plated with vandalproof feature tapped for 1/2" IPS; 2.5-gallon flow control; thumb screw volume control.

Order No.	Mfr. No.	Desc.
1254 34280	AC-11	Self-Cleaning

SPEAKMAN Showerheads Anystream®



S-2252-AF



S-2253-AF

Brass ball swivel joint. T-handle to adjust spray. Lexan® deposit-resisting plungers. Inlet 1/2" NPTF.

Compliances. Meet ANSI A112.18.1M with 2.5 gpm/9.46 lpm flow rates.


No. S-2252-AF. Brass shank. Six plungers with 48 spray channels.

No. S-2253-AF. Chrome-plated shank. Six plungers with 32 spray channels.

Order No.	Mfr. No.	Face Size In.	Finish
1252 03120	S-2252-AF	2 3/4	Polished Chrome
1252 03345	S-2253-AF	2 1/4	Polished Chrome

SYMMONS® INDUSTRIES Showerheads Ball Joint Type

Compliances. Meet EPA '92 requirements.



Super Showerheads

Order No.	Mfr. No.	Desc.	gpm
1256 16440	4-131	Super	2.5



Clear-Flo Showerheads

Order No.	Mfr. No.	Desc.	gpm
1256 17560	4-206	Clear-Flo	2.5

MOEN® Showerheads Moenflo®



Order No.	Mfr. No.	Finish
1243 25010	3905	Chrome
1243 25020	3905CP	Chrome/Polished Brass
1243 25030	3905P	Polished Brass

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

Plusco Supply Corp.

MOEN® Showerheads



No. 3900. Easy Clean head only.

Order No.	Mfr. No.	Finish
1243 23204	3900	Chrome

TELEDYNE WATER PIK Showerheads Shower Massage®



Theft-resistant with special installation wrench. Water-saving. Easy clean design. SmartFlow™ water controller adjusts automatically to maintain constant, high performance shower pressure even in areas with low water pressure.

Order No.	Mfr. No.	gpm	psi	No. Spray Settings	Finish
84222	SM-621H	2.5	80	8	White
84333	SM-620H	2.5	80	8	Chrome

PLUSCO Showerheads Earth™ - Massage



Nine-jet turbo massage, setting from forceful to gentle. Fully adjustable spray, setting from forceful to gentle. Self-cleaning. Maintenance-free. Chrome-plated brass coupling nut. Size 2¾"×4¼".

Order No.	Finish
84110	White
84210	Chrome/White

PLUSCO Showerheads Low Flow

Brass. Energy saving and water saving. Settable flow rate control. Hand installation, knurled sure-grip sections. Adjustable spray disk. Rated 2.35 gpm at 80 psi.

Compliances. Meet ANSI Specification A112-18-1M 1979. Meet California Energy Commission requirements. CSA Approved.



Standard Showerheads

Order No.	Finish
84150	Chrome-Plated



Standard Contemporary Showerheads

Order No.	Finish
84151	Chrome-Plated



Built-in volume control.

Deluxe Contemporary Showerheads

Order No.	Finish
84152	Chrome-Plated



Standard Decorator Design Showerheads

Order No.	Finish
84153	Chrome-Plated



Provide pulsating shower that has rinsing ability. Rated 2.25 gpm.

Nonaerating Showerheads

Order No.	Finish
84154	Chrome-Plated

CHATHAM BRASS Showerheads Wall Mount



C2

Fixed orifice flow control. Solid chrome-plated brass. Adjustable spray.

Order No.	Mfr. No.	gpm	Desc.	psi
15200	C2	2.5	w/Lever Handle	80
15202	202	2.5	w/Canopy Handle	10-80
15303	303A	2.5	Large Size w/Heavy Duty Commercial Balljoint	80


CHATHAM BRASS Showerheads Wall Mount



Forged brass C.P. Three variable orifices maintain constant flow rate at any pressure.

Order No.	Mfr. No.	gpm	Desc.	psi
1430 00130	10-2S	2.0	Solid Brass	10-80

CHATHAM BRASS Showerheads Institutional - Wall Mount




C.P. Forged brass. Pilfer proof. Include anchor plate.

Order No.	Mfr. No.	gpm	Desc.
1430 01010	21SA	2.0	Pilfer Roof
1430 02020	31SA	2.5	Pilfer Roof

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

Plusco Supply Corp.

ALSONS® Showerheads Massage Action



Order No.
1221 49054

Mfr. No.
665CPK

Finish
CP

ALSONS® Showerheads Economy



Adjustable full spray.

Order No.
1221 68200

Mfr. No.
3130 CB

Finish
Black & Chrome

ALSONS® Showerheads Massage - Multi Spray



Energy savers at 2.5 gpm flow rated.

Compliances. Meet ANSI Code 112.18.1M 2.5 gpm.

Order No.
1221 68110
1221 68120
1221 68130

Mfr. No.
APS 2573 RC*
APS 2574 RC*
APS 2576 RC*

Finish
Natural White
Chrome
Polished Brass

*Retail package dispensing carton.

B&K® Showerheads AquaMassage™ - Wall Mount - 3 Settings



Spray, pulse, combination pulse-massage settings. Metal ball. Install to any shower arm. Include Teflon® tap for drip-free installation.

Compliances. Conform to Federal Energy Standard of 2.5 gpm at 80 psi.

Order No.
15480

Mfr. No.
141-201

Finish
Chrome

B&K® Showerheads Die-Cast



Chrome plated. Adjustable spray pattern.

Compliances. Conform to Federal Energy Standard of 2.5 gpm at 80 psi.

Order No.
96185
96186

Mfr. No.
141-008
141-011

Finish
Chrome Plated
Chrome Plated

Face
Size
In.
2
3

B&K® Showerheads Plastic



Plastic Showerhead




Plastic Showerhead w/Brass Ball

Compliances. Conform to Federal Energy Standard of 2.5 gpm at 80 psi.

Order No.	Mfr. No.	Finish	Face Size In.	Desc.
18124	141-009	Chrome Plated	2	Plastic Showerhead
96184	141-012	Chrome Plated	2	Plastic Showerhead w/Brass Ball

ZIN-PLAS Showerheads Adjustable Spray - w/o Hose




Adjustable spray with full flow. Standard flow. Chrome body. Black face plate. Chrome-plated brass ball connector.

Order No.
96184

Mfr. No.
14-1095-A

Finish
Polished Chrome

ZIN-PLAS Showerheads Adjustable Spray - w/o Hose




Adjustable spray with full flow. Standard flow. Chrome body. Black face plate. Chrome-plated plastic ball connector.

Order No.
96182

Mfr. No.
14-1053-A

Finish
Polished Chrome

ZIN-PLAS Showerheads Adjustable Spray - w/o Hose




Adjustable spray with full flow. Standard flow. Chrome body. Black face plate. Black plastic ball connector.

Order No.
96180

Mfr. No.
14-1033-A

Finish
Polished Chrome

ZIN-PLAS Showerarms



IPS 1/2".

Order No.	Mfr. No.	Size In.	Finish
18006	14-2095-6-B	6	Polished Chrome
18008	14-2095-8-B	8	Polished Chrome

Plusco Supply Corp.

PASCO SPECIALTY & MFG. Shower Arms



Increase height of any showerhead. Brass.

Order No.	Mfr. No.	Finish	Ht. In.
1451 02095	1190	Chrome	10
1451 02096	1190-AB	Antique Brass	10
1451 02097	1190-PB	Polished Brass	10
1451 02100	1191	Chrome	8
1451 02101	1191-AB	Antique Brass	8
1451 02102	1191-PB	Polished Brass	8


CHATHAM BRASS Flow Control Valves



No. 200. Three variable orifices and constant flow rate. As pressure increases, size of hole decreases allowing full flow rate. Slips into threaded collar of showerhead.

Order No.	Mfr. No.	Desc.
1430 00190	200	Standard Model


CHATHAM BRASS Shower Cut Off Valve



No. E8. Shower cut off valve. Chrome plated brass.

Order No.	Mfr. No.	Desc.
15100	E8	Shower Cut-Off Valve

ZIN-PLAS Wall Flanges Zinc Die-Cast



For showerarms. Include set screw.

Order No.	Mfr. No.	Size In.	Finish
18555	11-2011-083-A	1/2	Polished Chrome


ALSONS® Shower Arm Extensions Adjustable - For Shower Head




Order No.	Mfr. No.	Finish
1221 68100	3600 C RC*	Chrome

*Retail package dispensing carton.


ALSONS® Hand Showers Wall Mounted



410 SPB PK



410 DPB PK



410 PB PK

No. 410 SPB PK: Add to a tub. Hand shower diverter; push button control; includes 2 wall mounts.


No. 410 DPB: Add to a shower. Shower head diverter; push button control; includes wall mount.

No. 410 PB PK: Standard push button with pause control; includes wall mount.

Order No.	Mfr. No.	Finish
1221 18830	410 SPB PK	White/Chrome
1221 18840	410 DPB PK	White/Chrome
1221 18850	410 PB PK	White/Chrome

**Our order desk is always
ready to assist you.**


ALSONS® Hand Showers



European-style with metal shower arm pin mount and massage action.

Order No.	Mfr. No.	Finish
1221 11210	45 BX	White/CP


ALSONS® Hand Showers



Deluxe 24" wall bars with standard, full-spray. Adjustable height wall mounting.

Order No.	Mfr. No.	Desc.
1221 57010	1501 BX	White/Chrome


ALSONS® Hand Showers



Deluxe 24" wall bars (acrylic and brass). Adjustable height wall mounting.

Order No.	Mfr. No.	Finish
1221 57105	1501 LA BX	CP


ALSONS® Hand Showers



Deluxe 24" wall bars with European-style, massage-action. Adjustable height wall mounting.

Order No.	Mfr. No.	Finish
1221 57760	1501 MAC BX	White/CP

ALSONS® Hand Showers



Standard pushbutton with metal shower arm pin mount.

Order No.	Mfr. No.	Finish
1221 10600	44 PB BX	White/CP

Plusco Supply Corp.

ALSONS® Hand Showers



Massage, multi-spray, European-style. Classic, clog-free, adjustable.

Order No.
1221 25200

Mfr. No.
425 C PK

Finish
Chrome

ALSONS® Hand Showers




Full-spray at energy saving 2.0 gpm.

Order No.
1221 30355

Mfr. No.
462 PK

Finish
White

ALSONS® Handheld Showerheads



Pushbutton, pause-control, full-spray at energy saving 2.0 gpm.

Order No.
1221 30610
1221 30615

Mfr. No.
462 PB BX
462 PBC BX

Finish
Nat. Wht.
Chrome

ALSONS® Hand Showers



Lady Alsons adjustable-spray (acrylic and brass).

Order No.
1221 34800

Mfr. No.
480 BX

Finish
CP

ALSONS® Shower Hoses



Double spiral, all brass.

Order No.
1221 40220
1221 40275

Mfr. No.
495 DS 60 PK
495 DS 69 PK

Size
In.
60
69

Finish
Chrome
Chrome

ALSONS® Hand Shower Hoses



Voral black with chrome accent and brass nuts.

Order No.	Mfr. No.	Finish	Size In.
1221 36900	490 40 PK	Black/Chrome Plated	40
1221 36960	490 60 PK	Black/Chrome Plated	60
1221 37020	490 70 PK	Black/Chrome Plated	70

ALSONS® Wall Bars



Deluxe with concealed 2-screw mounting and tile offset. Chrome boxed units.

Order No.	Mfr. No.	Size In.	Finish
1221 68060	15011 C BX	24	Chrome
1221 68070	15031 C BX	48	Chrome

ALSONS® Shower Components Replacement

Order No.	Mfr. No.	Desc.	Finish
1221 70010	BAS 2 BX	Bar Slide & Knob For No. 25011 Bar	Chrome
1221 70020	BAS 3 BX	Bar Slide & Knob For No. 15011 Bar	Chrome
1221 70030	BAS 4 BX	Bar Slide w/Tensioner for Glide Rail Set of 100	Clear
1221 65635	4959 PAK BG	Rubber Gaskets	Black

ALSONS® Hand Shower Accessories Wall Mounts



5001 PK



5001 AC PK

No. 5001 PK. Wall mount; clear pin; and mounting screws. Chrome.

No. 5001 AC PK. Wall mount with self adhesive mounting. Chrome.

Order No.	Mfr. No.	Finish
1221 65995	5001 PK	Chrome
1221 65998	5001 AC PK	Chrome

ALSONS® Shower Arm Mounts



Deluxe, all-metal mounts with pin. Must use swivel connector. Chrome boxed units.

Order No.
1221 64495

Mfr. No.
4301 BX

Finish
Chrome

ALSONS® Swivel Connectors



Provide full side-to-side or up-and-down movement of hand shower on pin. Engineering-grade plastic. Assorted colors; boxed units.

Order No.
1221 63050
1221 63060

Mfr. No.
4002 BX
4002 C BX

Finish
Natural White
Chrome

ALSONS® Swivel Connectors



Swivels provide full side-to-side or up-and-down movement of hand shower on pin. Deluxe, all-metal connectors for hand shower. Chrome boxed units.

Order No.
1221 66665

Mfr. No.
5002 BX

Finish
Chrome

**IF YOU CAN'T FIND
IT HERE....**

Let us know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

Plusco Supply Corp.

ALSONS® Vacuum Breakers



Atmospheric type; 1/2" connections with brass shield.

Order No.	Mfr. No.	Desc.
1221 65455	4900 BX	Vacuum Breaker


ALSONS® Water Diverters




Deluxe, push-pull control for shower arm. Chrome boxed units.

Order No.	Mfr. No.	Finish
1221 65570	4923 BX	Chrome

ZIN-PLAS Tub Spouts Residential




Tub Spout




Die-cast zinc. Diverter spout. Top brass 1/2" IPS adapter for hand shower attachment. Connect to 1/2" or 3/4" IPS at wall end of spout with Celcon bushing included.

Order No.	Mfr. No.	Finish
96190	10-4017-8	Polished Chrome

ZIN-PLAS Tub Spouts Residential




Tub Spout




Telescoping. Die-cast zinc. Diverter spout. Connect at wall end with 1/2" or 3/4" Celcon bushing. Adjustable fit 1".

Order No.	Mfr. No.	Finish
96126	10-4510-82	Polished Chrome

ZIN-PLAS Tub Spouts Residential




Tub Spout




Die-cast zinc. IPS connection 1/2" at nose end of spout.

Order No.	Mfr. No.	Finish
96134	10-2010-5	Polished Chrome

ZIN-PLAS Tub Spouts Residential




Tub Spout




Die-cast zinc. Slide connect to 1/2" CWT at wall end of spout.

Order No.	Mfr. No.	Finish
96135	10-2010-81N	Polished Chrome

ZIN-PLAS Tub Spouts Residential



Tub Spout





Telescoping. Die-cast zinc. IPS connection 1/2" or 3/4" at wall end of spout. Include Celcon bushing. Adjustable fit 1".

Order No.	Mfr. No.	Finish
96130	10-2010-82	Polished Chrome

Plusco Supply Corp.

ZIN-PLAS Tub Spouts Residential





Die-cast zinc. Front diverter spout. Connect to 1/2" IPS at nose end of spout.

Order No. 96128 Mfr. No. 10-4510-5 Finish Polished Chrome



ZIN-PLAS Tub Spouts Residential

Die-cast zinc. Diverter spout. Connect to 1/2" or 3/4" IPS at wall end of spout with Celcon bushing included.



Order No. 96140 Mfr. No. 10-4010-8 Finish Polished Chrome


ZIN-PLAS Tub Spouts Residential



Die-cast zinc. Front diverter spout. Slide connect to 1/2" CWT at wall end of spout.

Order No. 96129 Mfr. No. 10-4510-81N Finish Polished Chrome


ZIN-PLAS Diverter Repair Kits



Front end. Include gate, seal, stem and knob.

Order No. 96141 Mfr. No. 10-4510-23 Finish Chrome


ZIN-PLAS Reducing Bushings



3/4"x1/2".

Order No. 96145 96146 Mfr. No. 10-4010-34-K 10-4510-34-K Desc. Brass Celcon

ZIN-PLAS Tub Spouts Residential



Cast brass. Diverter spout. Connect to 1/2" or 3/4" IPS at wall end of spout with brass bushing included. Internal plastic components.

Order No. 96125 Mfr. No. 10-8001-9-B Finish Polished Chrome

MOEN® Tub Spouts Aerator



Sculptured tub filler 5 1/2" long. IPS connection. Threaded end.

Order No. 1243 12083 Mfr. No. 3921 Finish Chrome

MOEN® Tub Spouts



Sculptured tub fillers 5 1/2" long. Slip fit. Sweat end.

Order No. 1243 12088 Mfr. No. 3959 Finish Chrome

MOEN® Tub Spouts



Sculptured diverter spout 5 1/2" long. Slip fit. Sweat end.

Order No. 1243 12090 Mfr. No. 3960 Finish Chrome

MOEN® Tub Spouts



Sculptured diverter spout 5 1/2" long. IPS connection. Threaded end.

Order No. 1243 12322 Mfr. No. 3911 Finish Chrome

Plusco Supply Corp.

FRANKLIN BRASS MFG. CO.

Towel Shelves



Towel Shelves

Order No.	Mfr. No.
1514 03350	1450
1514 03360	1455

Lgth.
In.
18
24



Towel Shelves w/Bar

Order No.	Mfr. No.
1514 45000	1452
1514 45200	1457

Lgth.
In.
18
24




Towel Shelves w/Bar, Support Braces & Plates

Order No.	Mfr. No.
1514 40090	1453B
1514 03368	1458B

Lgth.
In.
18
24

FRANKLIN BRASS MFG. CO.

Towel Shelf Installation Kits Positive Lock



Heavy-gauge stainless steel wall plate with thru-holes in projecting legs. Allow set screws to permanently attach shelf posts to plates. Include wall plate, set screw and towel shelf post.

Order No.	Mfr. No.	Desc.
1514 40095	E1450WP	Towel Shelf Installation Kit

FRANKLIN BRASS MFG. CO.

Towel Shelves W/Bars



Plated steel. Wall flange. Dimensions 2 1/8" x 8 1/2". Include toggle bolts.

Order No.	Mfr. No.	Lgth. In.	Finish
1514 40080	2780PC	24	Polished Chrome
1514 40085	2781PC	18	Polished Chrome

FRANKLIN BRASS MFG. CO.

Towel Bars Polished Stainless Steel



Size 3/4" square.

Order No.	Mfr. No.	Lgth. In.
1514 03230	1418	18
1514 03240	1424	24
1514 03260	1436	36

FRANKLIN BRASS MFG. CO.

Towel Bars Replacement - Spring Loaded Ends



Can be cut to size. Clear.

Order No.	Mfr. No.	Lgth. In.
1514 05940	E2250C	24

FRANKLIN BRASS MFG. CO.

Retractable Clothesline



Brass cover and flange. Retractable nylon cord.

Order No.	Mfr. No.	Cord Lgth Ft.	Finish
1514 05370	910	6	Chrome Plate

FRANKLIN BRASS MFG. CO.

Towel Rings Futura - Series 1400



Clean line design. Furnished with heavy ga. steel plates. Screw slots allow lateral adjustment.

Order No.	Mfr. No.	Finish
1514 03165	1416	Chrome

FRANKLIN BRASS MFG. CO.

Brush & Tumbler Holders



Order No.	Mfr. No.	Finish
1514 03080	1405	Chrome

FRANKLIN BRASS MFG. CO.

Soap Dishes



Order No.	Mfr. No.	Finish
1514 03090	1406	Chrome

FRANKLIN BRASS MFG. CO.

Towel & Robe Hooks

Chrome-plated cast brass.



No. 1902. Concealed mounting with steel wall-plate. Socket head locking screws. Overall diameter 2 3/4".

Towel & Robe Hooks

Order No.	Mfr. No.	Projection In.
1514 10000	1902	3 1/8



No. 1908. Install on back of door. Flange size 1 1/4" x 2".

Bumper Hooks

Order No.	Mfr. No.	Projection In.
1514 10005	1908	3

FRANKLIN BRASS MFG. CO.

Robe Hooks Futura - Series 1400

Concealed mounting. Include heavy ga. steel plates. Screw slots allow lateral adjustment. Accessory may be adjusted after mounting due to oval design.



Single Robe Hooks

Order No.	Mfr. No.	Projection In.	Finish
1514 03050	1401	1 1/8	Chrome



Double Robe Hooks

Order No.	Mfr. No.	Projection In.	Finish
1514 03060	1402	1 1/8	Chrome

Plusco Supply Corp.

FRANKLIN BRASS MFG. CO.

Towel Pins Futura - Series 1400



Order No.	Mfr. No.	Proj. In.	Finish
1514 03070	1403	5	Chrome

FRANKLIN BRASS MFG. CO.

Tissue Cabinets Series 900 - Guest Room



No. 915. Steel snap-on cover.

Surface Tissue Cabinets

Order No.	Mfr. No.	Size In.	Finish
1514 41100	915	10 ³ / ₄ ×5 ¹ / ₂ ×2 ¹ / ₄	Chrome Plate



No. 920. Brass snap-on cover.
No. 925. Steel snap-on cover.
No. 935SF. Type 304 satin stainless steel snap-on cover.

Recessed Tissue Cabinets

Order No.	Mfr. No.	Size In.	Finish
1514 41110	920	11 ⁵ / ₈ ×6 ¹ / ₄	Chrome Plate
1514 05382	925	11 ⁵ / ₈ ×6 ¹ / ₄	Chrome Plate
1514 05385	935SF	11 ⁵ / ₈ ×6 ¹ / ₄	Satin

Covers

Order No.	Mfr. No.	Desc.	Finish
1514 40000	E925C	Cover Only	Chrome
1514 40005	E930C	Cover Only	Stainless Steel

FRANKLIN BRASS MFG. CO.

Tissue Boxes Recessed




Spring loading ensures easy replacement. Plastic knob for faster reloading. Use where no tissue cover is required. Install in back of vanity apron.

Order No.	Mfr. No.	Size In.	Recess Box Dim. In.
1514 40010	919	11 ³ / ₄ ×5 ¹ / ₄	10 ¹ / ₄ ×5 ¹ / ₄

FRANKLIN BRASS MFG. CO.

Wall Clamps Recessed



For installation into dry wall or vanities. Use with Nos. 920, 921, 925, 926, 930, 930SF, 935, 935SF tissue cabinet and No. 970 recessed paper holder.

Order No.	Mfr. No.	Desc.
1514 05360	901R	Recessed Wall Clamp

FRANKLIN BRASS MFG. CO.

Paper Holders



Order No.	Mfr. No.	Desc.	Finish
1514 03150	1408B	Gray Plastic Roller	Chrome
1514 03155	1408C	C.P. Brass Roller	Chrome
1514 03160	1408P	C.P. Plastic Roller	Chrome

FRANKLIN BRASS MFG. CO.

Paper Holders Recessed



No. 970. Plastic roller. Gray galvanized box. Zamak posts, frame. Spare roll stored in back. Wall opening 5¹/₄"×5¹/₄"×4".

Recessed Extra Roll Paper Holders

Order No.	Mfr. No.	Size In.	Finish
1514 41255	970	6 ¹ / ₄ ×6 ¹ / ₄	Chrome Plate



No. 977. Plated plastic rollers. Wall opening 11³/₄"×5¹/₄"×2".

Recessed Twin Paper Holders

Order No.	Mfr. No.	Size In.	Finish
1514 40015	977	12 ⁵ / ₈ ×6 ¹ / ₄	Chrome Plate



No. 980B. Chrome-plated zamak posts. Polished aluminum plate. Includes 2 plastic rollers.

Twin Paper Holders

Order No.	Mfr. No.	Size In.	Finish
1514 40020	980B	13 ¹ / ₂ ×2	Chrome Plate

FRANKLIN BRASS MFG. CO.

Replacement Parts Recessed Bath Fixtures

Order No.	Mfr. No.	Desc.
1514 06975	EROLLB	Gray Plastic Repl. Holder
1514 06995	EROLLC	C.P. Brass Repl. Holder
1514 06985	EROLLP	C.P. Plastic Repl. Holder

Note: Finishes are indicated by suffixes—**PB**= Polished Brass; **P**= Chrome; **B**= Black. Suffix **R**= Recess Wall Clamp.

FRANKLIN BRASS MFG. CO.

Paper Holders Recessed



Plated brass shell. Wall opening and shell type size 5¹/₄"×5¹/₄"×2". Holder size 6¹/₄"×6¹/₄". Plastic roller. Round corner design.

Order No.	Mfr. No.	Finish
1514 01040	607B	Chrome

FRANKLIN BRASS MFG. CO.

Soap Holders Recessed



Holder size 6¹/₄"×6¹/₄". Round corner design.

No. 606. Wall opening 5¹/₄"×5¹/₄"×2".

No. 1608. Wall opening 5¹/₄"×5¹/₄"×1¹/₄".

No. 1608MX. Wall opening 5¹/₄"×5¹/₄"×1¹/₄".

Order No.	Mfr. No.	Finish
1514 01030	606	Chrome-Plated Brass Shell
1514 01170	1608	Chrome-Plated Brass Shell & Bar
1514 01172	1608MX	Permanently Attached Soap Holder

**We Appreciate
Your Business!**

Plusco Supply Corp.

FRANKLIN BRASS MFG. CO.

Soap/Tumber Holders Recessed




Wall opening $4\frac{1}{4}'' \times 4\frac{1}{4}'' \times 1\frac{1}{4}''$. Holders size $5\frac{1}{4}'' \times 5\frac{1}{4}''$. Brass shell.


Order No.	Mfr. No.	Finish
1514 01730	856	Chrome Plate

FRANKLIN BRASS MFG. CO.

Bath Accessories Futura - Recessed



600R



601R

No. 600R. Conventional recessed wall clamps for screw-type installations.

No. 601R. Speedy set. Compression of steel spring on back wall holds clamp against back side of front wall.

Order No.	Mfr. No.	Desc.
1514 01000	600R	Clamps
1514 01010	601R	Spring

Note: Finishes are indicated by suffixes. C=Chrome, R=Recessed, B=Black.

FRANKLIN BRASS MFG. CO.

Glass Shelves Tempered



Tempered glass. Clear, polished edges. Dimensions $5''W \times \frac{3}{16}''$ thickness.

Order No.	Mfr. No.	Glass Lgth.	Shelf Lgth.
1514 03170	1465	24	26

FRANKLIN BRASS MFG. CO.

Stainless Steel Shelves



Width 5".

Order No.	Mfr. No.	Lgth.	Shelf Lgth.
1514 03175	1475	24	26

FRANKLIN BRASS MFG. CO.

Towel Bars



2-Guest Towel Bars

Order No.	Mfr. No.	Desc.
1514 41251	950	2-Guest Towel Bar



3-Guest Towel Bars

Order No.	Mfr. No.	Desc.
1514 41252	955	3-Guest Towel Bar



4-Guest Towel Bars

Order No.	Mfr. No.	Desc.
1514 41253	960	4-Guest Towel Bar

Used Towel Extensions

Order No.	Mfr. No.	Desc.
1514 41254	965	Used Towel Extension

FRANKLIN BRASS MFG. CO.

Vanity Legs



Polished stainless steel. Chrome plated 2" steel cover flange. Can be cut to desired length.

Order No.	Mfr. No.	Lgth.	Desc.
1514 05365	906X	36	Vanity Legs

FRANKLIN BRASS MFG. CO.

Extension Mirrors



Regular $4'' \times 6\frac{1}{2}''$ and magnifying (3x) sides. Fold against wall when not in use.

Order No.	Mfr. No.	Adjust.	Finish
1514 05375	912PC	22	Polished Chrome

**Please Phone or Fax
Your Orders**

A number of items in this catalog are listed in condensed form.
Complete catalogs and specifications will be sent to you on request.
Please call us.

Plusco Supply Corp.


FRANKLIN BRASS MFG. CO.

Shower Rods

Heavy-Duty

For institutional and commercial projects. Include flange and mounting screws.

When ordering, specify length.



Shower Rods

Order No.	Mfr. No.	Lgth. Ft.	OD In.	Wall Ga.	Rod Type	Flange Type	Flange No.
1514 05300	105	5, 6	1	.025/23	CP Brass	Stamped CP Brass	E105FL
1514 60005	110	5, 6	1	.025/23	CP Brass	Cast CP Zamak	E110FL
1514 60010	115	5, 6	1	.035/20	CP Brass	Stamped CP Brass	E105FL
1514 60015	120	5, 6	1	.035/20	CP Brass	Cast CP Zamak	E110FL
1514 60020	160	5, 6	1	.035/20	Polished Stainless Steel	Cast CP Zamak	E110FL
1514 60025	161	5, 6	1	.035/20	Polished Stainless Steel	Polished Stainless Steel	E161FL
1514 60030	161CS	5, 6	1	.035/20	Polished Stainless Steel	Polished Stainless Steel	E161FLCS
1514 60035	162	5, 6	1	.035/20	Satin Stainless Steel	Polished Stainless Steel	E162FL
1514 60040	162CS	5, 6	1	.035/20	Satin Stainless Steel	Satin Stainless Steel	E162FLCS
1514 60045	163	5, 6, 10	1	.049/18	Polished Stainless Steel	Polished Stainless Steel	E161FL
1514 60050	164	5, 6, 10	1	.049/18	Satin Stainless Steel	Satin Stainless Steel	E162FL
1514 60055	165	5, 6, 10	1	.049/18	Polished Stainless Steel	Cast CP Zamak	E110FL
1514 60060	166	5, 6, 10	1 1/4	.049/18	Polished Stainless Steel	Cast CP Zamak	E166FL
1514 60065	167	5, 6, 10	1 1/4	.049/18	Polished Stainless Steel	Polished Stainless Steel	E167FL
1514 60070	167CS	5, 6, 10	1 1/4	.049/18	Polished Stainless Steel	Polished Stainless Steel	E167FLCS
1514 60075	168	5, 6, 10	1 1/4	.049/18	Satin Stainless Steel	Satin Stainless Steel	E168FL
1514 60080	168CS	5, 6, 10	1 1/4	.049/18	Satin Stainless Steel	Satin Stainless Steel	E168FLCS



No. 182. Includes 13 chrome-plated brass glide hooks.

Track Type Shower Rods

Order No.	Mfr. No.	Lgth. Ft.	OD In.	Wall Ga.	Rod Type	Flange Type	Flange No.
1514 60085	182	5, 6	1	.025/23	Polished Stainless Steel	Polished Stainless Steel	E161FL

JAMECO INDUSTRIES

Shower Curtain Rods




Aluminum. With flanges.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
1460 02360	660-30	1	60

Note: Available without flanges or with C.P. ABS jiffy flanges.

PASCO SPECIALTY & MFG.

Flanges Shower Rod



Fit 1" shower rods.

Order No.	Mfr. No.	Desc.	Mtl.	Finish
1460 02860	1253	Adjustable	Plastic	Chrome-Plated
1460 02861	1256	Sure Grip	Steel	Chrome-Plated

FRANKLIN BRASS MFG. CO.

Mounting Flanges Stainless Steel Track Type Rods



For institutional and commercial projects.

Order No.	Mfr. No.	Dia. In.	Desc.
1514 40025	E105FL	2 1/4	Exposed Screw Mounting
1514 40030	E110FL	2 1/4	Exposed Screw Mounting
1514 40035	E166FL	2 1/4	Exposed Screw Mounting
1514 40040	E161FL	3	Exposed Screw Mounting
1514 40045	E162FL	3	Exposed Screw Mounting
1514 40050	E167FL	3	Exposed Screw Mounting
1514 40055	E168FL	3	Exposed Screw Mounting
1514 40060	E161FLCS	3	Concealed Screw Mounting
1514 40065	E162FLCS	3	Concealed Screw Mounting
1514 40070	E167FLCS	3	Concealed Screw Mounting
1514 40075	E168FLCS	3	Concealed Screw Mounting

MANUFACTURERS' CATALOGS

We shall be glad to send
manufacturers' catalogs and
other available publications
and data on request.

FRANKLIN BRASS MFG. CO.

Shower Curtains Vinyl



Waterproof and mildew-resistant. Corrosion-resistant grommets.

Standard Ga. Curtains. Thickness .004". Top hem thickness .012". Side hem 1/2". Bottom hem 1/4".

Standard Ga. Shower Curtains

Order No.	Mfr. No.	Color	Size	Desc.
1514 60090	1150	White	6'x6'	For 5' Tubs
1514 60095	1152	White	4'x6' 6"	For 3' Showers

Heavy Ga. Curtains. Thickness .008". Top hem thickness .016". Side hem 1/2" Bottom hem 1/2".

Compliances. Meet Federal Specification L-C780A Style I and L-P375C Type II, Class I.

Heavy Ga. Shower Curtains

Order No.	Mfr. No.	Color	Size	Desc.
1514 60100	1154	White	6'x6'	For 5' Tubs
1514 60105	1156	White	4'x6' 6"	For 3' Showers

Plusco Supply Corp.

FRANKLIN BRASS MFG. CO.

Shower Curtain Hangers Pins - Brass



Use with 1" OD rods.

Order No. 1514 05910 Mfr. No. E72 Finish Zinc Chromate Plate

PLASTIC ODDITIES

Strainer Plates Replacement



SP-1



SP-2N

Mtg.
Screw
Dia.
In.

Order No.	Mfr. No.	Dia. In.	
Stainless Steel			
31974	SP-23	3 1/2	2 3/8
31975	SP-1	4	3 3/8
31976	SP-12	4 1/4	2 5/8
31977	SP-24	4 1/2	3 3/8
31978	SP-3	4 7/8	4 3/8
Nickel-Plated Cast Iron			
31980	SP-2N	4	3 3/8
31981	SP-12N	4 1/4	2 5/8
31982	SP-4N	4 3/4	4 3/8
31983	SP-8N	5 1/2	4 7/8

FRANKLIN BRASS MFG. CO.

Grab Bars

Safety First - Series 500 - Chrome-Plated Brass



Brass. Post dimensions: 2 1/4"x2 3/8". Rustproof. Variety of fasteners for easy installation in any wall type. 2"x8" stainless steel mounting screws.

Order No.	Mfr. No.	Lgth. In.
1514 06070	518	18
1514 06095	524	24
1514 06170	536	36

FRANKLIN BRASS MFG. CO.

Grab Bars

Angled - w/Center



Order No.	Mfr. No.	Size In.	Desc.
1514 06255	582SS	16x32	Polished Stainless Steel

FRANKLIN BRASS MFG. CO.

Grab Bars Security



Concealed mounting. Round flange 1 1/2" dia.

Compliances. Meet ADA specifications. Meet ANSI specifications. Meet HUD specifications. Meet Federal specifications.

Order No.	Mfr. No.	Lgth. In.	Desc.
1514 10010	5612	12	18-Ga. Stainless Steel
1514 10015	5616	16	18-Ga. Stainless Steel
1514 10020	5618	18	18-Ga. Stainless Steel
1514 10025	5624	24	18-Ga. Stainless Steel
1514 10030	5630	30	18-Ga. Stainless Steel
1514 10035	5632	32	18-Ga. Stainless Steel
1514 10040	5636	36	18-Ga. Stainless Steel
1514 10045	5642	42	18-Ga. Stainless Steel
1514 10050	5648	48	18-Ga. Stainless Steel

FRANKLIN BRASS MFG. CO.

Grab Bars



Exposed mounting. Round flange 1 1/2" dia.

Compliances. Meet ADA specifications. Meet ANSI specifications. Meet HUD specifications. Meet Federal specifications.

Order No.	Mfr. No.	Lgth. In.	Desc.
1514 78045	6312	12	18-Ga. Stainless Steel
1514 78050	6316	16	18-Ga. Stainless Steel
1514 78055	6318	18	18-Ga. Stainless Steel
1514 78060	6324	24	18-Ga. Stainless Steel
1514 78062	6330	30	18-Ga. Stainless Steel
1514 78064	6332	32	18-Ga. Stainless Steel
1514 78075	6336	36	18-Ga. Stainless Steel
1514 78080	6342	42	18-Ga. Stainless Steel
1514 78085	6348	48	18-Ga. Stainless Steel

FRANKLIN BRASS MFG. CO.

Grab Bars



Round flange 1 1/2" dia.

Compliances. Meet ADA specifications. Meet ANSI specifications. Meet Federal specifications.

When ordering, substitute "52" for "48" in part No. for 52" length.

Order No.	Mfr. No.	Lgth. In.	Desc.	Mtg. Type
1514 78090	6348C	48	18-Ga. Stainless Steel	Exposed
1514 60110	5648C	48	18-Ga. Stainless Steel	Concealed

In addition to the items shown, we are continually adding new items.

FRANKLIN BRASS MFG. CO.

Toilet Paper Holders Deluxe



Double

No. 1974. Concealed pushbutton hinge release. Heavy-duty zamak. Size 5 9/16"x2 7/16". Projection 4 1/4".

No. 1976. Concealed pushbutton hinge release. Heavy-duty zamak. Size 10 7/16"x2 7/16". Projection 4 1/4".

Order No.	Mfr. No.	Desc.	Finish
1514 06640	1974	Single	Chrome Plate
1514 06642	1976	Double	Chrome Plate

FRANKLIN BRASS MFG. CO.

Toilet Paper Holders Economy



No. 1972. Locking device prevents roll removal until paper used. Steel. Size 5 15/16"x2 3/4". Projection 4 1/4".

No. 1973. Locking device prevents roll removal until paper used. Steel. Size 11"x2 3/4". Projection 4 1/4".

Order No.	Mfr. No.	Desc.	Finish
1514 77100	1972	Single	Chrome Plate
1514 77102	1973	Double	Chrome Plate

FRANKLIN BRASS MFG. CO.

Bottle Openers



Order No.	Mfr. No.	Finish
1514 05388	944	Polished Stainless Steel

FRANKLIN BRASS MFG. CO.

Ash Trays Wall Mount



Hinged top. When button is pressed, ashes are emptied into removable metal liner.

Order No.	Mfr. No.	Ht. In.	Dia. In.	Projection In.
1514 06653	1999	3 13/16	4	4 5/8

FRANKLIN BRASS MFG. CO.

Public Washroom Accessories Series 1900




No. 1925. Liquid soap dispenser. 16 oz. drip proof valve; zamak bracket with poly globe; 6 3/8"H, 5 1/8" projection.

Order No.	Mfr. No.	Desc.	Finish
1514 06623	1925*	Liquid Soap Dispenser	Chrome Plate


*Imported item.

Plusco Supply Corp.


FRANKLIN BRASS MFG. CO. Safety Seats & Chairs




SF575




SF580



SF585



SF590



SF570



SF595

No. **SF575**. Toilet safety bar 1". White.
No. **SF580**. High profile tub bar 1". White.
No. **SF585**. Multi-grip tub bar 1". White.
No. **SF590**. Tub safety bar 1". White.
No. **SF570**. Elevated toilet seat. White.
No. **SF595**. Tub and shower seat. White legs and seat.

Grab Bars & Seats

Order No.	Mfr. No.	Desc.
-----------	----------	-------

Grab Bars

1514 02000	SF575	Toilet
1514 02005	SF580	High Profile
1514 02010	SF80R	High Profile w/Narrow Clamps
1514 02015	SF580PC	High Profile - Chrome
1514 02020	SF585	Multi-Grip
1514 02025	SF585R	Multi-Grip w/Narrow Clamps
1514 02030	SF585PC	Multi-Grip - Chrome
1514 02035	SF590	Tub/Shower
1514 02040	SF590R	Tub Safety Bar w/Narrow Clamps
1514 02045	SF590PC	Tub Safety Bar - Chrome

Seats

1514 02050	SF570	Elevated Seat
------------	-------	---------------

Tub/Shower Chairs

1514 02055	SF595	White
1514 02060	SF596*	Adj.; White Seat, Etched Alum. Legs
1514 02065	SF598	White
1514 02070	SF599	Adj.; White Seat & Back; Etched Alum. Legs
1514 02075	SF560	Safety Board
1514 02080	SF565	Safety Transfer Bench

*With rubber leg tips. 19"Lx11"Wx16"H.

Note: Finishes are indicated by suffixes—W= White.

Telephone Your Orders.

AMERICAN SPECIALTIES Towel Dispensers



Dispenses 350 C-Fold or 500 multifold paper towels.

Order No.
7707 00457

Mfr. No.
0457

Size
In.
12³/₄x17¹/₄x4¹/₄

AMERICAN SPECIALTIES Soap Dispensers



Pushup type, noncorroding valve. Dispenses soaps and lotions. Bracket and valve assembly, chrome plated. 16 Oz. white polyethylene globe. Overall height, 7".

Order No.
7707 00371

Mfr. No.
0371

Size
In.
7

AMERICAN SPECIALTIES Toilet Seat Covers Dispensers



Dispenses 250 paper seat covers.

Order No.
7707 00477

Mfr. No.
0477SM

Size
In.
15³/₄x11x1¹/₈

AMERICAN SPECIALTIES Grab Bars Stainless Steel

18 Ga. 304 stainless steel tubing. Heliarc welded to 11 Ga. stainless steel flange. Withstand force in excess of 900 lbs. Standard wall projection of 1¹/₂"


When ordering, specify series, type and options.

Example: 37 15 P - M3436

Series: 37=3700 series; 38=3800 series; 30=3000 series; 31=3100 series; 32=3200 series; 34=3400 series; 35=3500 series.

Type: 01, 02, 03, 04, 05, 06, 15, 24-48, 24-52, 24-54, 33, 34, 40, 52, 56, 54, 60, 70, 53, 71, 11, 12, 16, 17, 28, 42, 72, 73, 74.

Options: P=non-slip surface (peened); Special Size=Add suffix "M" plus desired size in inches (Ex: M2337=23"x37").




Snap Flange

Snap Flange. 22 Ga. covering 1/8" thick stainless steel concealed mounting flange welded to tubing.



Concealed Mounting

Concealed Mounting. 1/2" deep, 3" dia. and secure to 13 Ga. concealed tenon plate with three stainless steel set screws.




Exposed Mounting

Exposed Mounting. 1/8" thick, 3" dia. and have three countersunk screw holes.


Series Specifications

Series	Desc.	OD In.
3700	Snap Flange	1 ¹ / ₄
3800	Snap Flange	1 ¹ / ₂
3000	Concealed Mounting	1
3100	Concealed Mounting	1 ¹ / ₄
3200	Concealed Mounting	1 ¹ / ₂
3400	Exposed Mounting	1 ¹ / ₄
3500	Exposed Mounting	1 ¹ / ₂




Type - 01


Plusco Supply Corp.




Type - 02



Type - 03




Left Hand Shown
Right Hand Opposite
Type - 04




*This dimension 11" when
1 1/2" O.D. tubing specified.

Type - 05




*This dimension 11" when
1 1/2" O.D. tubing specified.


Type - 06




Type - 15




Type - 24



Type - 33




Type - 34




Type - 40/52/56


Type 40. A=52"
Type 52. A=48"
Type 56. A=54"




Swings Full 180°
Type - 54




Type - 60



Type - 70




Swing Up
Type - 53




Type - 71


Plusco Supply Corp.




*Finished Wall Dimension
Type - 11




Right Hand Shown
Left Hand
Opposite
Type - 12



Type - 16




Type - 17




Type - 28/42


Type 28. A=30".
Type 42. A=24".



Type - 72



Type - 73



Type - 74

Order No.	Mfr. No.	Type
7707 03701	3701	01
7707 03804	3804	04
7707 03006	3006	06
7707 03124	3124-48	24-48
7707 03234	3234	34
7707 03454	3454	54
7707 03570	3570	70
7707 03011	3011 P	11 Peened
7707 03153	3153 P	53 Peened
7707 03216	3216 P	16 Peened
7707 03428	3428 P	28 Peened
7707 03572	3572 P	72 Peened
7707 03774	3774 P	74 Peened
7707 03817	3817 P	17 Peened

BOBRICK WASHROOM EQUIPMENT

Toilet Tissue Dispensers



B-2888

B-4288



Spindle

No. B-2888. Classic series. Satin finish stainless steel. Plated steel dispensing mechanism. Flat face door with protruding tumbler lock. Holds 2 rolls up to 5 1/4" dia. Extra roll drops in place when bottom roll is depleted. Theft-resistant. Heavy-duty spindles. Size 6 1/16"Wx11"Hx5 15/16"D.

No. 283-604. Molded plastic spindle with concealed lock. Holds 1 single roll.

No. B-4288. Contura series. Satin finish stainless steel. Stainless steel dispensing mechanism. Flush tumbler lock. Holds 2 rolls up to 5 1/4" dia. Extra roll drops in place when bottom roll is depleted. Theft-resistant. Heavy-duty spindles. Size 6 1/16"Wx11"Hx5 15/16"D.

Order No.	Mfr. No.	Roll Size	Desc.
1517 20135	B-2888	Twin	Classic Series
1517 20140	283-604	Single	
1517 20145	B-4288	Twin	Contura Series

BOBRICK WASHROOM EQUIPMENT

Toilet Tissue Dispensers

Recessed - Multi-Roll



Satin-finish stainless steel. Tumbler lock. Hold 2 rolls up to 5 1/4" dia. Extra roll drops into place when bottom roll is depleted. Theft-resistant. Heavy-duty spindles. Extends 2 3/4" from wall.

Contura Series. Stainless steel dispensing mechanism.

Classic Series. Plated-steel dispensing mechanism. Flat face with protruding tumbler lock.

Order No.	Mfr. No.	Roll Size	Desc.
1517 30040	B-4388	Twin	Contura Series
1517 30050	B-3888	Twin	Classic Series

Plusco Supply Corp.

BOBRICK WASHROOM EQUIPMENT

Toilet Tissue Dispensers
Partition Mounted - Multi-Roll



Serve 2 toilet compartments. Satin finish stainless steel. One-piece seamless flanges. Hold 2 rolls up to 5 1/8" dia. Extra roll drops in place when bottom roll is depleted. Theft-resistant. Heavy-duty spindles. Tumbler lock on each side. Average mounting height to top of unit 37".

Order No.	Mfr. No.	Roll Size	Desc.
1517 30060	B-386	Twin	Partition Mounted

BOBRICK WASHROOM EQUIPMENT

Toilet Tissue Dispensers
Classic Series



No. B-2892. Twin roll toilet tissue dispenser. Tumbler lock. Dispensing mechanism convertible in field to hold 2 1/4" and 3" diameter core rolls. Sliding across panel exposes one roll at a time. Wide viewing slot in door reveals amount of tissue on both rolls. Size 20 13/16"Wdth.x11 3/8"Ht.x6 3/16"Dpth. Stainless steel.

Order No.	Mfr. No.	Roll Size
1517 20125	B-2892	Twin

BOBRICK WASHROOM EQUIPMENT

Dispensers
Surface Mounted




No. B-262. For either C-fold or multifold paper towels. Constructed of 22-ga. type 304 stainless steel with satin finish. Cabinet front equipped with full length stainless steel piano hinge at bottom. Tumbler lock keyed. Two cabinet slots indicate when to refill.

Order No.	Mfr. No.	Cap.	Wdth. In.	Ht. In.	Dpth. In.
1517 17100	B-262	400 C-Fold, 525 Multifold	10 3/4	14 3/4	4

BOBRICK WASHROOM EQUIPMENT

Toilet Tissue Dispensers
Roll-Surface Mounted



B-274



B-2730

No. B-274. Aluminum casting with satin finish. Molded plastic spindles have concealed locking device. Controlled delivery limits amount of toilet tissue dispensed. Hold 2000 sheet rolls. 12 1/2" long. Project 4 7/8".

No. B-2740. Aluminum casting with satin finish. Molded plastic spindles have concealed locking device. Hold 2000 sheet rolls. 12 1/2" long. Project 4 7/8".

No. B-273. Single roll. Width 6 1/2". Project 4 7/8".

No. B-2730. Single roll. Width 6 1/2". Project 4 7/8".

Order No.	Mfr. No.	Roll Size
1517 21000	B-274	Double
1517 21005	B-2740	Double
1517 21010	B-273	Single
1517 21015	B-2730	Single

BOBRICK WASHROOM EQUIPMENT

Stainless Steel Shelves



18 Ga. type 304 stainless steel. Satin finish. 3/4" return edge. Front edge hemmed for safety. 16 Ga. brackets. One-piece length.

Order No.	Mfr. No.	Lgth. In.	Wdth. In.
1517 30070	B-295	16, 18, 24, 36	5
1517 30080	B-296	18	6
1517 30090	B-298	24	8

BOBRICK WASHROOM EQUIPMENT

Folding Utility Shelves



Type 304 stainless steel. Satin finish. Pull-down shelf returns to upright position when not in use.

Order No.	Mfr. No.	Lgth. In.	Wdth. In.
1517 30100	B-287	14 1/2	5 3/4

BOBRICK WASHROOM EQUIPMENT

Surface-Mounted Hooks



No. B-672. Contoured 4" wide bar forms hook on each end. Bright polished stainless steel.

No. B-6727. Contoured 4" wide bar forms hook on each end. Bright polished stainless steel. Satin finish.

Order No.	Mfr. No.	Flange Size In.	Projection In.
	Double Robe		
1517 30010	B-672	2x2	2 5/16
1517 30020	B-6727	2x2	2 5/16

BOBRICK WASHROOM EQUIPMENT

Surface-Mounted Hooks



No. B-212. Solid aluminum casting with matte finish. Rubber bumper wall or partition surfaces.

Order No.	Mfr. No.	Flange In.	Projection In.
1517 30030	B-212	1 1/2x2	3 3/4

BOBRICK WASHROOM EQUIPMENT

Soap Dispensers
Lavatory-Mounted



Series B-822. Dispenses liquid soaps, lotions and detergents. Corrosion-resistant valve. Spout rotates 360°. Cover locks to body with concealed locking mechanism, opens with provided key. Removable spout, piston and supply tube. Has ABS coupling tee, connector hose and plastic elbow for multi-lavatory, under-the-counter reservoir system. Type 304 stainless steel unit.

Compliances. ADA Compliant.

No. B-8225. Polished brass.

No. B-82265. Polished brass.

Order No.	Mfr. No.	Fill Cap.	Spout Lgth. In.	Max. Mount. Thk. In.
1517 80121	B-822	34 Fl. Oz.	4	4
1517 20100	B-8221	20 Fl. Oz.	4	1
1517 20105	B-8226	34 Fl. Oz.	6	4
1517 20110	B-82216	20 Fl. Oz.	6	1
1517 20115	B-8225	...	4	...
1517 20120	B-82265	...	6	...

Note: Not for antibacterial soaps.

Plusco Supply Corp.

BOBRICK WASHROOM EQUIPMENT

Soap Dispensers Contura™ - Stainless Steel - Surface Mounted



No. B-4112. Dispenses liquid soaps, lotions and detergents. Corrosion-resistant valve operates with less than 5 lbs. of force. 20-ga. (1.0 mm), one-piece construction. 7"Wx6 1/8"Hx3 5/16" wall to pushbutton.


Order No.	Mfr. No.	Desc.	Cap. Oz.
1517 20130	B-4112	Surface-Mounted	40

BOBRICK WASHROOM EQUIPMENT

Paper Towel Dispensers



Dispenser



Stainless steel. Seamless beveled flange. For 600 C-fold or 800 multifold paper towels. Average mounting height to top of unit 78". Mounting height barrier-free 58 1/2".

Compliances. ADA Compliant.

Order No.	Mfr. No.	Finish
1517 35500	B-362	Satin

BOBRICK WASHROOM EQUIPMENT

Towel Dispensers/Waste Receptacles Recessed



Order No.	Mfr. No.	Desc.
1517 78300	B-3944	Towel Dispenser/Waste Receptacle

BOBRICK WASHROOM EQUIPMENT

Tampon/Sanitary Napkin Vendors Coin Operated - Surface Mount



Patented. With cabinet for surface-mounted installation. Satin-finish aluminum pull knobs, stainless steel cabinet. Denomination for name plate must be specified. Pull knob operates with less than 5 lbs. of force.

Compliances. ADA Compliant.

Series B-2800. Single-coin mechanisms or for free operation. Door has 90° return.


Concealed flange. Dispenses 31 napkins and 22 tampons. Two tumbler locks. Separate lock and key for coin box. Size 14 7/8"Wx25 3/8"Hx4 3/4"D.

Series B-2800X2. Double-coin mechanisms. Door has 90° return. Concealed flange. Dispenses 31 napkins and 22 tampons. Two tumbler locks. Separate lock and key for coin box. Size 14 7/8"Wx25 3/8"Hx4 3/4"D.

Order No.	Mfr. No.	Desc.	Coin Denomination Required
1517 17559	B-2800	Free	
1517 17600	B-2800-10	Single	\$0.10
1517 17601	B-2800-25	Single	\$0.25
1517 17602	B-2800X2-30	Double	\$0.30
1517 17603	B-2800X2-50	Double	\$0.50

BOBRICK WASHROOM EQUIPMENT

Tampon/Sanitary Napkin Vendors Coin Operated - Semi or Fully Recessed



Tampon/Sanitary Napkin Vendor

No. B-352 25. Seamless beveled flange. Dispenses 30 napkins and 27 tampons. Adjustable flange allows semi- or fully recessed installation. Plastic twist handles. Rough wall opening: 12 1/2"Wx26 3/8"Hx4-6 1/2"D minimum. 75"-79" average mounting height to top of unit, 61 1/2". Satin finish stainless steel.

No. B-282 25. Similar to B-352 25, with cabinet for surface-mounted installation. Size: 11 7/8"Wx25 7/8"H, 6 1/2"D.

Tampon/Sanitary Napkin Vendors

Order No.	Mfr. No.	Desc.	Coin Denomination Required
1517 40100	B-352 25	Single	\$0.25
1517 40200	B-282 25	Single	\$0.25

Replacement Coin Mechanisms. For models B-352 25 and B-282 25 and vendors using plastic coin mechanisms.

Replacement Coin Mechanisms

Order No.	Mfr. No.	Desc.
1517 40300	282-223	Sanitary Napkin
1517 40400	282-227	Tampon

BOBRICK WASHROOM EQUIPMENT

Shower/Dressing-Area Seats



Compact. Frame and mounting bracket are type 304 stainless steel. Self-locking mechanism. Seat 18" wide and projects 15 3/16" from wall. 17-20" mounting height from top of seat to floor.

Compliances. ADA Compliant.

No. B-5191. Seat constructed of durable, water-resistant solid phenolic. Ivory. 5/16" thick.

No. B-519. Seat constructed of foam-padded, white vinyl. 2" thick. With enclosed 1/2" plywood base.

Order No.	Mfr. No.	Desc.
1517 30110	B-5191	w/Solid Phenolic Seat
1517 30120	B-519	w/Vinyl Foam-Padded Seat

BOBRICK WASHROOM EQUIPMENT

Channel-Frame Mirrors



Series B-165. One piece channel frame. Electrolytically copper plated glass mirror. Stainless steel. Installed on concealed wall hanger with two theft-resistant screws. 1/4" float/plate glass.

Series B-166. Theft resistant channel-frame mirror/shelf combination with one piece type 304, satin finish stainless steel shelf. Projects 5" and has 3/8" return edges on front and sides. Concealed 16-gauge stainless steel brackets attach shelf to mirror frame.

Order No.	Mfr. No.	Wdth. In.	Ht. In.
Series B-165 - w/o Shelf			
1517 02180	B-165-1624	16	24
1517 02540	B-165-1824	18	24
1517 02600	B-165-1830	18	30
1517 02640	B-165-1836	18	36
1517 03680	B-165-2430	24	30
1517 03720	B-165-2436	24	36
1517 03840	B-165-2460	24	60
Series B-166 - w/Shelf			
1517 03850	B-166-1824	18	24
1517 03860	B-166-1830	18	30
1517 03870	B-166-1836	18	36
1517 03880	B-166-2436	24	36

Note: Other sizes available upon request.

Plusco Supply Corp.

BOBRICK WASHROOM EQUIPMENT

Tilt Mirrors Stainless Steel

Type 304 stainless steel. Satin finish. Bevel design hugs mirror. Thickness 1/4". Electrolytically copper plated.

Compliances. ADA Compliant.



Series B-293. Provide visibility for wheelchair patients. Extends 4" from wall at top and tapers to 1" at bottom.

Order No.	Mfr. No.	Wdth. In.	Ht. In.
1517 35005	B-293 1630	16	30
1517 35006	B-293 1830	18	30

Note: Sizes up to 36"x48" available upon request.



Series B-294. Provide full visibility for wheelchair patients. Frame size 3/4"x3/4". Top of mirror tilts 7" from wall with self-locking mechanism. Bottom of mirror mounts to wall with stainless steel hinge.

Order No.	Mfr. No.	Wdth. In.	Ht. In.
1517 35007	B-294 1624	16	24
1517 35008	B-294 1630	16	30

Note: Sizes up to 30"x36" available upon request.

BOBRICK WASHROOM EQUIPMENT

Frameless Mirrors Stainless Steel



Polished stainless steel. Have 1/4" return concealing 1/4" tempered masonite backing. Four mounting screws included.


Order No.	Mfr. No.	Wdth. In.	Ht. In.
1517 35000	B-1556 1620	15 1/2	19 1/2
1517 35001	B-1556 1824	17 1/2	23 1/2
1517 35002	B-1556 1830	17 1/2	29 1/2
1517 35003	B-1556 2436	23 1/2	35 1/2
1517 35004	B-1556 4824*	47 1/2	23 1/2

*Furnished with six mounting screws.

Note: Other sizes available upon request.

BOBRICK WASHROOM EQUIPMENT

Corner Guards Stainless Steel



18 Ga. type 304 stainless steel. Satin finish. No sharp edges. Adhesive mounting for installation included. Available in 40" or 48" lengths. Size 3 1/2"x3 1/2".

Order No.	Mfr. No.	Desc.
1517 30130	B-633	Stainless Steel Corner Guard

WORLD DRYER

Hand Dryers Series A - Mounted



Surface Mount



Recessed Mount

One-piece porcelain enamel finished cast iron cover with insulated pushbutton. Recessed instruction plate. Corrosion-resistant coated internal parts. Internally grounded mechanism.

Compliances. UL Listed.

Revolving Nozzle. 360° revolution.

Recessed. 16-ga. steel wall box.

Order No.	Mfr. No.	Desc.	Watts	Time Cycle Sec.
Surface Mount - Revolving Nozzle				
6001 00100	A	115V, 20A, 60 Hz	2300	30
6001 00200	A1	115V, 20A, 60 Hz	2300	40
6001 00300	A2	115V, 15A, 60 Hz	1725	40
6001 00400	A3	208V, 11A, 60 Hz	2300	30
6001 00500	A4	230V, 10A, 60 Hz	2300	30
6001 00600	A7	277V, 8.5A, 60 Hz	2400	30
Recessed Mount - Revolving Nozzle				
6001 20100	RA	115V, 20A, 60 Hz	2300	30
6001 20200	RA1	115V, 20A, 60 Hz	2300	40
6001 20300	RA2	115V, 15A, 60 Hz	1725	40
6001 20400	RA3	208V, 11A, 60 Hz	2300	30
6001 20500	RA4	230V, 10A, 60 Hz	2300	30
6001 20600	RA7	277V, 8.5A, 60 Hz	2350	30

BEVERLY COAT HANGER

Coat Hangers Series 601



Available in natural clear lacquer, walnut, solid teak or solid oak finish. Please specify.

Order No.	Mfr. No.	Size In.	Wt. Lbs.
2300 00125	601-24	24	6
2300 00130	601-30	30	7
2300 00135	601-36	36	8
2300 00140	601-42	42	9
2300 00145	601-48	48	10
2300 00150	601-60	60	12
2300 00155	601-72	72	14
2300 00160	601-84	84	16
2300 00165	601-96	96	18

BEVERLY COAT HANGER

Coat Hangers Series 101



Order No.	Mfr. No.	Size In.	Wt. Lbs.
2300 00100	101-24	24	6
2300 00105	101-30	30	7
2300 00110	101-36	36	8
2300 00115	101-42	42	9
2300 00120	101-48	48	10

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.


It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

Plusco Supply Corp.


BROAN® Exhaust Fans



Fan



Body



Cover

Feature molded plastic impeller, two-pole lubricated motor. Snap-in plastic matte white grille. Damper/duct connector fits 3" round duct. For use over shower and bath.


Compliances. UL Listed when protected by GFCI-protected branch circuit. HVI Tested/Certified.

Order No.	Mfr. No.	Volts	Color	cfm	Sones
1505 10000	688	120	White	50	2.0


BROAN® Exhaust Fans Bath - Duct-Free



682



Body



Cover

No duct work required. Easy to install with built-in mounting ears. Perfect where ducting is impractical or impossible. Lifetime-lubricated motors. White-white molded grilles. Single packs and Project Paks (fans).

No. 682. Snap-in metal housing installation. Circulates air past replaceable activated charcoal filter via whisper quiet fan. Housing is 3 3/4"H x 7 1/8"W x 7 1/8"L.


Compliances. UL Listed. HVI Certified. ICBO ES, BOCA ES, SBCCI PST and ESI Recognized.

Order No.	Mfr. No.	Volts	Color
1505 10030	682	120	White


BROAN® Exhaust Fans Deluxe - Bath



Fan



Body



Cover


Deluxe. Centrifugal blower wheel, 7 1/4"x7 1/2"x3 5/8" housing for ceiling or wall installation. Plastic grille. Damper/duct connector fits 3" round duct.

Order No.	Mfr. No.	cfm	Sones
1505 10010	671	70	3.0

BROAN® Bulb Heaters & Heater/Fans



Two-Bulb



Two Bulb Dim.



Sunshine warmth. Plastic grille and ventilator fan. Two-bulb heater/fan.

Order No.	Mfr. No.	cfm	Sones
1505 10025	164	70	3.5

BROAN® Exhaust Fans Economy



678



Fan Dim.

Plug-in permanently lubricated motors. Light: 100W with unbreakable light diffusing lenses (lamp not included). Round duct 4".

Compliances. UL Listed for use over bathtubs, showers when connected to GFCI-protected branch circuit. UL Listed. HVI Tested/Certified.

Order No.	Mfr. No.	Volts	Color	cfm	Sones
1505 10015	678	120	White	50	2.5
1505 10020	679	120	Gray	70	3.5

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

**We Appreciate
Your Business!**

Plusco Supply Corp.

NUTONE®

Exhaust Fans

ValueTest™ - Ceiling - Blower

For bath, utility and recreation rooms. Nonducted, removes room odors. Ventilates larger baths.
Compliances. UL Listed for use in tub/shower with GFI branch circuit wiring. HVI Compliant.



Order No.
1630 40200
1630 40300

Mfr. No.
671R
672R

Color
White Polymeric
White Polymeric

cfm
90
110

Bath
Size
Sq. Ft.
85
105

Housing
Size
Ft.
9x9x5 1/2
9x9x5 1/2

Grille
Size
In.
10 1/2x10 1/4
10 1/2x10 1/4

Amps
.6
.7

NUTONE®

Bulb Heaters

Heat-A-Vent®



9427P

Torsion springs hold plates firmly to ceiling. Automatic reset thermal protection. Swivel mount. White polymeric. Exhaust motor rated 60W, 70 cfm. Bulbs not included.

Compliances. UL Listed Type IC. MPP Compliant.

No. 9417DN. IC model (suitable for installation in direct contact with thermal insulation to meet certain building codes). Adjustable socket for ceilings up to 1" thick, adjustable hanger bars.

One-Bulb Heaters

Order No.	Mfr. No.	Size In.	Conn. Load Watts	Lamp Watts	Btu
1630 40000	9417DN	12 1/2x10x6 7/8	310	250	853

No. 9427P. Provision for heat and light using one heat lamp and one incandescent lamp. Mount in 2"x8" joists.

Two-Bulb Heaters


Order No.	Mfr. No.	Size In.	Conn. Load Watts	Lamp Watts	Btu
1630 40100	9427P	15 3/8x10 7/8x6 7/8	560	500	1706

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

ANDIS®

Wall Mounted Hair Dryers

ProTurbo - Model HD-2 - 1600W




When removed from wall, dryer automatically turns on. When returned to holder, dryer turns off. Long life motor. Metal mounting plate for secure wall attachment. Three heat settings. Two air speeds. LIFELINE® shock protection built into unit, not on plug. 125V 60 Hz.

Order No.	Mfr. No.	Desc.
0125 41095	33295	ETL Listed
0125 41085	33385	ETL Listed (Gift Box)
0125 41090	33490	Direct Wire Version

ANDIS®

Wall Mount Mirrors

3xMagnified



Wall mounted with flexible arm. Glare-free halo of light. Chrome plated. Adjusts outward from wall and up and down. Coiled cord. 120V 60 Hz.

Compliances. UL Listed. cUL Listed

Order No.
0125 41010

Mfr. No.
60010

Light
Watts
25

BRK

Smoke Detectors

First Alert® - AC/DC



Protection even if AC power fails. Primary power operates on 120V AC, but has 9V battery backup. Interlock prevents battery drawer from closing without battery. Screened stainless steel dual chamber ionization sensor. Equipped with 85 dB alarm horn and full-function test switch. Mounts using speedwire terminals. Interconnectable up to 12 units.

Compliances. Meet UL 217 Standards.

Order No.	Mfr. No.	Desc.
1530 00086	86RAC	Dual Chamber Ionization

BRK

Smoke Detectors

First Alert® - AC



For hearing impaired. If harmful smoke levels detected, ionization sensor activates strobe. 177 candela strobe attracts attention and wakes people who cannot hear audible alarms. Flashes approx. 60-70 times/minute. For both single and multiple station use up to 12 units. Test button checks all detector and strobe functions. Bug screen helps reduce false alarms caused by insects. Install on ceilings or walls. Power-on LED. Interconnects with 4919, 5919, 5919TH 86RAC, and 100S.

Compliances. UL Listed. Meet UL 217 and 1971 Standards. ADA Compliant.

Order No.	Mfr. No.	Desc.
1530 00100	100S	Strobe w/Dual Ionization

Plusco Supply Corp.

BRK Smoke Detectors




Wall or ceiling mount. 85 dB alarm horns, full-function test switches, flashing LED power indicators. Insect resistant screens minimize false alarms.

No. 4919. Dual ionization sensor. Designed for single and multiple station use, up to 12 units. Compact. White. 120V AC, 60 Hz. Include plug-in connectors and plastic brackets that mount easily to standard junction boxes $\leq 4"$. No gasket needed. Stainless steel chamber. Special shielding for RF immunity. Operating temperature range -40°F to 100°F (4°C to 38°C). Relative humidity range 10% to 90%. 4.3" diameter. 1.75" height. 5.2 oz. Interconnected units must receive power from same fuse or breaker.

Compliances. Meet UL 217 Standards. Meet FCC Standard for lightning protection.

Order No.	Mfr. No.	Desc.
1530 04919	4919	Compact Dual Ionization

S. PARKER HARDWARE Door Closers Contractor Quality™ - Series 950




Two speed controls for closing and latching. Match templates for Parker 500, Yale 50 and Norton 1600 for retrofit. All temperature hydraulics in aluminum housing. 10/ctn.

Medium/Heavy-Duty Closers. Interior width 36". Exterior door width 30".

Medium/Heavy-Duty Door Closers


Order No.	Mfr. No.	Color
2100 50000	953 AL	Aluminum
2100 50010	953 DUR	Duranodic
2100 50020	953 BC AL	Aluminum w/Back Check
2100 50030	953 BC DUR	Duranodic w/Back Check

H.B. IVES Square Hinges Solid Brass



Order No.	Mfr. No.	Size In.	Finish
IV660B IV670B	660B 670B	3 1/2 4	Brass Brass

H.B. IVES Radius Hinges Solid Brass



Order No.	Mfr. No.	Size In.	Finish
IV661 IV671	661 671	3 1/2 4	Brass Brass

ENGERT'S Patio Door Security Latches



For home, apartment, motel, condominium, resort and hotel use. Mount at any height. For extra tight corners where moldings and jams are narrow and mounting space limited.

Order No.	Mfr. No.	Finish	Desc.	Shackle Wdth. In.
IV5SDL	IV5SDL	Nickel	Narrow	3/4

ENGERT'S Patio Door Security Latches



For home, apartment, motel, condominium, resort and hotel use. Mount at any height. For most corner applications where ample mounting space is provided.

Order No.	Mfr. No.	Finish	Desc.	Shackle Wdth. In.
IV10SDL	IV10SDL	Nickel	Standard	1 1/4

ENGERT'S Patio Door Security Latches



For home, apartment, motel, condominium, resort and hotel use. Mount at any height. For offset mounting. Use where reaches require wider shackle to bridge gaps between jams and moldings to wall.

Order No.	Mfr. No.	Finish	Desc.	Shackle Wdth. In.
IV20SDL	IV20SDL	Nickel	Wide	2


H.B. IVES Door Silencers



Use on metal frames.

Order No.	Mfr. No.	Desc.
IV20	20	Door Silencer


H.B. IVES Door Guards Series 481 - w/Chain



Steel.

Order No.	Mfr. No.	Finish
IV481F3	481 F3	Bright Brass
IV481F10	481 F10	Satin Bronze
IV481F15	481 F15	Satin Nickel

H.B. IVES Door Guards Series 482




Solid brass.

Order No.	Mfr. No.	Desc.	Finish
IV482B3	482B3	Door Guard	Bright Brass
IV482B10	482B10	Door Guard	Satin Bronze
IV482B4	482B4	Door Guard	Satin Brass
IV482B5	482B5	Door Guard	Antique Brass
IV482B26D	482B26D	Door Guard	Satin Chromium

Plusco Supply Corp.

H.B. IVES Door Guards Series 482



Aluminum.

Order No.	Mfr. No.	Finish
IV482A3	482A3	Bright Brass
IV482A5	482A5	Antique Brass
IV482A26D	482A26D	Satin Chromium

H.B. IVES Door Holders



No. 455A3. Bright brass finish with burnished aluminum base.

No. 455A92. Aluminum, natural finish with burnished aluminum base.

Order No.	Mfr. No.	Size In.	Finish
IV455A3	455A3	4	Bright Brass
IV455A10	455A10	4	Satin Bronze
IV455A92	455A92	4	Aluminum

H.B. IVES Door Stop & Holder Tips



Rubber is black; aluminum coated with teal epoxy; box packed. Replacements for No. 452 and No. 455.

Order No.	Mfr. No.	Desc.
IVHRT	HRT	Door Stop & Holder Tips

H.B. IVES Door Stops Series 62



Aluminum.

Order No.	Mfr. No.	Size In.	Finish
IV62A3	62A3	4 1/2	Bright Brass
IV62A10	62A10	4 1/2	Satin Bronze
IV62A14	62A14	4 1/2	Bright Nickel
IV62A92	62A92	4 1/2	Natural

**Please Phone or Fax
Your Orders**

H.B. IVES Door Stops Deco Accents - Series 61



Aluminum.

Order No.	Mfr. No.	Size In.	Finish
IV61A3	61A3	3	Bright Brass
IV61A10	61A10	3	Satin Bronze
IV61A92	61A92	3	Natural


H.B. IVES Door Stop Tips



Rubber is white. Aluminum coated with teal epoxy. Replacement for Nos. 60, 61, 62, 062, 063, 64, 65, 70, 430, 432, and 433.

Order No.	Mfr. No.	Desc.
IVRT	RT	Door Stop Tips


H.B. IVES Floor Door Stops Model 434



Burnished steel base.

Order No.	Mfr. No.	Size In.	Finish
IV434F2C	434F2C	2 5/8	Zinc

H.B. IVES Hinge Pin Door Stops Deco Accents - Series 70



Aluminum.

Order No.	Mfr. No.	Finish
IV70A3	70A3	Bright Brass
IV70A10	70A10	Satin Bronze
IV70A92	70A92	Natural

H.B. IVES Hinge Pin Door Stops Series 69



Steel base.

Order No.	Mfr. No.	Finish
IV69F3	SP69F3	Bright Brass
IV69F10	SP6910	Satin Bronze


H.B. IVES Modern Surface Bolts Series 40




Brass base.

Order No.	Mfr. No.	Lgth. In.	Finish
IV40B3-4	40B3-4	4	Bright Brass
IV40B10-4	4010-4	4	Satin Bronze
IV40B4-4	40B4-4	4	Satin Brass
IV40B5-4	405-4	4	Antique Brass
IV40B26-4	4026D-4	4	Satin Chromium
IV40B3-6	40B3-6	6	Bright Brass
IV40B10-6	4010-6	6	Satin Bronze
IV40B4-6	40B4-6	6	Satin Brass
IV40B5-6	405-6	6	Antique Brass
IV40B26D-6	4026D-6	6	Satin Chromium

H.B. IVES Door Stops Floor



436



438

No. 436. For doors without threshold. Height 1". Gray nonmarring rubber bumper.

No. 438. For doors with undercut doors or threshold. Gray, nonmarring rubber bumper. Height 1 3/8".

Order No.	Mfr. No.	Finish
Polished Brass		
IV436B4	4364	Satin Brass
IV436B5	4365	Antique Brass
IV436B10	43610	Satin Bronze
IV436B26D	43626D	Satin Chromium
IV436B3	436B3	Bright Brass
IV438B3	438B3	Bright Brass
IV438B4	4384	Satin Brass
IV438B5	4385	Antique Brass
IV438B10	43810	Satin Bronze
IV438B26D	43826D	Satin Chromium

H.B. IVES Risers



435




437

Aluminum.

Order No.	Mfr. No.	Ht. In.	Finish
Series 435 Risers			
IV435A1/4IN	435A1/4IN	1/4	Mill
IV435A1/2IN	435A1/2IN	1/2	Mill
IV435A1IN	435A1IN	1	Mill
Series 437 Risers			
IV437A	437A	1	Mill

Plusco Supply Corp.

H.B. IVES One-Way Viewers



1 3/8-2 1/16

Solid brass body. Optical glass lenses.

Compliances. UL Listed.

No. 700. Available carded. Conforms to ANSI A156.16 L23173.

Order No.	Mfr. No.	Door Thick. In.	View Angle Deg.	Finish
IVU696B4	U696B4	1 3/8-2 1/16	150	Satin Brass
IV696B26D	U696B26D	1 3/8-2 1/16	150	Satin Chromium
IV700B4	700B4	1 3/8-2 1/16	120	Satin Brass
IV70026D	70026D	1 3/8-2 1/16	120	Satin Chromium

H.B. IVES Door Knockers Apartment - w/Viewer



Wrought brass.

Order No.	Mfr. No.	Door Thick. In.	Finish
IV02-31222-605	02-31222-605	1 3/4	Bright Brass
IV02-31222-609	02-31222-609	1 3/4	Antique
IV02-31222-612	02-31222-612	1 3/4	Satin Bronze
IV02-31222-613	02-31222-613	1 3/4	Dark Satin Bronze
IV02-31222-626	02-31222-626	1 3/4	Satin Chrome

H.B. IVES Wall Door Stops Series 407 1/2



Wrought brass. With plastic drywall anchor. Concave diameter 2 7/16" overall.

Order No.	Mfr. No.	Finish
IV4071/2B3	4071/2B3	Bright Brass
IV4071/2B4	4071/2B4	Satin Brass
IV4071/2B5	4071/2B5	Antique Brass
IV4071/2B9	4071/2B9	Bright Bronze
IV4071/210	4071/210	Satin Bronze
IV4071/2B26D	4071/2B26D	Satin Chromium

**IF YOU CAN'T FIND
IT HERE**

Let us know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

H.B. IVES Wall Door Stops Series 406




Wrought brass. With plastic anchor. Convex diameter 2 7/16" overall.

No. 406PA28. Aluminum.

Order No.	Mfr. No.	Finish
IV406B3	406B3	Bright Brass
IV406B4	406B4	Satin Brass
IV406B5	406B5	Antique Brass
IV406B10	406B10	Satin Bronze
IV40626D	40626D	Satin Chromium
IV406PA28	406PA28	Anodized


H.B. IVES Wall Door Stops Series 401 1/2



Solid cast brass. Include plastic anchor. Concave diameter 2 1/2" overall.

Order No.	Mfr. No.	Finish
IV4011/2B3	4011/2 B3	Bright Brass
IV4011/2B10	4011/2 B10	Satin Bronze
IV4011/2B4	4011/2 B4	Satin Brass
IV4011/2B26D	4011/2 B26D	Satin Chromium

H.B. IVES Wall Door Stops Series 411



Rubber. Adhesive back. Diameter 1 7/8".

No. 411R-G. Gray. Gold anodized aluminum.

No. 411R-W. White epoxy coated aluminum.

Order No.	Mfr. No.	Finish
IV411R-G	411R-G	Gold Anodized
IV411R-W	411R-W	Epoxy Coated

H.B. IVES Coat & Hat Hooks Deco Accents - Series 571



Order No.	Mfr. No.	Projection In.	Finish
IV571A3	571A3	3	Bright Brass
IV571A10	571A10	3	Satin Bronze
IV571A92	571A92	3	Aluminum

EX-CELL METAL PRODUCTS Card Holders

One-piece aluminum or steel. Mount to door or wall. Display hotel law cards or other messages. Plastic protective front sheet. Can be screw-mounted with adhesive strips. Mount with opening at top or side.



901

Card Holders - Series 901

Order No.	Mfr. No.	Size In.	Finish
1800 50105	901 AL	3x5	Aluminum
1800 50110	901 BRS	3x5	Brass
1800 50115	901 WLT	3x5	Walnut



902

Card Holders - Series 902

Order No.	Mfr. No.	Size In.	Finish
1800 50120	902 AL	4x10 1/4	Aluminum
1800 50125	902 BRS	4x10 1/4	Brass
1800 50130	902 WLT	4x10 1/4	Walnut



903

Card Holders - Series 903

Order No.	Mfr. No.	Size In.	Finish
1800 50135	903 AL	6x8 1/2	Aluminum
1800 50140	903 BRS	6x8 1/2	Brass
1800 50145	903 WLT	6x8 1/2	Walnut



904

Card Holders - Series 904

Order No.	Mfr. No.	Size In.	Finish
1800 50150	904 AL	4 7/8x12 7/8	Aluminum
1800 50155	904 BRS	4 7/8x12 7/8	Brass
1800 50160	904 WLT	4 7/8x12 7/8	Walnut



907

Card Holders - Series 907

Order No.	Mfr. No.	Size In.	Finish
1800 50165	907 AL	8 1/2x11	Aluminum
1800 50170	907 BRS	8 1/2x11	Brass
1800 50175	907 WLT	8 1/2x11	Walnut
1800 50180	907 SS	8 1/2x11	Stainless Steel

Plusco Supply Corp.

EX-CELL METAL PRODUCTS

Door Guards

For hotel and motel doors. Guard against damage caused by chains, bolts and locks.



910

Door Guards - Series 910

Order No.	Mfr. No.	Size In.	Finish
1800 50185	910 BRS	3/4x3	Brass
1800 50190	910 SS	3/4x3	Stainless Steel



911

Door Guards - Series 911

Order No.	Mfr. No.	Size In.	Finish
1800 50195	911 BRS	1 1/2x3	Brass
1800 50200	911 SS	1 1/2x3	Stainless Steel




912

Door Guards - Series 912

Order No.	Mfr. No.	Desc.	Finish
1800 50205	912 BRS	Angle	Brass
1800 50210	912 SS	Angle	Stainless Steel

EX-CELL METAL PRODUCTS

Luggage Carriers The Traveler™ Series



For budget minded facilities. Use as luggage carrier or self-service utility truck. Sturdy 18-ga. chrome tubular steel construction. Reinforced welded steel undercarriage. Gray-carpeted deck of 3/4" plywood. Full wraparound bumper. Gray 5" casters. Capacity 750 lbs.

Order No.	Mfr. No.	Deck Size In.	Finish	Carpet Color	Ht. In.
1800 50025	780 EC	23x43	Chrome	Gray	68

EX-CELL METAL PRODUCTS

Luggage Carriers The Traveler™ Series



Use as luggage cart or self-service utility truck. Versatile. Easy elevator access. Sturdy 18-ga. tubular steel construction. Type 304 stainless steel crossbar for hanging garments. Reinforced welded steel undercarriage. Carpeted deck of 1" plywood. Full wrap-around black bumper. Peg for hanging strapped items. Capacity 1000 lbs.

Ordering Guide:

Part number consists of series, finish, carpet color and caster options.

Example: **780 BLK ALD 8**

Frame Finish: BLK=Black; BRS=Brass; CHR=Chrome; COF=Coffee; SS=Stainless steel.

Carpet Color: ALD=Almond; BLK=Black; BLU=Blue; BRN=Brown; GRN=Green; GRY=Gray; RED=Red.

Caster Options: 8" pneumatic gray; 8" pneumatic black; 8" softride gray; 8" softride black; 8" poly gray; 5" poly gray.

Order No.	Mfr. No.	Deck Size In.	Finish	Carpet Color	Ht. In.
1800 50000	780 BLK ALD 5	23x43	Black	Almond	68
1800 50005	780 COF GRN 8	23x43	Coffee	Green	71
1800 50010	780 BRS GRN 8	23x43	Brass	Green	71
1800 50015	780 SS GRY 8	23x43	Stainless Steel	Gray	71
1800 50020	780 CHR RED 8	23x43	Chrome	Red	71

EX-CELL METAL PRODUCTS

Luggage Racks The Hospitality Design Series™

For commercial use. Folding. Heavy-gauge 1" tubular steel. Complete with washable straps and plastic feet.

When ordering, specify genuine leather straps in **BNL**=Brown and **BKL**=Black; tapestry straps **ERT**=English rose and **SLT**=Sienna floral.



750

Luggage Racks - Series 750

Order No.	Mfr. No.	Ht. In.	Wdth. In.	Dpth. In.	Finish
1800 50030	750 CHR	20	26	16	Chrome
1800 50035	750 BRS	20	26	16	Brass
1800 50040	750 COF	20	26	16	Coffee
1800 50045	750 BLK	20	26	16	Black



751

Series 751 Racks. Back rest protects walls from damage.

Luggage Racks - Series 751

Order No.	Mfr. No.	Ht. In.	Wdth. In.	Dpth. In.	Finish
1800 50050	751 CHR	20	26	16	Chrome
1800 50055	751 BRS	20	26	16	Brass
1800 50060	751 COF	20	26	16	Coffee
1800 50065	751 BLK	20	26	16	Black
1800 50070	751 SS	20	26	16	Stainless Steel



752

Series 752 Racks. Back rest protects walls from damage. Two rear straps prevent small luggage from falling through and marring wall.

Luggage Racks - Series 752

Order No.	Mfr. No.	Ht. In.	Wdth. In.	Dpth. In.	Finish
1800 50075	752 CHR	20	26	16	Chrome
1800 50080	752 BRS	20	26	16	Brass
1800 50085	752 COF	20	26	16	Coffee
1800 50090	752 BLK	20	26	16	Black
1800 50095	752 SS	20	26	16	Stainless Steel



750 EC

Model 750 EC. For budget minded property. Constructed of 7/8" chrome tubular steel. Washable black straps. Plastic guide feet prevent floor damage.

Luggage Racks - Model 750 EC


Order No.	Mfr. No.	Ht. In.	Wdth. In.	Dpth. In.	Finish
1800 50100	750 EC	20	26	16	Chrome

Plusco Supply Corp.

DON-JO Kick Plates Commercial

Full threaded to head stainless steel sheet metal screws plated to finish. Commercial thicknesses available 18-ga. stainless steel, 16-ga. brass, bronze or aluminum. Grain or satin finish available in brass, bronze, antique brass, stainless steel, aluminum, oil rubbed bronze, bright stainless, satin brass, brass tone and dark anodized aluminum.

To order, specify 1) finish; 2) size: height×length.




Kick

Kick Plates. Use on doors subject to damage or marring from foot traffic.

Kick Plates

Order No.	Mfr. No.	Desc.
0330 01330	J102-90	.058" Metal
0330 01335	J102-91	.038" Metal
0330 01340	J106-92	Plastic
0330 01345	J106-93	Clear Plastic




Armor

Armor Plates. Use on doors subject to damage or marring from carts and trucks.

Armor Plates

Order No.	Mfr. No.	Desc.
0330 01350	J101-90	.058" Metal
0330 01355	J101-91	.038" Metal
0330 01360	J105-92	Plastic
0330 01365	J105-93	Clear Plastic



Mop

Mop Plates. Use on doors subject to damage or marring during cleaning.

Mop Plates

Order No.	Mfr. No.	Desc.
0330 01370	J103-90	.058" Metal
0330 01375	J103-91	.038" Metal
0330 01380	J107-92	Plastic
0330 01385	J107-93	Clear Plastic

DON-JO Door Plates

Finishes: 605, 606, 612, 613, 628, 629 and 630.




70


Push plates. Adhesive mounting. Rounded corners. Beveled edges. Cylinder cut-outs. Also clear plastic and Kydex stock colors. 10/pkg.

Push Plates


Order No.	Mfr. No.	Size In.
0330 01060	70	3½×15
0330 01065	71	4×16
0330 01070	72	6×16
0330 01075	73	8×16




7010



7014



7030



7114

Pull plates. For clearance of 2½" add prefix "H"; J405 ANSI. 1/pkg.

Pull Plates

Order No.	Mfr. No.	Size In.	Hndl. C-C In.	Pull Size In.
0330 01080	7010*	3½×15	5½	...
0330 01085	7011	3½×15	5½	5/8
0330 01090	7014	3½×15	5½	3/4
0330 01100	7015	3½×15	6	3/4
0330 01105	7016	3½×15	8	3/4
0330 01110	7030	3½×15	6	3/8×1¼
0330 01115	7031	3½×15	8	3/8×1¼
0330 01120	7110	4×16	5½	...
0330 01125	7111	4×16	5½	5/8
0330 01130	7114	4×16	5½	3/4
0330 01135	7115	4×16	6	3/4
0330 01140	7116	4×16	8	3/4
0330 01145	7130	4×16	6	3/8×1¼
0330 01150	7131	4×16	8	3/8×1¼
0330 01155	7210	6×16	5½	...
0330 01160	7310	8×16	5½	...


*Not available in 606, 612 or 629.

DON-JO Door Pulls Solid Bar Stock

When ordering, add prefix "H" for 2½" clearance. Specify finish.

Specifications


Finish	Desc.
605	Polished Brass (US3)
612	Satin Bronze (US4)
613	Oil Rubbed Bronze (US10B)
628	Aluminum Anodized (US28)
630	Satin Stainless Steel (US32D)



Round

Round Door Pulls

Order No.	Mfr. No.	CTC In.	Dia. In.	Size In.	Proj. In.	Clear. In.
0330 01405	11	5½	5/8	6½	2	1¾
0330 01410	14	5½	¾	6¼	2¼	1½
0330 01415	15	6	¾	6¾	2¼	1½
0330 01420	16	8	¾	8¾	2¼	1½
0330 01425	17	10	¾	10¾	2¼	1½
0330 01430	19	8	1	9	3	2
0330 01435	20	10	1	11	3	2
0330 01440	21	12	1	13	3	2
0330 01445	22	18	1	19	3	2



Flat

Flat Door Pulls

Order No.	Mfr. No.	CTC In.	Dia. In.	Size In.	Proj. In.	Clear. In.
0330 01450	30	6	3/8×1¼	6¾	2	1¾
0330 01455	31	8	3/8×1¼	8¾	2	1¾
0330 01460	32	10	3/8×1¼	10¾	2	1¾


Plusco Supply Corp.

DON-JO Door Pulls Cast

Specifications

Finish
605
613
628
626
630

Desc.
Polished Brass (US3)
Oil Rubbed Bronze (US10B)
Aluminum Anodized (US28)
Satin Chrome Plated (US26D)
Satin Stainless Steel (US32D)



Door Pulls - No. 10

Order No.	Mfr. No.	CTC In.	Size In.	Proj. In.	Clear. In.
0330 01390	10	5 1/2	6 5/8	1 3/4	1 5/16



Door Pulls - No. 35

Order No.	Mfr. No.	CTC In.	Size In.	Proj. In.	Clear. In.
0330 01395	35	5 1/2	7 1/2	2	1 1/2




Door Pulls - No. 36

Order No.	Mfr. No.	CTC In.	Size In.	Proj. In.	Clear. In.
0330 01400	36	5 1/2	7 1/2	2	1 1/2

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

DON-JO Door Pulls Offset - Solid Bar Stock



When ordering, specify finish.

Specifications

Finish
605
612
613
628
630

Desc.
Polished Brass (US3)
Satin Bronze (US10)
Oil Rubbed Bronze (US10B)
Aluminum Anodized (US28)
Satin Stainless Steel (US32D)

Door Pulls

Order No.	Mfr. No.	CTC In.	Dia. In.	Size In.	Proj. In.	Clear. In.
0330 01465	150	8	3/4	8 3/4	2 1/2	1 3/4
0330 01470	151	10	3/4	10 3/4	2 1/2	1 3/4
0330 01475	152	12	3/4	12 3/4	2 1/2	1 3/4
0330 01480	156	8	1	9	2 1/2	1 3/4
0330 01485	157	10	1	11	2 1/2	1 3/4
0330 01490	158	12	1	13	2 1/2	1 3/4
0330 01500	159	18	1	19	2 1/2	1 3/4

DON-JO Corner Guards/Uchannels

Size 3"x3"x40".

When ordering, specify finish.


Specifications

Finish
605
606
609
612
613
628
629
630

Desc.
Polished Brass (US3)
Satin Brass (US4)
Antique Brass (US5)
Satin Bronze (US10)
Oil Rubbed Bronze (US10B)
Aluminum Anodized (US28)
Polished Stainless Steel (US32D)
Satin Stainless Steel (US32D)

One-Sided Angle Plates

Order No.	Mfr. No.	Desc.
0330 01505	288	Scotch Mount
0330 01510	289	Sheet Metal Screw Mount




Two-Sided Angle Plates

Order No.	Mfr. No.	Desc.
0330 01515	290	Scotch Mount
0330 01520	295	Sheet Metal Screw Mount

Bottom Angle Plates

Order No.	Mfr. No.	Desc.
0330 01525	298	Sheet Metal Screw
0330 01530	299	Adhesive by Others


DON-JO Door Interlocks



For in-swinging doors. Prevents room break ins.
6" Size. Use with key-in-knob and deadbolt locks.
12" Size. Use with Mortise locks, Simplex Series 1000, Alarm Lock DL-2500, DL-2700 and 3000 and Card Access Systems.

Order No.	Mfr. No.	Finish	Size In.
0330 01165	ILP-206-BP	Brass Plated	6
0330 01170	ILP-206-DU	Duro Coated	6
0330 01175	ILP-206-SL	Silver Coated	6
0330 01180	ILP-212-BP	Brass Plated	12
0330 01185	ILP-212-DU	Duro Coated	12
0330 01190	ILP-212-SL	Silver Coated	12

DON-JO Door Wraparounds Classic



For 2 1/8" hole cylindrical door locks; use for repairing, reinforcing and remodeling; helps resist kick-in attacks; helps keep wood doors from splitting; built-in stainless steel threaded insert; heavy duty stainless steel trim screws; secure and long lasting latch and bolt mounting; permanent holding power eliminates latch mounting screws from loosening. Style CW standard box packaged size 5 1/2"x11". Sizes available in 10B finish in display pack only; 1/pkg.

When ordering, specify finish.

Specifications

Finish
605
609
612
613
630

Desc.
Polished Brass (US3)
Antique Brass (US5)
Satin Bronze (US10)
Oil Rubbed Bronze (US10B)
Satin Stainless Steel (US32D)

Door Wraparounds

Order No.	Mfr. No.	Backset Size In.	Door Thick. In.	Size In.
0330 01000	CW-1-AB	2 3/8	1 3/8	4x9
0330 01005	CW-1-PB	2 3/8	1 3/8	4x9
0330 01010	CW-1-S	2 3/8	1 3/8	4x9
0330 01015	CW-2-AB	2 3/8	1 3/4	4x9
0330 01020	CW-2-PB	2 3/8	1 3/4	4x9
0330 01025	CW-2-S	2 3/8	1 3/4	4x9
0330 01030	CW-3-AB	2 3/4	1 3/8	4 1/4x9
0330 01035	CW-3-PB	2 3/4	1 3/8	4 1/4x9
0330 01040	CW-3-S	2 3/4	1 3/8	4 1/4x9
0330 01045	CW-4-AB	2 3/4	1 3/4	4 1/4x9
0330 01050	CW-4-PB	2 3/4	1 3/4	4 1/4x9
0330 01055	CW-4-S	2 3/4	1 3/4	4 1/4x9

Note: Other sizes and styles available upon request.

Plusco Supply Corp.

DON-JO

Information Signs

Blue. Raised white lettering. Braille translation on sign.

Compliances. ADA Title 24 Compliant.



Information Signs - Men

Order No.
0330 01195

Mfr. No.
CHS-1

Legend
MEN



Information Signs - Women

Order No.
0330 01200

Mfr. No.
CHS-2

Legend
WOMEN



Information Signs - Restroom

Order No.
0330 01205

Mfr. No.
CHS-3

Legend
RESTROOM

DON-JO

Information Signs

Blue. Raised white lettering. Braille translation on sign. Size 1 3/4"x6".

Compliances. ADA Title 24 Compliant.



Information Signs - Men

Order No.
0330 01210

Mfr. No.
HS-9070-46

Legend
MEN



Information Signs - Women

Order No.
0330 01215

Mfr. No.
HS-9070-47

Legend
WOMEN



Information Signs - Restroom

Order No.
0330 01220

Mfr. No.
HS-9070-48

Legend
RESTROOM

DON-JO

Information Signs

Raised white lettering. Braille translation on sign. Size 6"x9".

Compliances. ADA Compliant.




Information Signs - Men's/Handicap

Order No.
0330 01225
0330 01230

Mfr. No.
HS-9060-01
HS-9070-01

Legend
MEN
MEN

Color
Brown
Blue



Information Signs - Men's Room

Order No.
0330 01235
0330 01240

Mfr. No.
HS-9060-02
HS-9070-02

Legend
MEN
MEN

Color
Brown
Blue



Information Signs - Restroom

Order No.
0330 01245
0330 01250

Mfr. No.
HS-9060-03
HS-9070-03

Legend
RESTROOMS
RESTROOMS

Color
Brown
Blue



Information Signs - Women's Room

Order No.
0330 01255
0330 01260

Mfr. No.
HS-9060-04
HS-9070-04

Legend
WOMEN
WOMEN

Color
Brown
Blue



Information Signs - Women's/Handicap

Order No.
0330 01265
0330 01270

Mfr. No.
HS-9060-05
HS-9070-05

Legend
WOMEN
WOMEN

Color
Brown
Blue




Information Signs - No Smoking

Order No.
0330 01275
0330 01280

Mfr. No.
HS-9060-22
HS-9070-22

Legend
NO SMOKING
NO SMOKING

Color
Brown
Blue



Information Signs - Stairs

Order No.
0330 01285
0330 01290

Mfr. No.
HS-9060-24
HS-9070-24

Legend
STAIRS
STAIRS

Color
Brown
Blue



Information Signs - Telephone

Order No.
0330 01300
0330 01305

Mfr. No.
HS-9060-27
HS-9070-27

Legend
TELEPHONE
TELEPHONE

Color
Brown
Blue



Information Signs - Women/Men/Handicap

Order No.
0330 01310
0330 01315

Mfr. No.
HS-9060-32
HS-9070-32

Legend
RESTROOM
RESTROOM

Color
Brown
Blue



Information Signs - Handicap Accessible

Order No.
0330 01320
0330 01325

Mfr. No.
HS-9080-02
HS-9070-06

Legend
ACCESSIBLE
ACCESSIBLE


Color
Brown
Blue

Plusco Supply Corp.

AMERICAN STANDARD




BATH AND SHOWER FITTINGS AQUARIAN



1390.038


1390.046

1390.137




ITEM #	PART #	DESCRIPTION
#1	24427	HANDLE S/A
#2		ESCUTCHEON CAP-NLA
#3	24349	ESCUTCHEON
#4	24366	CARTRIDGE S/A (8 GAL.)
#5	24503	CARTRIDGE SCREW
#6	24504	CARTRIDGE SEALS (SET)

SINGLE CONTROL LAVATORY FITTINGS AQUARIAN CENTERSET



ITEM #	PART #	DESCRIPTION
#1	24427	HANDLE
#2	24337	CARTRIDGE SCREW
#3	24382	LIFT ROD W/KNOB S/A
#4	24339	CARTRIDGE (4 GAL.) S/A
#5	24335	CARTRIDGE SEAL SET
NOT SHOWN: 24375 POP-UP STOPPER		
24372 BALL & ROD		
24400 STRAP ROD		

SINGLE CONTROL KITCHEN FITTING AQUARIAN



ITEM #	PART #	DESCRIPTION
#1	24426	HANDLE
#2	24338	ESCUTCHEON CAP
#3	24337	CARTRIDGE SCREW
#4	24339	CERAMIC CARTRIDGE (INCLUDES PART 5)
#5	24335	CARTRIDGE SEAL SET
#6	24501	SPOUT
#7	24365	SPOUT 'O' RING (2)
#8	24336	DIVERter & RETAINER SET


Plusco Supply Corp.

AMERICAN STANDARD

PLUSCO.

PLUSCO.

RELIANT CENTERSET LAVATORY FAUCET



WE SPECIALIZE IN
GENUINE PARTS


ITEM #	PART #	DESCRIPTION
#1	24505	KNOB HANDLE KIT
#2	24506	KNOB INDEX BUTTON
#3	24301	LEVER HANDLE KIT
#4	24302	LEVER INDEX BUTTON
#5	24507	CAP KIT
#6	24300	VALVE REBUILD KIT
#7	24508	POP-UP ROD
#8	24400	STRAP
#9	24509	FLANGE MOUNTING KIT
#10	24375	DRAIN STOPPER
#11	24586	MOUNTING KIT

Plusco Supply Corp.

AMERICAN STANDARD



AMERICAN STANDARD RELIANT CENTERSET LAVATORY FAUCET 2385 SERIES



REPAIR PARTS	DESCRIPTION	PART NUMBER
HANDLE PARTS	HANDLE	24610
	HANDLE WITH "H" & "C"	24613
	HANDLE SCREW KIT	24616
	LOOP HANDLE	24619
	LOOP HANDLE INDEX KIT	24621
FAUCET PARTS	CAP	24624
	HOT LIMIT STOP	24627
	CARTRIDGE SCREWS (1-3/4")	24630
	CAP RETAINER	24633
	CARTRIDGE	24636
	DISK WITH SEALS	24639
	POP-UP ROD	24641
	AERATOR	24644
	UNDERBODY AND SCREW	24647
	PUTTY PLATE	24650
	MOUNTING KIT	24653
	SUPPLY NUT	24656


Plusco Supply Corp.

AMERICAN STANDARD




AMERICAN STANDARD HERITAGE WIDE-SPREAD LAVATORY FAUCET 4801 SERIES

REPAIR PARTS	DESCRIPTION	PART NUMBER
SPOUTS	CONVENTIONAL SPOUT (LESS DRAIN)	24680
	CONVENTIONAL SPOUT (WITH DRAIN)	24683
	GOOSENECK SPOUT (LESS DRAIN)	24686
	GOOSENECK SPOUT (WITH DRAIN)	24689
	CARTRIDGE	24692
FAUCET PARTS	CARTRIDGE SEAL KIT	24695
	HOSE SEAL KIT (4 PIECES)	24698
	VALVE MOUNTING KIT	24701
	ESCUTCHEON KIT	24704
	TEE MOUNTING KIT "F"	24707
	TEE & HOSE KIT	24710
	SUPPLY NUT (BRASS)	24713
	SPOUT MOUNTING KIT	24716
	AERATOR (CONVENTIONAL SPOUT)	24719
	AERATOR (GOOSENECK SPOUT)	24722
	SPOUT GASKET (CONVENTIONAL SPOUT)	24725
	SPOUT GASKET (GOOSENECK SPOUT)	24728
	POP-UP ROD (CONVENTIONAL SPOUT)	24731
	POP-UP ROD (GOOSENECK SPOUT)	24734



AMERICAN STANDARD HERITAGE FAUCET HANDLE OPTIONS

REPAIR PARTS	DESCRIPTION	PART NUMBER
WRIST BLADE AND CROWN HANDLES	VANDAL-RESISTANT INDEX CAP	24740
	VANDAL-RESISTANT HANDLE SCREW	24743
	INDEX BUTTON	24746
	HANDLE SCREW	24749
WRIST BLADE HANDLES	WRIST BLADE HANDLE KIT	24752
	INDEX RING KIT	24755
	SKIRT-LONG	24758
CROWN HANDLES	SKIRT-SHORT	24761
	INDEX WASHER KIT	24764
	HANDLE ADAPTER	24770
ACRYLIC HANDLES	CROWN HANDLE KIT	24773
	INDEX BUTTON KIT	24776
	HANDLE SCREW	24779
	ACRYLIC HANDLE KIT	24782



Plusco Supply Corp.

AMERICAN STANDARD

PLUSCO.


PLUSCO.

RELIANT BATH AND SHOWER SET


MODEL NUMBERS

1495.010	1495.067	1495.127	1495.190
1495.032	1495.078	1495.143	1495.208
1495.046	1495.093	1495.164	1495.212
1495.059	1495.105	1495.178	

ITEM #	PART #	DESCRIPTION
#1	24505	KNOB HANDLE KIT
#2	24506	KNOB INDEX BUTTON
#3	24301	LEVER HANDLE KIT
#4	24302	LEVER INDEX BUTTON
#5	24300	VALVE REBUILD KIT
#6	24515	CAP KIT
#7	24516	ESCUTCHEON KIT



ULTRA-MIX™ PRESSURE BALANCING VALVE WITH VOLUME CONTROL - 1363 SERIES



ITEM #	PART #	DESCRIPTION
#1	24510	CHECK STOP S/A
#2	24360	CARTRIDGE S/A
#3	24367	CARTRIDGE SEALS
#4	24204	VOLUME CONTROL SHAFT
#5	24205	BALANCING SPOOL
#6	24206	ESCUTCHEON S/A - INCLUDES DIAL PLATE & VOLUME CONTROL LEVER
#7	24207	CARTRIDGE COVER
#8	24214	LEVER HDL. S/A - INCLUDES SET SCREW
#9	24213	INDEX BUTTON
#10	24364	HANDLE ASSEMBLY


ULTRA-MIX PRESSURE BALANCING BATH & SHOWER SET

NEW STYLE LESS VOLUME CONTROL

MODEL NUMBERS

1363.024	1363.047	1363.065	1363.077
1363.082	1363.096	1363.103	1363.119
1363.167	1363.172		

ITEM #	PART #	DESCRIPTION
#1	24364	KNOB HANDLE KIT
#2	24214	LEVER HANDLE KIT
#3	24213	INDEX BUTTON
#4	24360	CARTRIDGE KIT (INCL. SEALS, SCREWS)
#5	24367	CARTRIDGE SEALS
#6	24510	CHECK STOP KIT
#7	24205	BALANCING SPOOL KIT
#8	24512	ESCUTCHEON KIT





Plusco Supply Corp.

AMERICAN STANDARD

PLUSCO.


PLUSCO.

BATH AND SHOWER FITTINGS HERITAGE TRIM - AQUASEAL (INTEGRAL STOP)





ITEM #	PART #	DESCRIPTION
#1	24355	HOT HANDLE
#2	24353	COLD HANDLE
#3	24354	DIVERTER HANDLE
#4	24438	SLEEVE
#5	24383	ESCUTCHEON
#6	1467-01640	HOT STEM
#7	1467-01620	COLD STEM
#8	24525	DIVERTER STEM
#9	24348	ROUND ESCUTCHEON
#10	1467-08565	RENEW SEAT

CENTERSET LAVATORY FITTINGS HERITAGE AND ACRYLIC TRIM - AQUASEAL



ITEM #	PART #	DESCRIPTION
#1	24520	HOT HANDLE
#2	24521	COLD HANDLE
#3	24351	HOT HANDLE
#4	24352	COLD HANDLE
#5	1467-01640	HOT STEM
#6	1467-01620	COLD STEM
#7	1467-08565	RENEW SEAT
#8	24343	BONNET
#9	24522	LIFT ROD





Plusco Supply Corp.

AMERICAN STANDARD

PLUSCO.

PLUSCO.



PUSH PULL SHOWER FITTINGS



ITEM #	PART #	DESCRIPTION
#1	24251	HANDLE
#2	24253	HANDLE SET SCREW
#3	24250	ESCUTCHEON SCREW
#4	24252	ESCUTCHEON
#5	24287	REPAIR KIT
#13	24441	INCLUDING PARTS 5 THRU 12 CAM ASSEMBLY

FOR LAVATORY PUSH PULL REBUILD KIT
USE #24286 REPAIR KIT

MULTI-FLEX BATH DRAINS




ITEM #	PART #	DESCRIPTION
#1	24429	TRIP LEVER ASSY., WITH LINKAGE PARTS # 1,2,7,20
#2	24430	ROCKER ARM ASSY., INCLUDES PARTS #5,10,12,17
#3	24431	STOPPER ASSEMBLY
#4	24369	TUB SHOE

Plusco Supply Corp.

BELVEDERE®




BELVEDERE SHAMPOO FAUCETS




- | | | |
|-------|----|---------------------|
| 34100 | 1 | Handle cover |
| | 2 | Handle screw |
| | 3 | Handle washer |
| | 4 | Handle |
| | 5 | Stop tube* |
| | 6 | Escutcheon* |
| 34105 | 7 | Cartridge with clip |
| | 8 | Retaining ring* |
| | 9 | Fixture body* |
| 34110 | 10 | Tailpiece |
| 34115 | 11 | Flo-Temp plate |
| | 12 | Gasket |
| | 13 | Nameplate strap |
| | 14 | Screw (2) |


* Not available as service part.



34220
Swinging Spout Shampoo Fixture with Tailpiece
Deck mount, Flo-Temp, Clear, single handle control.
Diverter lifts to direct flow.



34200
Shampoo fixture with tailpiece.
3-3/8" centers. Smoked acrylic handles.
Disappearing spray type.




34230
Swinging Spout Shampoo Fixture with Tailpiece
3-3/8" centers. Smoked acrylic handles.
Disappearing spray type. Diverter lifts to direct flow.




34250
Vacuum Breaker, Standard Model.
(Does not include hose receiver or tailpiece)



34210
Flo-Temp Deck Mount Fixture with Tailpiece
Clear, single handle control.



34240
42" Whiz Spray with Single Screw on Connector



34260
Vacuum Breaker, Complete.
(Standard model with hose receiver and tailpiece)


Plusco Supply Corp.

BRIGGS®

PLUSCO.

PLUSCO.


6" - 12" WIDESPREAD COMPRESSION



ITEM #	PART #	DESCRIPTION
#1	73108	LARGE HANDLE HOT
#2	73107	LARGE HANDLE COLD
#3	73013	ESCUTCHEON
#4	73141	HOT STEM ASSY.
#5	73140	COLD STEM ASSEMBLY
#6	73010	NIPPLE
#7	73003	RENEW SEAT
#8	73500	SPOUT ASSEMBLY
#9	73025	WASHER
#10	73026	LOCKNUT
#11		RUBBER WASHER-NLA
#12	73030	RUBBER WASHER
#13	73031	BRASS WASHER
#14	73032	NUT
#15	73505	FLEX HOSE

CASCADE II SERIES

KITCHEN SINGLE CONTROL



ITEM #	PART #	DESCRIPTION
#1	73401	HANDLE ASSEMBLY
#2	73480	CARTRIDGE ASSY., KNOB HANDLE
#3	73404	CARTRIDGE KIT
#4	73403	SLEEVE KIT
#5	73410	SPOUT
#6	73405	LEVER KNOB
#7	73306	LEVER HANDLE
#8	73490	CART. ASSY. FOR LEVER HANDLE
#9	73450	SPOUT O-RINGS (2)
#10	15422	SPRAY HEAD HOSE ASSEMBLY
#11	73459	DIVERTER ASSEMBLY


Plusco Supply Corp.

BRIGGS®

PLUSCO.

PLUSCO.

WE HAVE AN EXTENSIVE
FAUCET PARTS INVENTORY




SAYCO LAVATORY COMPRESSION

ITEM #	PART #	DESCRIPTION
#1	73084	HOT HANDLE COMPLETE
#2	73085	COLD HANDLE COMPLETE
#3	1467-00760	HOT STEM
#4	1467-00740	COLD STEM
#5	73003	RENEW SEAT
#6	73146	COVER PLATE
#7	73005	SPOUT ADAPTER
#8	73009	AERATOR

ITEM #	PART #	DESCRIPTION
#1	73107	HOT HANDLE COMPLETE
#2	73108	COLD HANDLE COMPLETE
#3	73109	DIVERTER HANDLE COMPLETE
#4	73020	SLEEVE
#5	73042	FLANGE
#6	1467-05130	COLD STEM
#7	1467-05135	HOT STEM
#8	1467-05131	DIVERTER STEM
#9	73003	BRASS RENEW SEAT
#10	73040	INTEGRAL STOP ESCUTCHEON

TUB & SHOWER VALVE




Plusco Supply Corp.

CENTRAL BRASS®

PLUSCO.

PLUSCO.




MODEL 1675 - BATH DRAIN


ITEM #	PART #	DESCRIPTION
#1	14510	ROCKER ARM
#2	14352	STOPPER ASSY.
#3	14004	NUT
#4	14520	SPRING & CLEVIS ASSY.

MODEL 1137-D LAVATORY

ITEM #	PART #	DESCRIPTION
#1	14480	POP-UP
#2	14300	BALL LEVER GROUP
#3	14536	PACKING RINGS
#4	14003	POP-UP BRACKET
#5	14005	CLIP
#6	14445	KNOB & PULL ROD SUB-UNIT



WALL MOUNT KITCHEN FAUCET



ITEM #	PART#	DESCRIPTION
#1	14006	6" TUBULAR SPOUT
#2	14008	8" TUBULAR SPOUT
#3	14012	12" TUBULAR SPOUT
#4	14014	14" TUBULAR SPOUT
#5	14524	HOT STEM
#6	14523	COLD STEM
#7	1467-08265	BRASS RENEW SEAT
#8	14251	HOT HANDLE
#9	14250	COLD HANDLE
#10	14001	SCREW


Plusco Supply Corp.

CENTRAL BRASS®



PLUSCO.

PLUSCO.

BATH & SHOWER FIXTURE, SLIDING, THREE VALVE , DIRECT SWEAT




ITEM #	PART #	DESCRIPTION
#1	14433	ESCUTCHEON TUBE
#2	14435	ESCUTCHEON
#3	14001	SCREWS
#4	14188	HANDLE - COLD
#5	14189	HANDLE - DIVERTER
#6	14190	HANDLE - HOT
#7	14375	VALVE STEM
#8	14380	DIVERTER STEM



ITEMS NOT SHOWN

14401	DELUXE ACRYLIC HANDLE - HOT
14400	DELUXE ACRYLIC HANDLE - COLD
14402	DELUXE ACRYLIC HANDLE - DIVERTER
14411	NEW ACRYLIC HANDLE - HOT
14410	NEW ACRYLIC HANDLE - COLD
14412	NEW ACRYLIC HANDLE - DIVERTER



1137

LAVATORY FAUCET
CAST BRASS BODY
4" CENTERSET
REPLACEABLE SEATS
FURNISHED WITH HOLE
FOR PULL ROD AND WITH
SNAP-IN BUTTON INCLUDED
CHROME PLATED



ITEMS NOT SHOWN

14405	ACRYLIC HANDLE - COLD
14406	ACRYLIC HANDLE - HOT
14372	WASHERLESS STEM ASSEMBLY - COLD
14373	WASHERLESS STEM ASSEMBLY - HOT
14384	WASHERLESS STEM REPAIR KIT


ITEM #	PART #	DESCRIPTION
#1	14001	SCREW
#2	14524	COLD STEM
#3	14523	HOT STEM
#4	14250	HANDLE - COLD
#5	14251	HANDLE - HOT
#6	14052	GASKET
#7	1467-08265	REPLACEABLE SEAT

Plusco Supply Corp.


CHICAGO® FAUCETS



QUATURN OPERATING UNITS



EXPOSED CAP
NO. 16099 - COLD
RIGHT HAND UNIT




CONCEALED CAP
NO. 16110 - HOT
LEFT HAND UNIT

NO. 16100 - HOT
LEFT HAND UNIT

NO. 16111 - COLD
RIGHT HAND UNIT

QUATURN STEM REBUILD KITS



- #16401 JIFFY REPAIR KIT
(REBUILDS 2 STEMS)
- #16403 JUNIOR REPAIR KIT
- #16405 ONE MINUTE REPAIR KIT


**IF YOU DON'T SEE IT,
JUST ASK!!**

PARTS LIST

QUATURN OPERATING UNITS				
DESCRIPTION	EXPOSED CAP		CONCEALED CAP	
	16099 R. HAND	16100 L. HAND	16110 L. HAND	16111 R. HAND
A CAP	1-214	1-214	274-4	274-4
B GASKET	1-43	1-43	1-43	1-43
C PACKING ASSY*	1-119K	1-119K	1-119K	1-119K
D STEM	1-111K	1-110K	274-10K	274-11K
E SLEEVE (NOTE #1)	2-29	2-28	2-28	2-29
F SEAT*	1-27	1-27	1-27	1-27
G WASHER*	1-21	1-21	1-21	1-21
			(NOTE #2)	(NOTE #2)
H RETAINER	1-22	1-22	1-22	1-22
I WASHER	1-31	1-31	1-31	1-31
J NUT	333-97	333-97	333-97	333-97

NOTE #1 - UNITS CAN BE IDENTIFIED AS LEFT OR RIGHT HAND BY
NUMBER OF RINGS ON SLEEVE:: QUATURN-LH2 RINGS,
RH-1 RING SLOW COMPRESSION - LH-4 RINGS, RH-3
RINGS.

NOTE #2 NO. 1-321 HARD WASHER IS RECOMMENDED FOR
USE WITH BLADE HANDLES #317 OR #319, FOR
OTHER HANDLES USE WASHER # 1-21.




Plusco Supply Corp.


CHICAGO® FAUCETS



SWING SPOUTS



NO. 16320
POLISHED CHROME



NO. 16322
POLISHED CHROME




NO. 16324
12" SPOUT
NO. 16326
14" SPOUT

HANDLES



NO. 16220
4" WRIST BLADE HANDLE
FORGED BRASS
(PAIR)



NO. 16230
6" ELBOW HANDLE
FORGED BRASS
(PAIR)




NO. 16240
2-1/2" METAL LEVER HANDLE
(PAIR)




NO. 16250
2-7/8" DIAMETER SINGLE
WING METAL HANDLE
(PAIR)

GOOSENECK SPOUTS

TYPICAL SPOUT



INTEGRAL OUTLETS



IF YOU DON'T SEE IT,
JUST ASK!!

- #16302 - PLAIN
- #16304 - GROUP "A"
- #16306 - GROUP "B"
- #16310 - PLAIN
- #16312 - GROUP "A"
- #16314 - GROUP "B"

X	Y	Z
8-1/4	3-1/2	5-7/8
8-1/4	3-1/2	5-7/8
8-1/4	3-1/2	5-3/8
9-3/4	5-3/8	6-1/8
9-3/4	5-3/8	6-1/8
9-3/4	5-3/8	5-5/8


Plusco Supply Corp.

CRANE PLUMBING

PLUSCO.

PLUSCO.

RIVIERA THREE VALVE BATH & SHOWER FITTING




ITEM #	PART #	DESCRIPTION
#1	20225	SCREW
#2	20470	HANDLE
#3	20470	HANDLE
#4	20470	HANDLE
#5	20370	ESCUTCHEON EXTENSION
#6	20365	ESCUTCHEON
#7	20355	ESCUTCHEON NIPPLE
#8	20335	PACKING
#9	20338	WASHER, METAL
#10	20228	STEM SLEEVE
#11	20235	SEAT
#12	20399	RETAINER
#13	20238	"O" RING
#14	20400	GASKET
#15	20350	WASHER, DIVERTER
#16	20015	STEM ONLY
#16	20022	COMPLETE STEM ASSY. WITH BONNET
#17	20014	DIVERTER STEM ONLY
#17	20020	DIV. STEM COMPLETE W/BONNET
#18	20380	INTEGRAL STOP ESCUTCHEON

NOT SHOWN

PARTS FOR 1/2" BROACH RIVIERA VALVE
 20012 - LARGE BROACH STEM ONLY
 20018 - LARGE BROACH STEM W/BONNET
 20810 - HANDLES FOR LARGE BROACH STEM


HOSPITAL LAVATORY FITTING WITH GOOSENECK SPOUT



8H2052 LESS AERATOR

ITEM #	PART #	DESCRIPTION
#1	20297	"H" INDEX CAP NUT
#2	20299	"C" INDEX CAP NUT
#3	20295	BLADE LEVER HANDLE
#4	20250	FLANGE
#5	20450	DOME LOCKNUT
#6	20100	GASKET
#7	20630	R.H. DIAL-ESE TRIM S.A.
#8	20631	L.H. DIAL-ESE TRIM S.A.
#9	20099	SEAT EXTENSION
#10	20170	UNION RING
#11	20171	SUPPLY TUBE
#12	20172	CONE WASHER
#13		SPOUT NIPPLE-NLA
#14		LOCKNUT-NLA
#15	20715	WASHER
#16	20260	SPOUT BASE
#17	20262	SPOUT
#18	20176	FRICTION RING

CAPRI BATH WASTE FITTING



ITEM #	PART #	DESCRIPTION
#1	20160	HANDLE SCREW
#2	20101	HANDLE
#3	20325	SCREW
#4	20102	OVERFLOW COVER
#5	20315	LOCKING RING SCREW
#6	20161	LOCKING RING
#7	20162	OVERFLOW GASKET
#8	20163	SHAFT & CAM S.A.
#9	20165	WASTE ROD
		LOCKNUT
		LOCKWASHER
		WASTE ROD WEIGHT
		STOPPER
#10	20166	ROCKER ARM ASSEMBLY
#11	20168	TUB SHOE
#12	20169	

Plusco Supply Corp.

DELTA FAUCET


PLUSCO.

PLUSCO.


LAVATORY FAUCETS

TWO HANDLE LAVATORY WIDESPREAD FAUCETS MODEL #3544

ITEM #	PART #	DESCRIPTION
#1	23308	BUTTON SET
#2	23311	SCREWS
#3	23160	HANDLE (1)
#4	23116	AERATOR
#5	23368	GASKET
#6	23369	NUT & WASHER
#7	23370	SPOUT ASSEMBLY
#8	23133	BONNET NUTS
#9	23132	STEM UNIT ASSEMBLY
#10	23125	SEATS & SPRINGS
#11	23315	HOSE
#12		SPOUT ASSEMBLY





TWO HANDLE FAUCET MODEL 2100, 2102, 2102 SHP



SINGLE LEVER DECK FAUCET MODEL 100, 300 & 400

KITCHEN FAUCETS



ITEM #	PART #	DESCRIPTION
#1	23182	LEVER HANDLES - CRYSTAL
	23183	- OAK
	23340	- PORCELAIN
#2	23345	HANDLES W/SCREWS
#4	23116	AERATOR
#5	23305	SPOUT ASSEMBLY
#6	23349	SPOUT NUT
#7	23308	BUTTON SET
#8	23311	SCREWS
#9	23130	HANDLES W/BUTTONS & SCREWS
#10	23133	BONNET NUTS
#11	23132	STEM UNIT ASSEMBLY
#12	23350	LOCKNUTS
#13	23125	SEATS & SPRINGS
#14	23325	LOCKNUTS
#15	23192	"O" RINGS
#16	23195	BUTTON SET
#17	23131	HANDLES W/BUTTONS & SCREWS
#18	23316	DIVERTER

ITEM #	PART #	DESCRIPTION
#1	23150	HANDLE W/SET SCREW
#2	23184	SET SCREW
#3	23351	ADJUSTING RING
#4	23151	CAP W/ADJUSTING RING
#5	23102	SPOUT - 8"
#6	23161	CAM & PACKING
#7	23103	BALL ASSEMBLY
#8	23125	SEATS & SPRINGS
#9	23113	DIVERTER ASSEMBLY
#10	23312	NUT WASHER SET
#11	23352	"O" RINGS
--	23126	REPAIR KIT CONTAINS ITEMS #6, #8 AND #11.
#12	23116	AERATOR (NOT SHOWN)
#13	15422	HEAD & HOSE ASSY. FOR 300 & 400 MODEL

GENERIC PARTS ARE AVAILABLE
23375 REPAIR KIT FOR 23126
23395 BRASS BALL REPLACEMENT FOR 23103

Plusco Supply Corp.

DELTA FAUCET


PLUSCO.

PLUSCO.

CRYSTAL HANDLE LAVATORY CENTERSET FAUCETS


LEGEND MODEL
522 & 522 MPU

ITEM #	PART #	DESCRIPTION
#1	23185	BUTTON
#2	23186	HANDLE W/BUTTON AND SCREW
#3	23351	ADJUSTING RING
#4	23151	CAP W/ADJUSTING RING
#5	23157	CAM & PACKING
#6	23122	BALL ASSEMBLY
#7	23125	SEATS & SPRINGS
#8	23116	AERATOR
#9	23318	NUT/WASHER SET
#10	23360	COMPLETE POP-UP ASSEMBLY
#11	23306	COMPLETE POP-UP ASSEMBLY
-	23126	REPAIR KIT (CONSISTS OF #5 & #7)
-	23378	GENERIC REPAIR KIT CONSISTS OF #5 & #7
-	23385	GENERIC BRASS BALL (NOT SHOWN)
-	23121	OLD STYLE HANDLE (BEFORE 92)
-	23194	BUTTON FOR OLD STYLE HANDLE




SINGLE LEVER LAVATORY CENTERSET FAUCETS

LEGEND MODEL
520, 520MPU




ITEM #	PART #	DESCRIPTION
#1	23355	HANDLE W/SET SCREW
#2	23184	SET SCREW
#3	23351	ADJUSTING RING
#4	23151	CAP W/ADJUSTING RING
#5	23161	CAM & PACKING
#6	23103	BALL ASSEMBLY - GENERIC BRASS
#7	23125	SEATS & SPRINGS
#8	23116	AERATOR
#9	23318	NUT WASHER SET
#10	23360	COMPLETE POP-UP ASSEMBLY
#11	23306	COMPLETE POP-UP ASSEMBLY
#12	23190	OLD STYLE HANDLE
-	23395	GENERIC BRASS BALL (NOT SHOWN)

ITEM #	PART #	DESCRIPTION
#1	23140	LIFT ROD
#2	23142	STRAP ASSY.
#3	23143	HORIZONTAL ROD
#4	23147	STOPPER ONLY
#5	23146	MACK GASKET



COMPLETE BRASS
POP-UP ASSY. # 23306



COMPLETE PLASTIC POP-UP
ASSEMBLY # 23360


Plusco Supply Corp.

DELTA FAUCET

PLUSCO.


PLUSCO.

TUB & SHOWER VALVE



ITEM #	PART #	DESCRIPTION
#1	23193	HANDLE COMPLETE
#2	23151	CAP ASSEMBLY
#3	23122	BALL (CRYSTAL HANDLE)
#4	23385	GENERIC BRASS BALL
#5	23126	REPAIR KIT
#6	23378	GENERIC REPAIR KIT
#7	23125	SEATS & SPRINGS
#8	23153	BALANCE SPOOL ASSEMBLY
#9	23154	DIVERTER
#10	23156	ESCUTCHEON, PUSH BUTTON
#11	23155	SCREWS (2)
#12	23310	ESCUTCHEON
#13	23194	BUTTON

SINGLE HANDLE SCALD-GUARD BATH VALVES PRESSURE BALANCED MODELS MODEL 1604/1624



ITEM #	PART #	DESCRIPTION
#1	23358	BUTTON
#2	23311	SCREW
#3	23362	HANDLE W/BUTTON & SCREW
#4	23317	BONNET
#5	23158	STEM UNIT ASSEMBLY
#6	23125	SEATS & SPRINGS
#7	23155	SCREWS (2)
#8	23365	ESCUTCHEON (PUSH BUTTON)
#9	23366	ESCUTCHEON
#10	23154	PUSH BUTTON DIVERTER
#11	23153	BALANCE SPOOL ASSEMBLY


Plusco Supply Corp.

DELTA FAUCET

PLUSCO


DELTA SINGLE HANDLE MONITOR BATH VALVE 1300 & 1400 SERIES

PLUSCO



<p>23466 (Chrome), 23469 (Polished Brass) Large Lever Handle w/Screw</p> <p>23478 Set Screw</p>	<p>23493 (Chrome), 23496 (Polished Brass) Large Lever Handle w/Screw</p> <p>23494 Set Screw</p>	
<p>23472 (Chrome), 23475 (Polished Brass) Porcelain Cross Handle w/Screw</p> <p>23478 Set Screw</p>	<p>23362 (Chrome), 23499 (Polished Brass) Knob Handle w/Button & Screw</p> <p>23517 (Chrome), 23520 (Polished Brass) Button (Red/Blue)</p> <p>23514 Screw</p>	<p>23534 (Chrome) Large Blade Handle w/Screw</p> <p>23537 Screw</p>
<p>23481 (Chrome), 23484 (Polished Brass) Large Lever Handle w/Screw</p> <p>23478 Set Screw</p>	<p>23502 (Chrome), 23505 (Polished Brass) Large Ring Handle w/Cap & Screw</p> <p>23508 (Chrome), 23511 (Polished Brass) Handle Cap</p> <p>23514 Screw</p> <p>23523 (Chrome), 23525 (Polished Brass) Handle Base</p>	<p>23540 (Chrome), 23543 (Polished Brass) Large Lever Handle w/Screw</p> <p>23478 Set Screw</p>
<p>23487 (Chrome), 23490 (Polished Brass) Handle Accent</p>	<p>23528 (Chrome), 23531 (Polished Brass) Handle Accent</p>	<p>23549 (Chrome), 23552 (Polished Brass) Handle Accent</p>

DELTA TWO HANDLE LAVATORY FAUCET 2500 SERIES



ITEM #	PART #	DESCRIPTION
#1	23308	BUTTON SET
#2	23311	SCREWS
#3	23130	HANDLES W/BUTTONS & SCREWS
#4	23116	AERATOR
#5	23309	COUPLING NUTS
#6	23325	LOCKNUTS
#7	23125	SEATS & SPRINGS
#8	23350	LOCKNUTS
#9	23132	STEM UNIT ASSEMBLY
#10	23133	BONNET NUTS, PAIR
#11	23131	HANDLES W/BUTTONS & SCREWS
#12	23195	BUTTON SET
#13	23360	COMPLETE PLASTIC POP-UP ASSY.
#14	23306	COMPLETE BRASS POP-UP ASSY.

Plusco Supply Corp.

ELJER


PLUSCO.

PLUSCO.

MIXET (Current)

ELJER - REGATA (Disc. 3/79)


MIXET VALVE FITTING



ITEM #	PART #	DESCRIPTION
#1	57010	CLEAR ACRYLIC HANDLE
#2	57015	HANDLE WITH LEVER
#3	57018	TRIM ASSEMBLY
#4	57020	CARTRIDGE

FOR USE ON FRANKLIN MACHINE PRODUCTS,
COMPONENT HARDWARE AND STANDARD
KEIL WASTES.

PARTS FOR LEVER AND TWIST HANDLE WASTES





PARTS FOR WASTES		
ITEM #	PART #	DESCRIPTION
#1	100-1014	CRUMB CUP STRAINER - 3-1/2" SINK OPENING ONLY
#2	100-1010	FLANGE ASSEMBLY - 3" SINK OPENING - 4-1/8" O.D.
#2	100-1016	FLANGE ASSEMBLY - 3-1/2" SINK OPENING - 4-3/8" O.D.
#3	100-1005	STRAINER - 3" SINK OPENING 3-1/8" DIAMETER
#3	100-1013	STRAINER - 3-1/2" SINK OPENING 3-7/16" DIAMETER
#4	100-1006	WASHER - 3" SINK OPENING
#4	100-1015	WASHER - 3-1/2" SINK OPENING
#5	100-1004	PLUNGER WITH O-RING
#6	100-1002	O-RING
#7	100-1007	LEVER ROD
#8	100-1027	TWIST HANDLE
#9	100-1024	OVERFLOW HEAD ASSEMBLY
#10	100-1023	OVERFLOW STRAINER
#11	100-1025	STRAINER MOUNTING SCREW
#12	100-1021	OVERFLOW ELBOW 1-1/4" O.D. x 14" x 18"
#13	100-1009	BUSHING
#14	100-1001	PACKING NUT
#15	100-1028	O-RING
#16	100-1029	SNAP RING
#17	102-1021	OVERFLOW LOCKNUT
#18	102-1026	OVERFLOW WASHER
#19	100-1019	COUPLING NUT WASHER
#20	100-1020	COUPLING NUT
#21	100-1030	WASHER

Plusco Supply Corp.

ELKAY®

PLUSCO.


PLUSCO.




LK-2200 (LESS SPRAY)
LK-2201 (WITH SPRAY)

ITEM #	PART #	DESCRIPTION
#1	28260	SPOUT ASSEMBLY
#2	28208	SCREW
#3	28390	HANDLE H OR C
#4	28249	DIVERTER
#5	28355	STEM COLD
#6	28356	STEM HOT

ATTENTION GIVEN
TO SPECIAL ORDERS




LKA-2479-8



#28380
USED IN SEVERAL
ELKAY
SINGLE LEVER MODELS

ITEM #	PART #	DESCRIPTION
#1	28360	SPOUT ASSEMBLY
#2	28351	COLD BUTTON
#3	28350	HOT BUTTON
#4	28299	HANDLE SCREW
#5	28365	ACR HANDLE
#6	28230	METAL HANDLE
#7	28268	CAP NUT
#8	28295	HOT STEM
#9	28296	COLD STEM




Plusco Supply Corp.

GERBER® PLUMBING FIXTURES

PLUSCO.

PLUSCO.

8" DIVERTER VALVES WITH INTEGRAL STOPS



#29165

EASY-MIX CARTRIDGE
FOR ALL SINGLE LEVER
GERBER MODELS
PRIOR TO 9/82

ITEM #	PART #	DESCRIPTION
#1	29270	HOT/COLD HANDLES (PR.) METAL
#2	29145	HOT/COLD HANDLES (PR.) ACRYLIC (NOT SHOWN)
#3	29271	DIVERTER HANDLE - METAL
#4	29146	DIVERTER HANDLE - ACRYLIC (NOT SHOWN)
#5	29070	SLEEVE
#6	29210	ESCUTCHEON
#7	29299	INTEGRAL STOP ESCUTCHEON
#8	1467-05840	STEM, DIVERTER-COMplete
#9	1467-05980	STEM, HOT/COLD - COMplete
#10	1467-32001	DIVERTER WASHER
#11	29300	STOP STEM
#12	1467-08645	RENEW SEAT

Plusco Supply Corp.

GROHE®

PLUSCO.

PLUSCO.

BASIN TAPS

SELF CLOSING & EUROPLUS CARTRIDGES

METERING, ADJUSTABLE OPERATING TIME FROM 2-30 SECONDS, EXTERNAL CYCLE ADJUSTMENT, VANDAL RESISTANT.

SELF CLOSING CARTRIDGE



11.011



20.095

SELF CLOSING VALVE


EUROPLUS CARTRIDGE



46.048

CARTRIDGES SINGLE HANDLE — LADYLUX, EUROMIX GROHMIX AND TEMPERSAFE

FOR 3/4" GROHMIX THERMOSTAT
34.542, 34.474



47.025
47.032 REVERSE CARTRIDGE

FOR PRESSURE BALANCE GROHMIX
34.434, 34.485.




47.040 REVERSE CARTRIDGE WITH
PRESSURE BALANCE
47.111 PARAFFIN CARTRIDGE

FOR GROHMIX 34.540




47.012
47.016 REVERSE CARTRIDGE

PRESSURE BALANCE VALVE CARTRIDGE FOR 35.200
SERIES AND DELUXE




47.080

SINGLE HANDLE CARTRIDGE FOR EUROMIX AND LADYLUX



07.000



LADYLUX KITCHEN FAUCET

ITEM #	PART #	DESCRIPTION
#1	46049	LEVER HEAD
#1.1	46045	COVER PLATE
#1.2	46042	LEVER
#2	46022	HEADPART WITH O-RING
#3	07000	EUROMIX CARTRIDGE
#4	46092	SPRAY HOSE ASSEMBLY
#5	46050	HANDHELD SPRAY
#5.1	45002	FLOW REGULATOR SET
#5.2	01224	O-RING
#6	08691	SNAP COUPLING WITH NON-RETURN VALVE
#7	07240	PRESSURE SPRING
#8	12902	CONNECTION NUT SET
#9	08567	ARM
#10	01273	O-RING
#11	05334	BRACE
#12	01322	RUBBER WASHER
#13	03356	MOUNTING NUT
		SPECIAL ACCESSORIES
	27831	KITCHEN ACCESSORY SET
	46076	TOUCH-UP ENAMEL PAINT
	07543	10" ESCUTCHEON

Plusco Supply Corp.


KOHLER®

PLUSCO.

PLUSCO.


ALTERNA LAVATORY FITTING WITH POP-UP ASSEMBLY

ORDER BY PART NUMBER




ITEM #	PART #	DESCRIPTION
#1	48021	HANDLE SCREW
#2	48800	HANDLES, PAIR
#3	48168	BONNET
#4 thru 12	1467-03780	STEM, R.H.
#4 thru 12	1467-03760	STEM, L.H.
#9	1467-08901	RENEW SEAT
#13	48801	LIFT ROD
#15	48802	AERATOR
#20	48180	ACRYLIC HANDLE, PR.

CLEARPASS WASTE & OVERFLOW ASSEMBLY




ITEM #	PART #	DESCRIPTION
#1	48157	SCREW
#2	48003	HANDLE (NO INDEX)
#3	48059	SCREWS (2 REQUIRED)
#4	48093	OVERFLOW HOOD
#5	48092	CLIP
#6	48094	CRANK
#7	48095	LIFT ROD ASSY., WASHER & COTTER PIN
#8	48096	STOPPER S.A. WITH "O" RING
#9	48091	LIFT TOGGLE AND NUT
#10	48074	STRAINER
#11	48075	GASKET



ITEM #	PART #	DESCRIPTION
#1	48177	BUTTON
#2	48174	SCREW
#3	48001	HANDLE
#4-11	73480	CARTRIDGE KIT
#8-11	73404	CARTRIDGE REPAIR KIT
#24	48020	POP-UP ROD

CENTURA LAVATORY FITTING & POP-UP DRAIN



ITEM #	PART #	DESCRIPTION
#1	48136	STOPPER
#2	48803	GASKET KIT
#3	48208	LINKAGE ASSY.
#4	48200	BALL LEVER ASSY.

Plusco Supply Corp.


KOHLER®

PLUSCO

PLUSCO

KOHLER K-107, K-108, K-6811 WIDESPREAD LAVATORY FAUCET

ORDERING OPTIONS	
ITEM	PART NO. OR KIT
1	A
2	B or C
3, 4, 5	D
6	48812
7	48814
8	48816
9	M or N
10 thru 13	E, F
14	F
15	48818
16	G
17 thru 23	H
24	48820
25	I
26	48822
27	48824
28	48826
29	48828
30	48830
31, 32	J
33	K
34	L



KIT ORDERING INFORMATION			
KIT	KIT PART NO.	KIT NAME	KIT CONTENTS
A	48832	RETAINER BONNET (K-6811-CV)	1 EA., ITEM 1
B	48430	CERAMIC VALVE (CLOSES CLOCKWISE)	1 EA., ITEM 2
C	48431	CERAMIC VALVE (CLOSES COUNTERCLOCKWISE)	1 EA., ITEM 2
D	48834	MOUNTING HARDWARE KIT	2 EA., ITEMS 3, 4 and 5
E	48836	AERATOR REPAIR KIT	1 EA., ITEMS 10 thru 13
F	48838	AERATOR	1 EA., ITEMS 10 thru 14
G	48840	GASKET KIT (K-108-CV, K-107-CV)	2 EA., ITEM 16
H	48842	GASKET KIT	1 EA., ITEMS 17 thru 23
I	48844	HOSE KIT	2 EA., ITEM 25
J	48846	ANTIQUE HANDLE OPTIONS	
K	48848	IV GEORGES BRASS, HANDLE OPTIONS	
L	48850	STABILIZER KIT (K-107-CV, K-108-CV)	2 EA., ITEM 34
M	48852	SPOUT (K-107-CV, K-108-CV)	1 EA., ITEM 9
N	48854	SPOUT ASSEMBLY (K-6811-CV)	1 EA., ITEMS 9 thru 14


Plusco Supply Corp.

KOHLER®



KOHLER K-6847, K-7438, K-6954 WIDESPREAD LAVATORY FAUCET

ORDERING OPTIONS	
ITEM	PART NO. OR KIT
1	A
2	B
3	C
4	48900
5	48903
6	48906
7	D
8	E or Q
9	N/A
10	F
11	G, H
12, 13	H
14	M or N
15	48909
16	48912
17, 18	I
19 THRU 25	J
26	48915
27	48918
28	K
29	L
30	O
31	P
32	48921
33	48924



KIT ORDERING INFORMATION			
KIT	KIT PART NO.	KIT NAME	KIT CONTENTS
A	48927	FLAIR HANDLE OPTIONS	
B	48930	BRAVURA HANDLE OPTIONS	
C	48933	ESCUTCHEON KIT	2 EA., ITEM 3
D	48936	SPLINE ADAPTER KIT	2 EA., ITEM 7
E	48430	CERAMIC VALVE (CLOSES CLOCKWISE)	1 EA., ITEM 8
F	48939	FLEXIBLE HOSE KIT	2 EA., ITEM 10
G	48942	COUPLING NUT KIT	2 EA., ITEM 11
H	48945	MOUNTING HARDWARE KIT	2 EA., ITEMS 11, 12 and 13
I	48948	STREAMBREAKER KIT	1 EA., ITEMS 17 and 18
J	48951	MOUNTING KIT	1 EA., ITEMS 19 thru 25
K	48954	ALTERNA HANDLE OPTIONS	
L	48957	STABILIZER KIT	2 EA., ITEM 29
M	48960	4" SPOUT	1 EA., ITEM 14
N	48963	5" SPOUT	1 EA., ITEM 14
O	48969	LIFT KNOB (FOR 5" SPOUT)	1 EA., ITEM 30
P	48972	LOWER LIFT ROD (FOR 5" SPOUT)	1 EA., ITEM 31
Q	43431	CERAMIC VALVE (CLOSES COUNTERCLOCKWISE)	1 EA., ITEM 8

Plusco Supply Corp.

KOHLER®


PLUSCO.

PLUSCO.


BATH AND SHOWER FITTINGS

ORDER BY KIT NUMBER OR PART NUMBER, NOT ITEM NUMBER

ITEM #	PART #	DESCRIPTION
#1	48177	BUTTON
#2	48174	SCREW
#3	48001	HANDLE
#4	73480	CARTRIDGE KIT
#5	73404	CARTRIDGE REPAIR KIT
#6	48730	SCREW
#7	ESCUTCHEON - NO LONGER AVAILABLE	
#8	48738	HANDLE KIT



ITEM #	PART #	DESCRIPTION
#1	48725	SCREW KIT
#2	48715	HANDLE
#3	48163	SLEEVE
#5	48717	PLATE
#6	48718	ESCUTCHEON
#7-21	48727	REBUILD KIT
#13-16	48164	SPINDLE ASSEMBLY
#21	48113	REGULATOR
#23	48726	BUTTON KIT
#24, 28	48725	SCREW KIT
#25	48720	HANDLE
#27	48722	ESCUTCHEON
#38	K-7371	SHOWERHEAD
#39	K-7331	SHOWERHEAD
#40	38773	TUB SPOUT
#41	500273	TUB SPOUT
#42	38772	TUB SPOUT
#43	41998	TUB SPOUT
#44	29724	TUB SPOUT
#45	41995	TUB SPOUT
#46	29727	TUB SPOUT



RITE TEMP™ PRESSURE BALANCED
BATH & SHOWER MIXING VALVES
K-6900 ALTERNA
K-6908 TRITON II
K-8225 TABORET™

Plusco Supply Corp.

KOHLER®

PLUSCO.


PLUSCO.

BATH & SHOWER FITTINGS

FLAIR SERIES	BATH AND SHOWER DIVERTER VALVE ASSEMBLY
FLAIR II SERIES	BATH AND SHOWER DIVERTER VALVE ASSEMBLY
TRITON II SERIES	BATH AND SHOWER DIVERTER VALVE ASSEMBLY
ALTERNA SERIES	BATH AND SHOWER DIVERTER VALVE ASSEMBLY

ORDER BY PART NUMBER


ITEM #	PART #	DESCRIPTION
#1	48167	PACKING NUT
#2 thru 7	1467-03780	STEM
#3 & 4	48108	METAL HANDLE, PR
#5	48710	ROUND ESCUTCHEON
#6	48711	DIVERTER HANDLE & ESCUTCHEON
#7	48145	DIVERTER STEM
#8	48180	ACRYLIC HANDLE, PR
#9	48079	OVAL ESCUTCHEON



BATH & SHOWER FITTINGS

K-7042\$ DIVERTER BATH AND SHOWER VALVE ASSEMBLY

ORDER BY PART NUMBER










ITEM #	PART #	DESCRIPTION
#1	48002	BARREL
#2	48004	BARREL
#3	48061	DIVERTER STEM
#4	48062	DIVERTER SLEEVE
#5	48165	ESCUTCHEON
#6	48003	DIVERTER HANDLE
#7	48157	SCREWS (3 EA.)
#8	48005	STEM
#9	48006	SPACER
#10	48007	GASKET
#11	48009	PR. HANDLES, H & C

Plusco Supply Corp.

LEONARD® VALVE CO.



LEONARD LVC THERMOSTATIC SHOWERMASTER SHOWER VALVE



SERVICING INSTRUCTIONS

	SYMPTOM:	KIT REQUIRED:	PARTS INCLUDED:
PACKINGS & GASKETS	1. Leak at handle. 2. Valve will not shut off completely. 3. Valve is difficult to pull apart.	Kit 37010 (see DWG 6)	LVC-3C, 2 each LVC-22B, 27B, 25C, 3 each LVC-16B
PORT SLEEVE ASSEMBLY	4. Valve delivers either all hot or all cold water, or will not mix consistently. 5. After packings and gaskets have been replaced, valve will not shut off completely.	Replace parts noted (DWG.6) or Kit 37015	LVC-G1, LVC-3B (2 Req) or LVC-1-8B, plus packings noted. or Kit 37015 (LVC-TCA2, LVC-3C)
THERMOSTAT GROUP	6. After replacing port sleeve assembly, valve will not hold temperature. 7. Valve does not respond when handle is turned (tension nut has been tampered with).	Kit 37015 (see DWG.5)	LVC-TCA-2, LVC-3C NOTE: DO NOT TOUCH TENSION NUT LOCATED BELOW LVC-16B O'RINGS
CHECKSTOPS, STOPS	8. Supplies cannot be shut off completely. 9. Leak at checkstop (or stop) bonnet or stem.	Kit 37020 Kit 37025 Kit 37030	SEE DWG #7, 8, or 9 ABOVE FOR REPAIR KITS








Plusco Supply Corp.

LEONARD® VALVE CO.

PLUSCO

PLUSCO

LEONARD M-15 & M-20 SERIES THERMOSTATIC SHOWERMASTER SHOWER VALVE



SERVICING INSTRUCTIONS

PACKINGS & GASKETS

1. Leaks at packing nuts.
2. Leak between valve cover and base.
3. Volume control will not shut off completely.

PORT SLEEVE ASSEMBLY

4. Valve delivers either all hot or all cold water, will not mix consistently. Clean or replace port sleeve assembly

THERMOSTAT GROUP

5. After replacing port sleeve assembly, valve will not hold temperature. Clean or replace thermostat group.

CHECKSTOPS

6. Hot water by-passes into cold line (or cold into hot).
7. Supplies cannot be shut off completely.

Kit 37105 includes:

1 M20-3C 1 M20-3E 2 M20-3A
2 M20-6B 1 M20-6E 2 M20-5A
2 M20-4C 1 M20-10E 2 M20-9A

Kit 37110 includes:

2 M20-3B, 2 M20-6B
1 M20-G1
1 M20-14B

ALTERNATE: ORDER 1 M20-1-8B
or Kit 37115
(SEE DWG.E)
Kit 37115 or 37120

Kit 37125 includes:

2 M20-3A
2 M20-5A
2 M20-6A
2 M20-9A


Plusco Supply Corp.

MOEN®

PLUSCO

PLUSCO

MOEN 7385 OneTouch® SINGLE LEVER KITCHEN FAUCET WITH PULLOUT SPRAY




Plusco Supply Corp.

MOEN®
Chateau

PLUSCO.

PLUSCO.

KITCHEN DECK FAUCET SINGLE-HANDLE LEVER



SINGLE-HANDLE
LEVER KITCHEN
DECK FAUCET

Plusco Supply Corp.


MOEN®

PLUSCO.

PLUSCO.

LEGEND

SINGLE-HANDLE LEVER KITCHEN DECK FAUCET




Plusco Supply Corp.

MOEN®

PLUSCO

PLUSCO

MONTICELLO TWO-HANDLE LAVATORY FAUCET SERIES 4570



Plusco Supply Corp.



MOEN®

PLUSCO.

PLUSCO.


LEGEND

SINGLE-HANDLE LEVER LAVATORY FAUCET



LAVATORY WASTE ASSEMBLIES

■ ORDER BY PART NUMBER



PARTS FOR NON-METALLIC POP-UP ASSEMBLY

PART #	DESCRIPTION
58902	PIVOT ROD SEAT
58904	PIVOT ROD NUT
58906	PIVOT ROD & CLIP ASSY.
58908	LIFT ROD
58910	WASTE PLUG


Plusco Supply Corp.

MOEN®


PLUSCO

PLUSCO

CHATEAU SINGLE-HANDLE LAVATORY FAUCET L4621 SERIES



MONTICELLO POSI-TEMP SINGLE HANDLE TUB/SHOWER VALVE L2347 SERIES



Plusco Supply Corp.

MOEN®

PLUSCO.


PLUSCO.

Retainer Clip
58742

Replacement Cartridge
58210 - BRASS
58217 - PLASTIC

Escutcheon Extension
58162 Chrome

CHATEAU SINGLE-HANDLE TUB/SHOWER VALVE L2739 SERIES



Retainer Clip
58914

Cartridge
Repair Kit
(Contains grommets
grease pack, and all
necessary O-Rings)
58988

1" Handle Extension Kit
58945 Chrome

2" Handle Extension Kit
58955 Chrome

Escutcheon
58663 Chrome

Handle Kit
58123 Chrome


Replacement Cartridge
58222

Stop Tube Kit
58987 Chrome

Escutcheon Screws
58610 Chrome

Screw
58791

CHATEAU POSI-TEMP SINGLE-HANDLE TUB/SHOWER VALVE L2353 SERIES




Plusco Supply Corp.

MOEN®


PLUSCO.

PLUSCO.

MOENTROL SINGLE-HANDLE TUB & SHOWER VALVE



CHATEAU SINGLE-HANDLE KNOB TUB & SHOWER VALVE




Plusco Supply Corp.

MOEN®

PLUSCO.

PLUSCO.




LEGEND

**SINGLE-HANDLE
KNOB TUB &
SHOWER VALVE**

LEGEND

**SINGLE-HANDLE
EASY GRIP LEVER
TUB & SHOWER VALVE**




Plusco Supply Corp.

PERLICK®

PLUSCO

PLUSCO


PERLICK BAR FAUCETS - 824 SERIES



ITEM #	PART #	DESCRIPTION
#1	66010	SCREW
#2	66013	HANDLE - HOT
#2	66016	HANDLE - COLD
#3	66019	VALVE ASSEMBLY - HOT
#3	66022	VALVE ASSEMBLY - COLD
#4	66025	ADAPTER - HOT
#4	66028	ADAPTER - COLD
#5	66031	O RING
#6	66034	STEM - HOT
#6	66037	STEM - COLD
#7	66111	O RING
#8	66043	CUP
#9	66046	SEAT WASHER
#10	66049	SCREW
#11	66052	SEAT
#12	66055	O RING
#13	66106	BODY
#14	66109	SPOUT ADAPTER
#20	66076	O RING
#21	66112	TURRET
#22	66115	O RING
#23	66118	SPLIT RING
#24	66121	COUPLING NUT
#25	66124	SPOUT 4"
#25	66127	SPOUT 7"
#25	66130	SPOUT 13"
#26	66133	GOOSE NECK SPOUT
#27	66136	SPOUT EXTENSION 9"
#29	66142	2.2 GPM AERATOR
	66145	REPAIR KIT (INCLUDES ITEMS 1, 5, 7-12, 20 & 23)
	66146	REPLACEMENT HOT & COLD VALVE KIT

PERLICK BAR FAUCETS - 824X SERIES

ITEM #	PART #	DESCRIPTION
#1	66010	SCREW
#2	66013	HANDLE - HOT
#2	66016	HANDLE - COLD
#3	66019	VALVE ASSEMBLY - HOT
#3	66022	VALVE ASSEMBLY - COLD
#4	66025	ADAPTER - HOT
#4	66028	ADAPTER - COLD
#5	66031	O RING
#6	66034	STEM - HOT
#6	66037	STEM - COLD
#7	66040	O RING
#8	66043	CUP
#9	66046	SEAT WASHER
#10	66049	SCREW
#11	66052	SEAT
#12	66055	O RING
#13	66058	BODY
#19	66076	O RING
#20	66079	SPLIT RING
#21	66082	COUPLING NUT
#22	66085	O RING
#23	66088	AERATOR
#24	66091	GOOSE NECK SPOUT
#25	66094	SPOUT 4" LONG
#25	66097	SPOUT 7" LONG
#25	66100	SPOUT 13" LONG
#26	66103	SPOUT EXTENSION (DOUBLE JOINTED)




Plusco Supply Corp.

POWERS PROCESS CONTROLS

PLUSCO.

PLUSCO.

HYDROQUARD MODEL 420 MODELS 1 - 7




REPAIR KIT PART NOS.	Recommended Type of Kit	Repair Kit No. Includes Item Nos.	Includes Items
<ul style="list-style-type: none"> Water leaks at valve stem and/or bonnet Water leaks at valve shut-off 	Motor Replacement	64040 18,18A,20,23,26,29	Bonnet gasket, bonnet O-ring, Packing rings, motor quad ring, shut-off disc, combination seat, O-ring, hot water disc.
<ul style="list-style-type: none"> Variable or untempered discharge temperature 	Motor Replacement	64045 (40-90°F) 64041 (65-115°F) 64044 (120-175°F) 18,18A,23-27,30	Bonnet gasket, bonnet O-ring, motor stem, shut-off disc retainer, shut-off disc., thermostatic motor and motor sleeve.
<ul style="list-style-type: none"> Water leaks at valve shut-off due to worn hot water seat Variable or untempered discharge temperature continues after motor replacement 	Valve and Hot Water Seat Replacement	64028 (model 1,2,3,4) 64042 (model 5,6,7,8) Includes items 18,18A,29,32,33,34	Bonnet gasket, bonnet O-ring, combination seat, O-ring, valve assembly, valve return spring, hot water seat.
<ul style="list-style-type: none"> Water leaks at valve shut-off, shut-off disc and/or hot water seat have been replaced 	Combination Seat Replacement (6 GPM mixer)	64043 18,18A,28,29,31	Bonnet gasket, bonnet O-ring, combination seat O-ring combination seat.
<ul style="list-style-type: none"> To increase capacity of mixer to 9 GPM (06 l/s) 	High Capacity Kit	64056 (Model 5,6,7,8) 18,18A,28,29,31-34	Bonnet gasket, bonnet O-ring, comb. seat, O-ring comb. seat, valve assy., valve return spring, hot water seat.
<ul style="list-style-type: none"> To decrease capacity of mixer to 1.5 GPM (-91 l/s) 	Low Capacity Kit	64060 Model (5,6,7,8) 18,18A,28,29,31-34	Bonnet gasket, bonnet O-ring comb. Seat O-ring comb. seat, valve assy. Valve return spring, hot water seat.
<ul style="list-style-type: none"> For use when hot water supply temperature is below 120°F, allows discharge temperature to be within 2°F of hot water supply 	Low Temperature Conversion Kit (110°F)	64252 18,18A,28-31	Bonnet gasket, bonnet O-ring, Combination seat O-ring, motor sleeve, combination seat.
<ul style="list-style-type: none"> Complete Bonnet Assembly Includes items: 13,14,16-22,28 	Model 1-3, convert to Model 8; Model 4-6 Models 7-8	64048 64249	Limit stop, spacer sleeve, bonnet, bonnet gasket, bonnet O-ring, packing gland, packing rings, packing stop ring, adj. stem, spacer ring.
<ul style="list-style-type: none"> Complete Bonnet Assy., to convert model 1-3, to model 8 Use model 8 bonnet, oval dial, & lever handle.(discard old stem) 	Bonnet Assy.; Oval dial Assy.	64253	
	Lever Handle	64275	

Plusco Supply Corp.

POWERS PROCESS CONTROLS



BILTMORES SERIES 800 VALVES




	TROUBLESHOOTING	DESCRIPTION
GASKET AND DISC REPLACEMENT	1. Water leak at stem and/or bonnet 2. Flow of water continues after mixer is turned off	Kit 64325 Includes items: 2,3,7(4), 9(2), 10(2), 13(2), 15
BALANCING CARTRIDGE	1. Variable or untempered discharge temperature	Kit 64326 Includes items: 2,3,7 (4), 8
STEM AND PLATE REPLACEMENT	1. Flow continues after mixer is turned off 2. Handle splines on stem damaged, not grasping	Kit 64327 Includes items: 1,2,3,4,5,6,7(2), 15
INTERNAL REBUILD KIT	Note: Required if both Balancing Cartridge and Stem and Plate replacement Kits needed	Kit 64326 Includes items: 2,3,4,5,6,7(4), 8,15
CHECKSTOP REBUILD KIT	1. Checkstop will not shut-off or allow full flow	Kit 64333 Includes items: 9(2), 10(2), 11(2), 12(2), 13(2)
BONNET KIT	2. Crossover 1. Temperature Adjustment stop is broken off	Kit 64332 Includes items: 14, 2
#17 ACR Hdle. Assy.		64328
#16 Lever & Screw		64329

Biltmore # 900 Series Parts available:
Gasket & Disc. Replacement 64350
Internal Rebuild Kit 64352 - (Model 1) - 64352 (Model 2)

OTHER PARTS ARE AVAILABLE, CALL!

HYDROGUARD 410 MODELS 1-3



#1&2 = 64290 Lever Handle & Screw
8 = 64214 Dial Insert (Rainbow)

	TROUBLESHOOTING	RECOMMENDED REPAIR KIT
GASKET AND DISC REPLACEMENT	1. Water leak at stem and/or bonnet. 2. Flow of water continues after mixer is turned off.	Kit 64200 Items 18,22,26, 27(2), 31(2), 36 (MOD. 1-3) Items 13,18,22,23,24*,25 (MOD. 4)
BALANCING CARTRIDGE	1. Variable or untempered discharge temperature. 2. Leakage after mixer is turned off.	Kit 64201 64155 (MOD. 1-3) Items 26-32 (MOD. 4)
THROTTLING STEM AND PLATE REPLACEMENT	1. Flow continues after mixer is turned off. 2. Handle splines on stem damaged.	Kit 64216 Items 13,18,19,20,21,22,23,24,25,26

* USE ONLY IN 4-PORT MODEL NO DISCHARGE WILL OCCUR WHEN USED IN 3-PORT MODELS.

NOTE: To remove Balance Chamber use Cartridge Puller #64165.


** For Model 4 410, must also order new handle for new brass stem. Order either Lucite hndl. kit #64220, or lever hndl. kit #64225.
Since kits contain parts for all models, discard the extra parts.

Plusco Supply Corp.

PRICE PFISTER®



34 SERIES SINGLE CONTROL KITCHEN FAUCET



Plusco Supply Corp.


PRICE PFISTER®



AVANTE®




8" SINGLE CONTROL KITCHEN FAUCET
CATALOG NO. 33 SERIES

WE SPECIALIZE IN
GENUINE PARTS



DIVERTER FOR
ABOVE FAUCET:
#65933

8" SLANT HOUSING TYPE TOP MOUNT
SINK FAUCETS
CATALOG NO'S 35 SERIES & H35 SERIES
COMPRESSION & WASHERLESS



#65235
CONTAINS
2 EA. OF
PARTS
SHOWN

WE SPECIALIZE IN
GENUINE PARTS

Plusco Supply Corp.

PRICE PFISTER®

PLUSCO.

PLUSCO.

4" SLANT HOUSING TYPE LAVATORY FAUCET CATALOG NO'S 43 SERIES & H43 SERIES COMPRESSION & WASHERLESS

HANDLE OPTIONS

VERVE CHROME PLATED

#65410 COLD
#65411 HOT



#65608

HANDLE ASSY.
#65310 COLD
#65311 HOT

WINDSOR ACRYLIC

#65420 COLD BUTTON
#65421 HOT BUTTON



#65608

#65335 COLD HDLE. ASSY.
#65336 HOT HDLE. ASSY.

WASHERLESS






#65143
CARTRIDGE

HOT & COLD STEM
1467-01700

#65390



#65585
RENEW SEAT




Plusco Supply Corp.

PRICE PFISTER®
Avante

PLUSCO.

PLUSCO.




Plusco Supply Corp.

PRICE PFISTER®

PLUSCO.

PLUSCO.



**8" THREE VALVE TUB/SHOWER DIVERTER
WITH INTEGRAL STOPS
CATALOG NO. 1 SERIES**

ACRYLIC HANDLE ASSEMBLY




#65345 COLD
#65346 HOT
#65347 DIVERTER


#65302
DIVERTER HANDLE

#65412 #65410 COLD BUTTON
#65411 HOT BUTTON

#65301 HOT HANDLE ASSY.
#65300 COLD HANDLE ASSY.



**TURNSTOP WASTE
AND OVERFLOW**




Plusco Supply Corp.


STERLING®

PLUSCO.

PLUSCO.




ITEM #	PART #	DESCRIPTION
#1	79085	HANDLE, HOT OR COLD
#2	79130	ESCUTCHEON
#3	79225	SLEEVE
#4	1467-05140	STEM WITH BONNET
#5	1467-08522	RENEW SEAT
#6	79090	DIVERTER HANDLE
#7	79220	SLEEVE
#8	1467-05160	DIVERTER STEM WITH BONNET
#9	1467-32001	DIVERTER GASKET
NOT SHOWN		
	79155	ACRYLIC HANDLE, H OR C
	79156	ACRYLIC HANDLE, DIVERTER
	1467-05600	STEM HOT OR COLD, LONG PATTERN
	1467-05940	STEM DIVERTER, LONG PATTERN



#79125
ROCKER ARM
&
STOPPER ASSEMBLY



#79157
LAVATORY
POP-UP STOPPER




ITEM #	PART #	DESCRIPTION
#1	79170	FACE PLATE ASSEMBLY
#2	79140	TIP TOE CARTRIDGE ASSEMBLY (OEM)
#3	79186	SEALING WASHER
#4	79150	STOPPER ASSEMBLY
#5	79250	STRAINER PLUG
#6	79185	TIP TOE CARTRIDGE ASSEMBLY (GENERIC)

Plusco Supply Corp.

SYMMONS® INDUSTRIES



SYMMETRIX™ S-20 LAVATORY FAUCET



83321 POP-UP DRAIN ASSEMBLY PARTS	
PART #	DESCRIPTION
83001	STOPPER
83003	C.P. FLANGE FOR STOPPER
83006	C.P. LIFT ROD
83009	CLEVIS WITH THUMB SCREW
83012	CLIP
83015	C.P. NUT FOR BALL & ROD
83018	WASHER FOR BALL & ROD
83021	BALL & ROD



Plusco Supply Corp.

SYMMONS® INDUSTRIES

PLUSCO.

PLUSCO.

SYMMETRIX™ S-23 KITCHEN FAUCET





Plusco Supply Corp.

SYMMONS® INDUSTRIES

PLUSCO.

PLUSCO.


TEMPROL



WHEN REPLACING HOT AND COLD SEATS (PART #83252) IN A TEMPTROL VALVE, ALWAYS REPLACE BOTH SEATS. IF ONLY ONE SEAT APPEARS WORN, BOTH SEATS MUST BE REPLACED.

TIGHTEN BOTH SEATS TO 15 FOOT POUNDS TORQUE

ITEM #	PART #	DESCRIPTION
#1	83252	HOT/COLD SEAT KIT
#2	83254	STEM REBUILD KIT
#3	83250	SPINDLE ASSEMBLY
#4	83291	DIVERTER VOLUME SPINDLE (GREY)
#5	83292	DIVERTER (BLACK)
#6	83255	CAP ASSEMBLY
#7	83256	PACKING KIT
#8	83557	PACKING NUT
#9	83258	DOME COVER C.P.
#10	83276	DIVERTER RETAINER
#11	83260	ESCUTCHEON C.P.
#12	83262 (PR.)	SCREWS (2)
#13	83263	DIAL PLATE MODEL A
#14	83264	DIAL PLATE MODEL B
#15	83265	DIAL PLATE MODEL C
#16	83270	DIVERTER HANDLE
#17	83271	HANDLE
#18	83272	SCREW
#19	83273	BUTTON
#20	83278	LIMIT STOP
#21	83285	STOP SPINDLE-PAIR
#22	83287	PLASTER SHIELD-PAIR
#23	83286	ESCUTCHEON SCREW RETAINER-PAIR
#24	83274	SEAT REMOVAL TOOL-KIT INCLUDES #24 & #25
#25		SEAT REMOVAL TOOL
#26	83280	ACRYLIC HANDLE (NOT SHOWN)



SAFETY MIX CONCEALED PRESSURE BALANCING VALVE

(ORDER BY PART NUMBER)

1960 TO DATE

ITEM #	PART #	DESCRIPTION
#1	83056	LEVER HANDLE & SCREW
#2		HANDLE SCREW
#3	83057	DOME COVER & LOCK NUT
#4	83053	PACKING NUT
#5	83059	ESCUTCHEON & SCREW
#6		PACKING
#7	83058	LIMIT STOP WITH O-RING
#8	83050	CAP
#9		CAP GASKET
#10		COLD WASHER RETAINER
#11		HOT & COLD WASHERS
#12	83052	FLOW CONTROL SPINDLE
#13		HOT WASHER SCREW
#14	83051	RENEWABLE SEAT


Plusco Supply Corp.

SYMMONS® INDUSTRIES
Temptrol II

PLUSCO.

PLUSCO.

PRESSURE BALANCING TUB/SHOWER VALVE



SERVICE


1. Shut off water supply to valve.
2. Remove handle plug button (T-33) and handle (T-65).
3. Remove dial (T-29C or T-64) and escutcheon (T-27 or T-63) by removing escutcheon screws (T-28). Remove all remaining trim.
4. Open valve to about warm position and unscrew cap (T-12A). **WARNING: FAILURE TO DO THIS WILL DAMAGE CAP AND SPINDLE.** Spindle assembly (TA-10) will be removed with cap. Leave packing nut (T-17) in place while unscrewing cap to avoid distortion.
5. Ordinary service to eliminate dripping or not shutting off requires only the replacement of parts supplied in washer and gasket kit (TA-9). Hold spindle with (T-65) handle while removing hot washer screw and cold washer retainer (remove retainer with channel lock pliers).
6. Inspect top surfaces of hot and cold seats and replace if necessary. **IMPORTANT: WHEN REPLACING HOT AND COLD SEATS, ALWAYS REPLACE BOTH SEATS. EVEN IF ONLY ONE SEAT APPEARS WORN, BOTH SEATS MUST BE REPLACED.** Use part No. (TA-4). After long years of service, if spindle is very loose in cold seat, replace with part no. (TA-4). Use seat removal tool [T-35(A,B)] for removal and replacement of (TA-4). If seats are difficult to remove and tool shifts damaging notches, relocate tool in second position of notches. Tighten both seats to 15 foot pounds of torque.
7. The perforated end of the (TA-10) spindle assembly houses the balancing piston which is the heart of this pressure balancing valve. The piston should be free to move back and forth and should click when the spindle assembly is shaken. If deposits block this action, tap the handle end of the spindle against a solid object to free the piston. Soaking in household vinegar will help free foreign matter. If this does not free piston, replace (TA-10) spindle assembly. **DO NOT TAMPER WITH PERFORATED CYLINDER ON THE SPINDLE ASSEMBLY OR ATTEMPT REMOVAL OF THE PISTON.**
8. Reassemble, reversing above procedure, be sure spindle assembly is drawn close to the cap before screwing cap back into valve. **WARNING: FAILURE TO DO THIS WILL DAMAGE CAP AND SPINDLE.**
9. USE ONLY SYMMONS TEMPTROL GENUINE REPAIR PARTS. FAILURE TO DO SO WILL VOID ALL WARRANTIES AND IMPAIR PROPER OPERATION OF YOUR VALVE.

Plusco Supply Corp.

SYMMONS® INDUSTRIES



TEMPTROL® 2000 PRESSURE BALANCING TUB/SHOWER VALVE



SERVICE

1. Shut off water supply to valve.
2. Remove handle plug button [T3-33(F,R)] and handle (T3-31).
3. Remove dial [T3-29(D,L)] by prying up from slot located at 6 o'clock and then pry up around the clock until dial is loose.
4. Unscrew dome cover and locknut (T-19/20) and remove screws (T3-28). Remove all remaining chrome trim.
5. Open valve to about warm position and unscrew cap (T-12A). **WARNING: FAILURE TO DO THIS WILL DAMAGE CAP AND SPINDLE.** Spindle assembly (TA-10) will be removed with cap. Leave packing nut (T-17) in place while unscrewing cap to avoid distortion.
6. Ordinary service to eliminate dripping or not shutting off requires only the replacement of parts supplied in washer and gasket kit (TA-9). Hold spindle with (T3-31) handle while

removing hot washer screw and cold washer retainer (remove retainer with channel lock pliers).

7. Inspect top surfaces of hot and cold seats and replace if necessary. **IMPORTANT: WHEN REPLACING HOT AND COLD SEATS IN A TEMPTROL 2000 VALVE, ALWAYS REPLACE BOTH SEATS. EVEN IF ONLY ONE SEAT APPEARS WORN, BOTH SEATS MUST BE REPLACED.** Use part No. (TA-4). After long years of service, if spindle is very loose in cold seat, replace with part no. (TA-4). Use seat removal tool [T-35(A,B)] for removal and replacement of (TA-4). Tighten both seats to 15 foot pounds of torque.
8. The perforated end of the (TA-10) spindle assembly houses the balancing piston which is the heart of this pressure balancing valve.

The piston should be free to move back and forth and should click when the spindle assembly is shaken. If deposits block this action, tap the handle end of the spindle against a solid object to free the piston. If this does not free piston, replace (TA-10) spindle assembly. Do not tamper with perforated cylinder on the spindle assembly or attempt removal of the piston.


9. Reassemble, reversing above procedure, be sure spindle assembly is drawn close to the cap before screwing cap back into valve. **WARNING: FAILURE TO DO THIS WILL DAMAGE CAP AND SPINDLE.**
10. **USE ONLY SYMMONS TEMPTROL GENUINE REPAIR PARTS. FAILURE TO DO SO WILL VOID ALL WARRANTIES AND IMPAIR PROPER OPERATION OF YOUR VALVE.**

Plusco Supply Corp.

SYMMONS® INDUSTRIES

PLUSCO.

PLUSCO.



MODEL NO.	INLETS	OUTLET
5-100	1/2	THRU
THRU	THRU	1-1/2x2
5-1000		

CARTRIDGE UNIT


TEMPCONTROL

(FORMERLY TEMPTROL)
THERMOSTATIC
WATER CONTROLLER

ITEM #	PART #	DESCRIPTION
#1	5-	NW CARTRIDGE
#2	TT-11-	CASING GASKET
#3	TT-15L-	SLEEVE LARGE O-RING
#4	TT-16-	DOUBLE SPRING WITH SPRING SADDLE
#5	TT-15S-	SLEEVE SMALL O-RINGS (2 REQUIRED)
#6	TT-22-	STOP SPINDLE
#7	TT-19-	GLAND NUT & PACKING
#8	TT-20-	CAP
#9	TT-21-	CAP GASKET
#10	TT-27-	CHECK STOP BODY W/ INTEGRAL SEAT
#11	TT-24-	CHECK SPINDLE & SPRING


INSERT PROPER MODEL
NUMBER IN PARENTHESIS

TEMPROL LAVATORY FAUCET




ITEM #	PART #	DESCRIPTION
#1	83084	HANDLE
#2	83085	CARTRIDGE
#3	83027	BODY GASKETS
#4	83025	SCREWS
#5	83026	AERATORS


SAFETY MIX DIVERTERS



83030
SAFETY MIX LD-16
HANDLE




83035
SAFETY MIX LLD-20A
REPLACEMENT STEM
COMPLETE WITH ESCUTCHEON




83040
SAFETY MIX LLD-20
REPLACEMENT STEM

STOP PARTS FOR EXPOSED SAFETY MIX, SAFETY MIX'ETTE' & TEMPTROL SHOWN ON PAGES 1-10

STOP PARTS FOR EXPOSED SAFETY MIX VALVES




NO.	PART NAME
CE-27	INTEGRAL UNION STOP
CE-29	SPINDLE ASSEMBLY
CE-26	O-RING
CE-30	CAP (CHROME PLATED)
CE-25	GASKET (2 PR. REQUIRED)
CE-26A	STOP BODY (CHROME PLATED)
CE-30	INTEGRAL UNIONS
CE-25A	UNION CAP (CHROME-PLATED)
	GASKET (2 PR. REQUIRED)
	UNION BODY (CHROME-PLATED)



SAFETY MIX VALVES
INTEGRAL STOP WITH PACKING - PRIOR TO 1956

NO.	PART NAME
C-31B	PACKING NUT
C-31C	PACKING
C-31	SPINDLE ASSEMBLY

IF 5/8" DIA. USE NUMBERS ENDING IN -5
IF 11/16" DIA. USE NUMBERS ENDING IN -11



SAFETY MIX'ETTE' &
TEMPTROL ANGLE STOP 1965 TO 1986

NO.	PART NAME
J-33B-5	PLASTER SHIELD
J-33B-11	PLASTER SHIELD
J-33-5	SPINDLE ASSEMBLY
J-33-11	SPINDLE ASSEMBLY

SAFETY MIX VALVES
INTEGRAL STOP WITH O-RINGS 1956 TO DATE
OR SAFETY MIX'ETTE' STOP 1964 TO 1985

NO.	PART NAME
C-32B-5	PLASTER SHIELD
C-32B-11	PLASTER SHIELD
C-32-5	SPINDLE ASSEMBLY
C-32-11	SPINDLE ASSEMBLY

Plusco Supply Corp.


T&S BRASS AND BRONZE WORKS

PLUSCO.


PLUSCO.

COMPLETE T&S LINE IS
AVAILABLE.
MANY VALVES IN STOCK

T & S BRASS PRE-RINSE UNIT




SWING NOZZLES



ITEM #	STANDARD SIZES	
	A	B
85080	6"	2"
85082	8"	2-1/4"
85084	10"	3"
85086	12"	3-1/4"
85087	14"	4-1/4"
85088	16"	5"
85089	18"	5-3/4"


ITEM #	PART #	DESCRIPTION
#1	85001	SPRAY FACE
#2	85004	RUBBER RING
#3	85005	SPRAY CUP
#4	85008	COMPLETE BONNET
#5	85011	COMPLETE SPRAY HEAD
#6	85002	SPRAY FACE SCREW
#7	85016	SQUEEZE VALVE HANDLE
#8	85444	44" FLEXIBLE STAINLESS STEEL HOSE
#9	85468	68" STAINLESS STEEL HOSE
--	85107	SPRAY VALVE COMPLETE WITHOUT HOSE
--	85151	REPAIR KIT FOR 85107 (NOT SHOWN)
--	85100	SPRAY VALVE & HOSE (44")

PRE-RINSE UNIT ACCESSORY



IF YOU DON'T SEE IT,
JUST ASK!!

ITEM #	PART #	DESCRIPTION
#1	85020	SPRING
#2	85030	SPRING BODY
#3	85025	RISER - 24"
#4	85021	FINGER HOOK
#5	85022	SCREW



ITEM #	PART #	DESCRIPTION
#1	85057	HANDLE SCREW
#2	85061	RED BUTTON (HOT)
#3	85060	BLUE BUTTON (COLD)
#4	85056	LEVER HANDLE (HOT)
#5	85055	LEVER HANDLE (COLD)
	85072	COMPLETE SPINDLE ASSY. W/HANDLE - HOT
	85071	COMPLETE SPINDLE ASSY. W/HANDLE - COLD
	85150	1 PR. LEVER HANDLES COMPLETE W/SCREWS & BUTTONS
	85152	1 PR. ETERNA STEMS HOT & COLD

Plusco Supply Corp.



VALLEY® REPAIR PARTS

PLUSCO.


PLUSCO.

TWO HANDLE LAVATORY FAUCETS

VALLEY II® MODELS



ITEM #	PART #	DESCRIPTION
#1	88540	PLUG BUTTON SET - CHROME
#2	88670	HANDLE SCREW
#3	88530	CLEAR ACRYLIC HANDLES (2 EA. HDLS., BUTTONS, SCREWS)
#4	88644	BLADE HANDLES-CHROME (2 EA. HDLS., BUTTONS, SCREWS)
#5	88003	BONNET- FOR CHROME
#6	88504	CONTROL ASSEMBLY
#7	88672	SPACER
#8	88560	SEAL & SPRING REPAIR KIT
#9	92611	AERATOR-CHROME
#10	88515	PARTS BAG (2 SETS/BAG)
#11	88505	LIFT ROD ASSEMBLY - CHROME




SINGLE CONTROL LAVATORY FAUCETS




DISCONTINUED MODELS

CURRENT MODELS



ITEM #	PART #	DESCRIPTION
#1	88500	ACRYLIC LEVER HANDLE - CHROME
#2	88005	LEVER HANDLE - CHROME ONLY
#3	88300	ACR. TEARDROP HANDLE-CHROME
#4	88299	ACRYLIC KNOB ASSEMBLY
#5	88040	LEVER HANDLE ASSY. - CHROME
#6	88490	BONNET ASSEMBLY - CHROME
#7	88009	BONNET LOCK RING
#8	88008	BONNET NUT - CHROME
#9	88501	CONTROL ASSEMBLY
#10	88560	SEAL & SPRING REPAIR KIT
#11	88001	CONTROL REPAIR KIT
#12	88061	CONTROL CARTRIDGE
#13	92611	AERATOR - CHROME



Plusco Supply Corp.

VALLEY® REPAIR PARTS


PLUSCO.

PLUSCO.






METAL LAVATORY POP-UP WASTES

FAX ORDERS FOR
QUICK SERVICE

ITEM #	PART #	DESCRIPTION
#1	88505	BRASS LIFT ROD ASSY. - CHROME
#2	88122	POP-UP PLUG ASSY. - CHROME
#3	88120	FLANGE - CHROME
#4	88119	GASKET
#5	88100	BALL SEAT
#6	88117	BALL & HORIZONTAL ROD ASSY.
#7	88102	COMPRESSION NUT
#8	88115	HORIZONTAL ROD CLIP
#9	88105	CLEVIS AND SCREW ASSEMBLY



TWO HANDLE KITCHEN FAUCETS



ITEM #	PART #	DESCRIPTION
#1	88530	STARFIRE ACRYLIC HANDLES (2 EA. HANDLES, PLUG BUTTONS, SCREWS)
#2	88644	BLADE HANDLES (2 EA. HANDLES, PLUG BUTTONS, SCREWS)
#3	88003	BONNET NUT
#4	88504	CONTROL ASSEMBLY
#5	88672	SPACER
#6	88002	CAP
#7	88011	CAP "O" RING
#8	88501	SPOUT ASSY. W/AERATOR
#9	88012	SPOUT "O" RING
#10	88010	DIVERTER
#11	88515	PARTS BAG (2 SETS/BAG)
#12	15422	SPRAY AND HOSE ASSY.
#13	88560	SEAL AND SPRING REPAIR KIT



Plusco Supply Corp.

VALLEY® REPAIR PARTS


PLUSCO.

PLUSCO.


SINGLE CONTROL LAVATORY FAUCETS




ITEM #	PART #	DESCRIPTION
#1	88005	LEVER HANDLE
#2	88500	ACRYLIC HANDLE
#3	88082	LEVER HANDLE ASSEMBLY
#4	88490	BONNET ASSEMBLY
#5	88009	BONNET LOCK RING
#6	88008	BONNET NUT
#7	88501	CONTROL ASSEMBLY
#8	88061	CONTROL ASSEMBLY - NON-DIVERTER
#8A	88062	CONTROL ASSEMBLY - DIVERTER
#9	88498	NON DIVERTER 8" SPOUT ASSEMBLY
#9A	88499	DIVERTER 8" SPOUT ASSEMBLY
#10	88565	AERATOR
#11	88600	DIVERTER
#12	15422	SPRAY AND HOSE ASSEMBLY
#13	88001	CONTROL REPAIR KIT (INCLUDES TOOL)
#14	88002	"O" RING REPAIR KIT
#15	88080	SPOUT "O" RING
#16	88560	SEAL & SPRING REPAIR KIT



SINGLE CONTROL BATH AND SHOWER



ITEM #	PART #	DESCRIPTION
#1	88500	CLEAR ACRYLIC HANDLE-CHROME
#2	88005	LEVER HANDLE-CHROME ONLY
#3	88310	ACRYL. TEARDROP HANDLE ASSY.-CHROME
#4	88311	ACRYLIC KNOB HANDLE ASSY.-CHROME
#5	88491	ESCUTCHEON SCREWS-CHROME
#6	88230	ESCUTCHEON ASSY.-CHROME
#7	88490	BONNET ASSEMBLY - CHROME
#8	88200	SLEEVE - CHROME
#9	88501	CONTROL ASSEMBLY
#10	88560	SEAL & SPRING REPAIR KIT
#11	88001	CONTROL REPAIR KIT





Plusco Supply Corp.

VALLEY® REPAIR PARTS

PLUSCO.

PLUSCO.



BACK TO BACK BATH AND SHOWER



ITEM #	PART #	DESCRIPTION
#1	88203	PLUG BUTTON
#2	88670	HANDLE SCREW
#3	88681	CLEAR STARFIRE ACRYLIC HANDLE (1) FOR CHROME & POL. BRASS
#4	88230	ESCUTCHEON ASSY. - CHROME
#5	88491	ESCUTCHEON SCREWS - CHROME
#6	88390	CARTRIDGE ASSEMBLY
#7	88595	BONNET - CHROME
#8	88200	SLEEVE - CHROME
#9	88204	MAXIMUM TEMP. STOP
#10	88205	STOP BUSHING

**ATTENTION
GIVEN TO
SPECIAL
ORDERS**

PRESSURE BALANCE BATH AND SHOWER



ITEM #	PART#	DESCRIPTION
#1	86235	ACRYLIC HANDLE TRIM PKG. - CHROME
#2	88240	ACRYLIC HANDLE ASSEMBLY
#3	88245	DRIVER KIT
#4	88246	STOP AND "O" RING KIT
#5	88236	"O" RING KIT
#6	88237	CARTRIDGE ASSEMBLY

Plusco Supply Corp.

PLUSCO.

REPLACEMENT BALLCOCKS

PLUSCO.



DOUGLAS FLUSH VALVE


PART #	DESCRIPTION
41076	DOUGLAS FLUSH VALVE



COAST 1B1 BALLCOCK

PLASTIC BALLCOCK, ANTI-SIPHON STANDARD REPLACEMENT, INCLUDES BRASS ROD. 3 SCREW HOLE TOP.

PART #	DESCRIPTION
19114	10" BALLCOCK
19164	12" BALLCOCK



**20A BURLINGTON
ANTI-SIPHON BRASS
TOILET FILL VALVE**

SOLID, HEAVY BRASS CONSTRUCTION; HAS ALL BASIC FEATURES PLUS DELUXE PRESSURE REGULATOR/SILENCER AND UNIVERSALLY ACCEPTED HEIGHT; DELUXE PLUNGER WITH CUP WASHER; 10" ROD. STANDARD BY WHICH COMPETITIVE PRODUCTS ARE MEASURED.


PART #	DESCRIPTION
1225-05762	20A BALLCOCK
1225-05761	REPAIR KIT
1225-01436	PLUNGER

COAST 1B1 REPAIR KIT

REPAIRS 1B1 & COAST MASTER BALLCOCK. INCLUDES PISTON & O-RING. BAGGED.



PART #	DESCRIPTION
19014	REPAIR KIT
19666	TOP ASSEMBLY




FLUIDMASTER, INC.

400-A ANTI-SIPHON BALLCOCK

REPLACES OUTDATED FLOAT BALLS AND ROD ASSEMBLIES. PREVENTS BACK FLOW, ENDS TOILET NOISE, LEAKS AND WATER WASTE.

PART #	DESCRIPTION
32400	ANTI-SIPHON BALLCOCK
32242	SEAL



COAST 1B1X BALLCOCK

REPLACEMENT BALLCOCK FOR MANY ONE PIECE (LOW BOY) TOILETS. MEETS CODE.

PART #	DESCRIPTION
19174	BALLCOCK ASSY.

HOOV-R-LINE Quality Replacement Plumbing Products



ANTI-SIPHON BALLCOCK

THE IDEAL REPLACEMENT BALLCOCK. USED BY MANUFACTURERS IN ORIGINAL EQUIPMENT. TOP QUALITY, SOLID CONSTRUCTION. INCLUDES BALLCOCK, REFILL TUBE, AND 8" SOLID BRASS ROD. FITS MOST MANUFACTURER'S TANKS.

PART #	DESCRIPTION
41208	8-1/2" BALLCOCK
41210	10" BALLCOCK
41212	12" BALLCOCK
41868	4-HOLE REPAIR KIT
41869	4-HOLE TOP ASSEMBLY
41864	OLD STYLE-WITH OVERFLOW 4-HOLE TOP ASSEMBLY NEW STYLE-NO OVERFLOW

COAST 1B1X REPAIR KIT

REPAIRS 1B1 x BALLCOCK. INCLUDES PISTON & O-RING. BAGGED.



PART #	DESCRIPTION
19214	REPAIR KIT
19866	TOP ASSEMBLY

Plusco Supply Corp.


AMERICAN STANDARD

PLUSCO.

PLUSCO.

ORDER BY PART NUMBER

**BALLCOCK
FOR ONE-PIECE ROMA
WITH VENT-AWAY #2009.017
LESS VENT-AWAY #2009.026**



COMPLETE ASSEMBLIES	
WATER CONTROL ASSEMBLY (LESS FLOAT BALL)	
WITH VENT-AWAY	24101
NON-VENT	24103
FLUSH VALVE	24115
BACKFLOW PREVENTER WITH VENT-AWAY	24274
VENT-AWAY ASSEMBLY	24453
ACTUATOR BUTTON LESS VENT-AWAY	24272
WITH VENT-AWAY	24273
FLOAT BALL TANK	24159

ITEM #	PART #	DESCRIPTION
#1	24233	PLUNGER REPAIR KIT
#2	24444	FLOAT BALL
#3	24406	FLOAT ROD
#4	24445	SUPPLY TUBE(VENT-AWAY)
#5	24446	WATER CONTROL MOUNTING KIT
#6	24447	SUPPLY COUPLING KIT
#7	24448	REFILL TUBE, NON-VENT
#7	24449	REFILL TUBE, VENT-AWAY
#8	24362	VACUUM BREAKER KIT
#9	24450	DIVERTER STEM KIT
#10	24451	DIVERTER VALVE KIT
#11	24209	VOLUME REGULATOR KIT
#12	24420	ACTUATING UNIT
#13	24452	FLUSH VALVE MOUNTING KIT
#14	24276	SEAT DISC
#15	24266	LEVER, WHITE PADDLE
#16	24319	SPRING CLIP
#17	24320	RUBBER PAD
#18	24208	LEVER ASSEMBLY W/SCREWS


Plusco Supply Corp.

AMERICAN STANDARD

PLUSCO.

PLUSCO.

BALLCOCK FOR
ROMA II #2012.014
ELLISSE #2008.019
LEXINGTON #2007.012
LEXINGTON #2006.014



COMPLETE ASSEMBLIES	
LEXINGTON WATER CONTROL ASSEMBLY (LESS FLOAT BALL)	24109
COMPLETE FLUSH VALVE	24111
TRIP LEVER (NOT SHOWN)	24463

COMPLETE ASSEMBLIES	
ROMA II & ELLISSE COMPLETE BALLCOCK ASSEMBLY (LESS FLOAT BALL)	24107
COMPLETE FLUSH VALVE	24111
PUSH BUTTON ACTUATOR (NOT SHOWN)	24309

ITEM #	PART #	DESCRIPTION
#1	24231	PLUNGER REPAIR KIT
#2	24460	FLOAT ROD FOR ROMA II & ELLISSE
#2	24417	FLOAT ROD FOR LEXINGTON
#3	24444	FLOAT BALL
#5	24447	SUPPLY COUPLING KIT
#6	24446	WATER CONTROL MOUNT
#7	24452	FLUSH VALVE MOUNTING
#8	24276	SEAT DISC
#9	24461	ACTUATING UNIT W/SEAT, DISC & CHAIN
#10	24470	PIVOT ARM KIT
#11	24421	LIFT CHAIN ASSEMBLY

Plusco Supply Corp.


AMERICAN STANDARD

PLUSCO.

PLUSCO.

ROMA TWO-PIECE
TOILET TANK TRIM #2080.018

WE HAVE AN EXTENSIVE
CLOSET PARTS INVENTORY



COMPLETE ASSEMBLIES	
WATER CONTROL ASSEMBLY (LESS FLOAT BALL)	24105
COMPLETE FLUSH VALVE	24113
PUSH BUTTON TRIP LEVER (NOT SHOWN)	24309

ITEM #	PART #	DESCRIPTION
#1	24231	PLUNGER REPAIR KIT
#2	24454	FLOAT ROD
#3	24444	FLOAT BALL
#4	24456	WATER CONTROL MOUNTING KIT
#5	24447	SUPPLY COUPLING KIT
#6	24470	PIVOT ARM KIT
#7	24275	ACTUATING UNIT W/SEAT, DISC & CHAIN
#8	24276	SEAT DISC
#9	24458	FLUSH VALVE MOUNTING KIT
#10	24459	REFILL TUBE KIT


Plusco Supply Corp.

AMERICAN STANDARD

PLUSCO.


PLUSCO.

#4 Flush Valve AMERICAN-STANDARD




ITEM #	PART #	DESCRIPTION
#1	24307	#4 FLUSH VALVE OLD STYLE
#2	24432	ACTUATING ASSEMBLY
#3	1467-31272	SCREW-ON SEAT - GENERIC
#4	24483	SCREW-ON SEAT - OEM

#5 Flush Valve AMERICAN-STANDARD



ITEM #	PART #	DESCRIPTION
#1	24258	#5 FLUSH VALVE
#2	24275	ACTUATING ASSEMBLY
#3	1467-31297	SNAP-ON SEAT - GENERIC
#4	24276	SNAP-ON SEAT - OEM

#6 Flush Valve AMERICAN-STANDARD



ITEM #	PART #	DESCRIPTION
#1	24306	#6 FLUSH VALVE OLD STYLE
#2	24306	#6 FLUSH VALVE NEW STYLE
#3	24420	ACTUATING ASSEMBLY
#4	1467-31297	SNAP-ON SEAT - GENERIC
#5	24276	SNAP-ON SEAT - OEM

Plastic Flush Valve


Handy, high-impact plastic, Douglas style flush valve complete with vinyl flapper, beveled washer, and hex nut. Has integral extruded ribs to secure refill tube. Non-corrosive. Easily installed.

PART #	DESCRIPTION
41076	PLASTIC FLUSH VALVE




AMERICAN-STANDARD

**Obsolete
Flush Valve
N 3055**



ITEM #	PART #	DESCRIPTION
#1	24413	GROMMET
#2	24465	STOP
#3	24414	SEAL

Fit-All Tank Lever



Single action. Non-corrosive arm. Chrome plated handle. Fits most manufacturers tanks.

PART #	DESCRIPTION
33333	FIT-ALL TANK LEVER

Plusco Supply Corp.

BRIGGS®


PLUSCO.

PLUSCO.


ORDER BY PART NUMBER

BALLCOCK ASSEMBLY #11212 (62-8)

ITEM #	PART #	DESCRIPTION
#1	11305	CONVERSION KIT
#2	11315	DIVERTER VALVE KIT
#3	11320	PUMP ASSEMBLY KIT
#4	11325	PLUNGER ASSEMBLY KIT
#5	11400	VOLUME CONTROL



COMPLETE BALLCOCK ASSY. # 11212
DIVERTER ASSEMBLY (ONLY) # 11213



COMPLETE BALLCOCK ASSY. #11250
DIVERTER ASSEMBLY (ONLY) #11355

IF YOU DON'T SEE IT,
JUST ASK!!

BALLCOCK ASSEMBLY #11250 (62-66)

ITEM #	PART #	DESCRIPTION
#1	11312	DIVERTER VALVE PARTS KIT
#2	11318	PUMP ASSEMBLY
#3	11355	COMPLETE DIVERTER ASSEMBLY
#4	11400	VOLUME CONTROL


Plusco Supply Corp.

BRIGGS®



ORDER BY PART NUMBER

BALLCOCK ASSEMBLY #11270 (#50)



ITEM #	PART #	DESCRIPTION
#1	11328	BALLCOCK REGULATOR REPAIR PARTS KIT
#2	11330	BALLCOCK BODY PARTS
#3	11333	STOP ASSY. REPAIR PARTS
#4	11340	BALLCOCK VENT REPAIR PARTS
#5	11341	RIM VALVE REPAIR KIT
#6	11343	TANK LEVER

BALLCOCK REPLACEMENT PARTS

ASSEMBLY 11328


Ballcock regulator repair parts

Includes:

Regulator body
Union nut
Union tailpiece
Union gasket
Adjustable regulator

Assembly:

Regulator
"O" ring
Washer
Screw




ASSEMBLY 11330

Ballcock body parts

Includes:

Complete new style plunger
Nylon seat
Cross lever assembly
Float rod
Thumb screw (2)



Plusco Supply Corp.


BRIGGS®

PLUSCO.

PLUSCO.

BALLCOCK REPLACEMENT PARTS

ORDER BY PART NUMBER




ASSEMBLY 11325

Plunger assembly

Includes:

Cup washer
Seat washer
Seat
Vent disc
Water level adj.
Screw
Locknut
Triple seal ball




ASSEMBLY 11333

Stop assembly repair parts

Includes:

Stop spindle
Packing nut
Packing washers
Upper skirt
Lower skirt
Skirt spacer




ASSEMBLY 11340

Ballcock vent repair parts

Includes:

Vent cap
Vent cap washer
Vent cap screws (2)
Vent ball seat washer
vent ball




ASSEMBLY 11341

Rim valve repair parts

Includes:

Rim valve
Rim valve cap
Rim valve lever
Cap
Connecting wire
rim valve screw




ASSEMBLY 11342


Miscellaneous ballcock repair parts

Includes:

Hush tube
Vent ball seat washer
Vent cap washer
Vent cap screws (2)
Nylon seat
Seat washer
Cup washer



**ASSEMBLY 11405
PLUNGER**



**ASSEMBLY 11400
VOLUME CONTROL
REPLACEMENT VOLUME
CONTROL PLUG - 11026
REPLACEMENT O-RING
(BAG OF 12) - 67214**

Plusco Supply Corp.


BRIGGS®

PLUSCO.

PLUSCO.

BALLCOCK REPLACEMENT PARTS


ORDER BY PART NUMBER



ASSEMBLY 11305

Conversion kit Includes:


Vent disc
Vent cap washer
Vent cap screws
Thumb screws
Vent cap
9" float rod
Plunger w/cup and
seat washers
Plunger fulcrum arm
Float fulcrum arm
Water level adjustment
screw and nut
Volume control w/"o"ring,
plug and seat



ASSEMBLY 11312

Diverter valve parts Includes:

Diverter valve
Fulcrum arm
Fulcrum arm (long)
Diverter connection,
wire and arm
Diverter valve screw
Diverter valve cap
Thumb screw
Rim connection washer
Rim connection bolt,
washer and nut



ASSEMBLY 11315


Diverter valve kit Includes:

Diverter valve
Fulcrum arm
Connecting wire
Valve arm
Diverter valve screw
Thumb screw
Rim connection
washer
Rim connection bolt,
washer and nut

ASSEMBLY 11318

Pump assembly Includes:


Jet pump body
Elbow
Connecting tube
Connecting clamps (2)



ASSEMBLY 11320

Pump assembly Includes:

Jet pump body
Jet pump elbow
Connecting clamps (2)
7" connecting tube




Plusco Supply Corp.

BRIGGS®




FLUSH VALVES

ASSEMBLY 11245




ASSEMBLY 11375



FLUSH VALVE PARTS

**11168
COMPLETE REBUILD KIT FOR
62-8 BALLCOCK**

CONTAINS 1 EACH OF THE ITEMS SHOWN
AND LISTED BELOW



PLUNGER ONLY

11025



SEAT ONLY

11032



LARGE O-RING


11034




SMALL O-RING (BAG OF 12)

67214B

ASSEMBLY 11325



COAST BLUE VINYL FLAPPER #19376




Plusco Supply Corp.

BRIGGS®




FLUSH VALVE PARTS


ASSEMBLY 11343




ASSEMBLY 11345




ASSEMBLY 11310



ASSEMBLY 11311



ASSEMBLY 11309



VENT DISC
11028



PLUNGER
11025



Plusco Supply Corp.


BRIGGS®

PLUSCO.


PLUSCO.

FLUSH VALVE PARTS

ASSEMBLY 11370




ASSEMBLY 11308



DIVERTER ASSEMBLY 11350

RECENTLY REDESIGNED BY
MANUFACTURER. ASSEMBLY
NO LONGER INCLUDES
CORK BALL.



Plusco Supply Corp.



CLOSET TANK FITTINGS



Closet Tank Fittings

BRIGGS, CRANE & ELJER
ONE PIECE CLOSET COMBINATION

ORDER BY PART NUMBER



ITEM #	PART #	DESCRIPTION
#1	43184	FULCRUM LEVER ASSEMBLY
#2	43183	PLUNGER ASSY. w/SILENCER PLUG
#3	43168	NYLON SEAT
#4	43180	RUBBER WASHER
#5	43181	THUMB SCREW
#6	43164	RUBBER SEAL
#7	43165	CAP PIN
#8	43166	RUBBER WASHER
#9	43190	VENT BODY CAP ASSEMBLY
#15	43100	VENT BODY CAP REBUILD KIT INCLUDES ITEMS: 6, 7 & 8
	43791	COMPLETE BALLCOCK ASSEMBLY FOR BRIGGS (79B)
	43792	FOR CRANE (79C)
	43793	FOR ELJER (79E)
	43101	PLUNGER REBUILD KIT INCLUDES ITEMS: 3, 10, 11, 12, 13 & 14

FAX ORDERS FOR
QUICK SERVICE

Plusco Supply Corp.

CLOSET TANK FITTINGS

PLUSCO.


PLUSCO.

Closet Tank Fittings

ONE PIECE ELJER
"PATRICIAN" BALLCOCK

ORDER BY PART NUMBER

ELJER



ITEM #	PART #	DESCRIPTION
#1	43140	SCREW
#2	43142	HEX NUT
#3	43143	LEVER
#4	43150	PLUNGER ASSEMBLY
#5	43168	NYLON SEAT
#6	43181	THUMB SCREW
#7	43145	CAP
#8	43146	SCREW (2 required)
#9	43180	RUBBER WASHER
#10	43164	RUBBER SEAL
#11	43165	CAP PIN
#12	43166	RUBBER WASHER
#13	43190	VENT BODY CAP ASSEMBLY

WE HAVE AN EXTENSIVE
CLOSET PARTS INVENTORY

Plusco Supply Corp.

CLOSET TANK FITTINGS


PLUSCO.

PLUSCO.

Closet Tank Fittings



CLOSE COUPLED TANKS WITH
INTEGRAL OVERFLOW AND TOUCH-FLUSH

ORDER BY PART NUMBER



ELJER

ITEM #	PART #	DESCRIPTION
#1	26310	HANDLE
#2	26311	BUSHING
#3	26312	CLIP
#4	26313	TANK LEVER (4")
#5	26314	LEVER ARM W/BEAD CHAIN
#6	26315	TANK BALL SCREW
#7	1792-10010	TANK BALL
#8	26316	BRACKET
#9	26317	BOLT
#10	26318	NUT
	26174	TOUCH FLUSH ASSY. UNIT INCLUDES ITEMS: 1,2,3,4,5,6,7, & 8
	26179	TOUCH FLUSH TANK LEVER ASSY. INCLUDES ITEMS: 1,2,3, & 4




**MANY OBSOLETE PARTS
ARE AVAILABLE FROM
PLUSCO**

Plusco Supply Corp.

KOHLER®

PLUSCO.

PLUSCO.



30669 FITTING PARTS FOR K-3390-EB CHAMPLAIN TOILET

ITEM #	PART #	DESCRIPTION
#1	48120	PLUNGER KIT
#2	48121	CAP & PLUNGER ASSEMBLY
#3	48680	CHECK VALVE ASSEMBLY
#4	48650	TANK LEVER ASSEMBLY
#5	48124	ROTOR ASSEMBLY
#6	48687	MOUNTING HARDWARE
#7	48131	GUIDE ARM
#8	1467-15070	TANK BALL
#9	48384	FLUSH TUBE
	48142	COMPLETE BALLCOCK


Plusco Supply Corp.

KOHLER®

PLUSCO.

PLUSCO.

ORDER BY PART NUMBER



#48144 COMPLETE BALLCOCK, FLUSH VALVE AND FLAPPER

KOHLER NO LONGER MANUFACTURES THE REPAIR KIT OR TOP ASSEMBLY FOR THE ABOVE BALLCOCK SEPARATELY. IF YOU WISH TO ORDER GENUINE KOHLER PARTS, PLEASE ORDER PLUSCO NO. 48503 WHICH CONSISTS OF THE FLUSH VALVE, FLAPPER, MOUNTING HARDWARE AND GASKETS, CAP KIT AND PLUNGER KIT.

ALTHOUGH THE 48685 AND 48695 FLUSH VALVES LOOK SIMILAR IN DESIGN, PLEASE NOTE THE 48685 IS SLIGHTLY LARGER AND HAS A WIDER TOP.

ITEM #	PART #	DESCRIPTION
#1	19214	BALLCOCK REPAIR KIT
#2	19866	TOP ASSEMBLY
#3	48682	HOSE
#4	48683	GASKET
#5	48700	FLAPPER

Plusco Supply Corp.


KOHLER®

PLUSCO.

PLUSCO.

FLOAT VALVE PARTS

K-9262 and K-9268 Water-Guard (contains Brass Cap Body)
K-9262-P And K-9268-P Water-Guard (Contains Celcon Cap and Body)



ITEM #	PART #	DESCRIPTION
#1	48139	BRASS CAP KIT (2-HOLE)
#2	48138	CELCON CAP KIT (3-HOLE)
#3	48116	PLUNGER KIT
#4	48689	MOUNTING HARDWARE KIT
#5	48468	CELCON BODY TOP
#6	48255	BRASS BODY TOP
	48143	COMPLETE BALLCOCK


Plusco Supply Corp.

KOHLER®

PLUSCO.

PLUSCO.

ORDER BY PART NUMBER



30668 FITTING PARTS FOR K-3385-EB ROCHELLE TOILET
30668 FITTING PARTS FOR K-3400-PB POMPTON TOILET

ITEM #	PART #	DESCRIPTION
#1	48120	PLUNGER KIT
#2	48119	CAP & PLUNGER ASSEMBLY
#3	48686	GASKET KIT
#4	48123	ROTOR ASSEMBLY
#5	48230	TANK BALL-GENUINE
#5	1467-15050	TANK BALL-GENERIC
#6	48688	CHECK VALVE KIT
#7	48687	MOUNTING HARDWARE
#8	48615	TANK LEVER
#9	48224	LIFT WIRE
#10	48650	TANK LEVER ASSEMBLY
#11	48521	TRIP ARM
#12	1467-33305	FLOAT BALL
#13	48321	TUBE
	48143	COMPLETE BALLCOCK

Plusco Supply Corp.

KOHLER®

PLUSCO.











PLUSCO.

TRIP LEVERS

ORDER BY PART NUMBER

Ordering Options

ITEM NO.	PART NO.
# 1	48189
# 2	48190
# 3	48185
# 4	48183
# 5	48122
# 7	48191
# 8-11	48515
# 12	48516
# 13	48520
# 14-17	48521
# 18	48522
# 19	48523
# 20	48175
# 21	48525




Plusco Supply Corp.

SLOAN® VALVE

PLUSCO.

PLUSCO.



The Repair Kits and Parts listed on this page are designed to service all Sloan Diaphragm type Flushometers, including those manufactured for Low Consumption (LC) usage.

ABBREVIATIONS:

Assem. = Assembly
CP = Chrome Plated
gpf = gallons per flush
Lpf = Liters per flush
LC = Low Consumption
pkg. = package
w/ = with

MASTER FLUSHOMETER REBUILDING KITS		
Includes Items 7, 13, 16 & 20		
PART #	KIT #	DESCRIPTION
76701	R-1001-A	REBUILD KIT (4.5 gpf/17.0 Lpf) CLOSET/SERVICE SINK
76702	R-1002-A	REBUILD KIT (1.5 gpf/5.7 Lpf) URINAL
76703	R-1003-A	REBUILD KIT (3.5 gpf/13.2 Lpf) CLOSET
76704	R-1004-A	REBUILD KIT (1.6 gpf/6.0 Lpf) LC CLOSET
76705	R-1005-A	REBUILD KIT (1.0 gpf/3.8 Lpf) LC URINAL
76711	R-1011-A	REBUILD KIT (0.5 gpf/1.9 Lpf) URINAL
76712	R-1012-A	REBUILD KIT (2.4 gpf/9.0 Lpf) CLOSET

ITEM #	PART #	OEM#	DESCRIPTION
1.	76001	R-10	CP COVER
2.	76015	A-71	INSIDE COVER
3A.	76036	A-19-AC	RELIEF VALVE, WHITE (CLOSET)
3B.	76037	A-19-AU	RELIEF VALVE, BLACK (URINAL)
3C.	76041	A-19-ALC	RELIEF VALVE, GREEN (CLOSET/URINAL-LC)
3D.	76042	A-19-AL	RELIEF VALVE, BLUE (9 LITER CLOSET)
4.	76018	A-15-A	DISC - FOR ALL INSIDE PARTS KITS
5.	76020	A-156-A	DIAPHRAGM - FOR ALL INSIDE PARTS KITS
6A.	76019	A-163-A	GUIDE ASSEM. 4.5 gpf/17.0 Lpf CLOSET & 1.5 gpf/5.7 Lpf URINAL
6B.	76043	A-152-A	GUIDE ASSEM. 3.5 gpf/13.2 Lpf CLOSET
6C.	76044	A-151-A	GUIDE ASSEM. 1.6 gpf/6.0 Lpf LC CLOSET
6D.	76045	A-155-A	GUIDE ASSEM. 1.0 gpf/3.8 Lpf LC URINAL
6E.	76046	A-157-A	GUIDE ASSEM. 0.5 gpf/1.9 Lpf URINAL
7.	SEE THE INSIDE PARTS KITS CHART ON NEXT PAGE		
8.	76034	B-39	SEAL
9.	76039	B-32-A	CP HANDLE ASSEM.
	76040	B-73-A	CP HANDICAP HANDLE ASSEMBLY (A.D.A. COMPLIANT)
10.	76047	A-6	CP HANDLE COUPLING
11.	76048	B-7-A	CP SOCKET ASSEMBLY
12.	76068	B-32	CP HANDLE GRIP
13.	76038	B-50-A	HANDLE REPAIR KIT
14.	76056	A-31	HANDLE GASKET
15.	76610	F-54-A	¾" CP SPUD COUPLING ASSEM.
	76611	F-55-A	1¼" CP SPUD COUPLING ASSEM.
	76612	F-56-A	1½" CP SPUD COUPLING ASSEM.
16.	76112	V-551-A	VACUUM BREAKER REPAIR KIT
17.	76210	V-500-AA	¾" x 9" CP VACUUM BREAKER
	76220	V-500-AA	1¼" x 9" CP VACUUM BREAKER
	76250	V-500-AA	1½" x 9" CP VACUUM BREAKER
18.	76061	H-550	CP STOP COUPLING
19.	76577	H-551-A	CP ADJUSTABLE TAILPIECE 2-1/16" LONG
20.	76156	H553	"O" RING
21.	76613	H-740-A	1" SCREWDRIVER BAK-CHEK® STOP CP - COMPLETE
	76614	H-740-A	¾" SCREWDRIVER BAK-CHEK® STOP CP - COMPLETE
22.	76501	H-541-A	1" CONTROL STOP REPAIR KIT*
	76534	H-543-A	¾" CONTROL STOP REPAIR KIT**
23.	76615	H-639	CP BONNET*
	76616	H-538	CP BONNET**
24.	76617	H-37	CP CAP
25.	76618	J-2/J-7	BUMPER ASSEMBLY

* for use w/H-740-A 1" & ¾" and H-540-A 1" Screwdriver Bak-Chek® Control Stops.
** for use with w/H-540-A ¾" Screwdriver Bak-Chek® Control Stops.



Plusco Supply Corp.

SLOAN® VALVE

PLUSCO.

PLUSCO.

Royal® Flushometer Maintenance Guide



The Repair Kits and Parts listed on this page are designed to service all Sloan Diaphragm type Flushometers, including those manufactured for Low Consumption (LC) usage.

ABBREVIATIONS:
Assem. = Assembly
CP = Chrome Plated
gpf = gallons per flush
Lpf = Liters per flush
LC = Low Consumption
pkg. = package
w/ = with

MASTER FLUSHOMETER REBUILDING KITS		
Includes Items 7, 13, 16 & 20		
PART #	KIT #	DESCRIPTION
76601	A-1001-A	REBUILD KIT (4.5 gpf/17.0 Lpf) CLOSET/ SERVICE SINK
76602	A-1002-A	REBUILD KIT (1.5 gpf/5.7 Lpf) URINAL
76603	A-1003-A	REBUILD KIT (3.5 gpf/13.2 Lpf) CLOSET
76604	A-1004-A	REBUILD KIT (1.6 gpf/6.0 Lpf) LC CLOSET
76605	A-1005-A	REBUILD KIT (1.0 gpf/3.8 Lpf) LC URINAL
76611	A-1011-A	REBUILD KIT (0.5 gpf/1.9 Lpf) URINAL
76612	A-1012-A	REBUILD KIT (2.4 gpf/9.0 Lpf) CLOSET
WASHER SET		
76032	A-156-AA	WASHER SET - INCLUDES: 4, 5, 8 & 14

ITEM #	PART #	OEM#	DESCRIPTION
1.	76014	A-72	CP COVER
2.	76015	A-71	INSIDE COVER
3A.	76036	A-19-AC	RELIEF VALVE, WHITE (CLOSET)
3B.	76037	A-19-AU	RELIEF VALVE, BLACK (URINAL)
3C.	76041	A-19-ALC	RELIEF VALVE, GREEN (CLOSET/URINAL-LC)
3D.	76042	A-19-AL	RELIEF VALVE, BLUE (9 LITER CLOSET)
4.	76018	A-15-A	DISC - FOR ALL INSIDE PARTS KITS
5.	76020	A-156-A	DIAPHRAGM - FOR ALL INSIDE PARTS KITS
6A.	76019	A-163-A	GUIDE ASSEM. 4.5 gpf/17.0 Lpf CLOSET & 1.5 gpf/5.7 Lpf URINAL
6B.	76043	A-152-A	GUIDE ASSEM. 3.5 gpf/13.2 Lpf CLOSET
6C.	76044	A-151-A	GUIDE ASSEM. 1.6 gpf/6.0 Lpf LC CLOSET
6D.	76045	A-155-A	GUIDE ASSEM. 1.0 gpf/3.8 Lpf LC URINAL
6E.	76046	A-157-A	GUIDE ASSEM. 0.5 gpf/1.9 Lpf URINAL
7.	SEE THE INSIDE PARTS KITS CHART ON NEXT PAGE		
9.	76040	B-73-A	CP HANDICAP HANDLE ASSEMBLY (A.D.A. COMPLIANT) (SHOWN)
	76039	B-32-A	CP HANDLE ASSEM. (NOT SHOWN)
10.	76047	A-6	CP HANDLE COUPLING
11.	76048	B-7-A	CP SOCKET ASSEMBLY
12.	76049	B-74-A	CP HANDICAP HANDLE GRIP (A.D.A. COMPLIANT) (SHOWN)
13.	76055	B-51-A	HANDLE REPAIR KIT
14.	76056	A-31	HANDLE GASKET
15.	76050	F-5-A	¾" CP SPUD COUPLING ASSEM.
	76051	F-5-A	1¼" CP SPUD COUPLING ASSEM.
	76052	F-5-A	1½" CP SPUD COUPLING ASSEM.
16.	76057	V-651-A	VACUUM BREAKER REPAIR KIT
17.	76058	V-600-AA	¾" x 9" CP VACUUM BREAKER
	76059	V-600-AA	1¼" x 9" CP VACUUM BREAKER
	76060	V-600-AA	1½" x 9" CP VACUUM BREAKER
18.	76061	H-550	CP STOP COUPLING
19.	76577	H-551-A	CP ADJUSTABLE TAILPIECE 2-1/16" LONG
20.	76156	H553	"O" RING
21.	76062	H-700-A	1" SCREWDRIVER BAK-CHEK® STOP CP - COMPLETE
	76063	H-700-A	¾" SCREWDRIVER BAK-CHEK® STOP CP - COMPLETE
22.	76501	H-541-A	CONTROL STOP REPAIR KIT*
	76534	H-543-A	CONTROL STOP REPAIR KIT**
23.	76064	H-622	CP BONNET*
	76559	H-577	CP BONNET**
24.	76065	H-1010-A	VANDAL RESISTANT CONTROL STOP CAP ASSEM.*
	76066	H-1009-A	VANDAL RESISTANT CONTROL STOP CAP ASSEM. **
25.	76550	H-573	CONTROL STOP CAP CP*
	76555	H-582	CONTROL STOP CAP CP**
26.	76560	H-574	CONTROL STOP CAP w/BUMPER*
27.	76067	H-576	CONTROL STOP CAP w/EXTENDED BUMPER*

* for use w/H-700-A 1" & ¾" and H-600-A 1" Screwdriver Bak-Chek® Control Stops.
** for use with w/H-600-A ¾" Screwdriver Bak-Chek® Control Stops.

Plusco Supply Corp.

PLUSCO.

PLUSCO.

Troubleshooting and Maintaining the Sloan Royal® and Regal® Flushometer

1. PROBLEM: Flushometer does not function.

- CAUSE:** (a.) Control Stop or Main Valve is Closed.
(b.) Handle Assembly is worn.
(c.) Relief Valve is worn.

- SOLUTION:** (a.) Open Control Stop or Main Valve.
(b.) Install Sloan Handle Repair Kit (B-51-A) or replace handle.
(c.) Replace Inside Parts Kit.

2. PROBLEM: Insufficient volume of water to adequately siphon fixture.

- CAUSE:** (a.) Control Stop not open enough.
(b.) Urinal Flushometer Parts inside a Closet Flushometer.
(c.) Low Consumption Flushometer installed on a non-Low Consumption fixture.
(d.) Water Saver Kit installed in old, non-Water Saver bowl.
(e.) Inadequate volume or pressure at supply.

- SOLUTION:** (a.) Adjust Control Stop for desired delivery of water.
(b.) Replace Inside Urinal Parts with proper Closet Flushometer Parts.
(c.) Replace A-41-A Inside Parts Kit with A-38-A Water Saver Kit.
(d.) Position Refill Head A-170 so that SIDE 1 is in the UP Position.
(e.) If no gauges are available to properly measure supply pressure or volume of water at the Flushometer, then remove the Relief Valve from the Inside Parts Kit, reassemble the Flushometer and open the Control Stop.
• If the fixture siphons, more water volume is required. If a 3.5 gpf Inside Parts Kit is installed in the Flushometer, then first flip the Refill Head (under the Diaphragm) to obtain a 4.5 gpf volume. If this volume is still inadequate, remove the Flow Ring from the Guide to obtain a 6.5 gpf Kit. If additional flow is still required, try a Low Pressure Guide Kit A-175-A (#0301104). **IMPORTANT - Laws and Regulations requiring Low Consumption Fixtures (1.6 gpf Water Closets and 1.0 gpf Urinals) prohibit the use of higher flushing volumes.**
• If fixture does not siphon or if a Low Consumption fixture is installed, or if the above steps do not prove satisfactory, steps must be taken to increase the pressure and/or supply.

3. PROBLEM: Flushometer closes off immediately.

- CAUSE:** (a.) Ruptured or damaged Diaphragm.
(b.) Enlarged By-pass orifice from corrosion or damage.

- SOLUTION:** Install Inside Parts Kit to correct above problems and update Flushometer.

4. PROBLEM: Length of flush is too short (Short Flushing).

- CAUSE:** (a.) Diaphragm Assembly and Guide Assembly are not hand-tight.
(b.) Enlarged By-pass orifice from corrosion or damage.
(c.) A-19-AU (Black) Urinal Relief Valve in Closet Flushometer.
(d.) A-41-A Low Consumption Kit installed in non-Low Consumption fixture.
(e.) Handle Assembly is worn.

- SOLUTION:** (a.) Screw the two assemblies hand-tight.

- (b.) Install NEW Inside Parts Kit to correct problem and update Flushometer.
(c.) Replace Relief Valve with A-19-AC (White) Closet Relief Valve.
(d.) Replace with proper Inside Parts Kit.
(e.) Install Handle Repair Kit B-51-A or replace the Handle.

5. PROBLEM: Length of flush is too long (Long Flushing) or fails to close off.

- CAUSE:** (a.) Relief Valve (A-19-A) is not seating properly or By-pass orifice is clogged because of foreign material, or By-pass orifice is closed by an invisible gelatinous film from "over-treated" water.
(b.) Line pressure has dropped and is not sufficient to force Relief Valve to seat.
(c.) A-19-AC (White) Closet Relief Valve has been used in a 1 or 1½ gpf Urinal.
(d.) Inside Cover is cracked or damaged.

- SOLUTION:** (a.) Disassemble the working parts and wash thoroughly. **NOTE: SIZE OF THE ORIFICE IN THE BY-PASS IS OF UTMOST IMPORTANCE FOR THE PROPER METERING OF WATER INTO THE UPPER CHAMBER OF THE FLUSHOMETER. DO NOT ENLARGE OR DAMAGE THIS ORIFICE. REPLACE INSIDE KIT IF CLEANING DOES NOT CORRECT PROBLEM.**
(b.) Shut off all control stops until pressure has been restored, then open them again.
(c.) Replace with A-19-AU (Black) Relief Valve.
(d.) Replace the Inside Cover (A-71).

6. PROBLEM: Chattering noise in Flushometer.

- CAUSE:** (a.) The A-156-A Segment Diaphragm has been installed upside-down.
(b.) The Inside Cover has become distorted from wear, freezing or abuse.

- SOLUTION:** (a.) Replace the Segment Diaphragm to the proper position as instructed by markings on the Diaphragm.
(b.) Replace Inside Cover.


7. PROBLEM: Leaking at Handle Assembly.

- CAUSE:** (a.) The B-39 Seal is worn or deteriorated.
(b.) Handle gasket has been omitted.
(c.) Valve Handle Bushing is worn.

- SOLUTION:** (a.) Install new B-39 Seal. **NOTE: The B-39 Seal will easily slide right onto the B-40 Bushing if it is wet.**
(b.) Install A-31 Handle Gasket or Sloan Handle Repair Kit (B-51-A).
(c.) Install Sloan Handle Repair Kit (B-51-A).

CARE AND CLEANING INSTRUCTIONS

DO NOT use abrasive or chemical cleaners to clean Flushometers, they may dull the luster and attack the chrome or special decorative finishes. Use ONLY soap and water, then wipe dry with a clean towel or cloth. While cleaning the bathroom tile, the Flushometer should be protected from any splattering of cleaner. Acids and cleaning fluids can discolor or remove chrome plating.





Plusco Supply Corp.

SLOAN® VALVE

PLUSCO.

PLUSCO.

SLOAN CROWN (PISTON TYPE)




SLOAN CROWN (PISTON TYPE)

ITEM #	PART #	DESCRIPTION
#1	76301	C.P. COVER ASSEMBLY-NLA (CR74-A)
#2	76315	CLOSET/URINAL WASHER SET (S14AA)
#3	76310	URINAL PISTON ASSEMBLY (S60AU)
#4	76305	CLOSET PISTON ASSEMBLY (K60A)
#5	76034	SEAL (B39)
#6	76314	MOLDED CUP WASHER (S14A)
#7	76331	RELIEF VALVE (CR18-A)
#8	76350	CLOSET MAIN SEAT (S123A)
	76351	URINAL MAIN SEAT (S21)


CONTROL STOP REPAIR KITS

H-600-A, H600-AG, H-650-AG, H-540-A
H-540-AG & H-545-AG SCREW DRIVER
STOP WITH BAK-CHEK



H-600-A, H-600-AG
H-650-AG, H-540-A
H-540-AG & H-545-AG
WHEEL HANDLE
STOP WITH BAK-CHEK

SCREWDRIVER CONTROL STOP BUMPERS



OBSOLETE CONTROL STOP REPAIR KITS

OEM #	DESCRIPTION	KIT #
H440AG	1" SCREWDRIVER	ANGLE STOP REPAIR KIT 3308453
H440AG	1" WHEEL HANDLE	ANGLE STOP REPAIR KIT 3308454
H440AG	3/4" SCREWDRIVER	ANGLE STOP REPAIR KIT 3308442
H440AG	3/4" WHEEL HANDLE	ANGLE STOP REPAIR KIT 3308443
H10A/H15A	1" SCREWDRIVER	ANGLE STOP REPAIR KIT 3308095
H40AG	1 1/4" SCREWDRIVER	ANGLE STOP REPAIR KIT 3308277
H40AG	1 1/4" WHEEL HANDLE	ANGLE STOP REPAIR KIT 3308278
H20AG	3/4 1/2" SCREWDRIVER	ANGLE STOP REPAIR KIT 3308102
H20AG	3/4 1/2" WHEEL HANDLE	ANGLE STOP REPAIR KIT 3308103
H10A/H15A	1" WHEEL HANDLE	ANGLE STOP REPAIR KIT 3308096




Plusco Supply Corp.

SLOAN® VALVE

PLUSCO.

PLUSCO.

OPTIMA^{plus} Battery Powered Flushometer Maintenance Guide



ITEM #	PART #	OEM#	DESCRIPTION
1.	76820	EBV-14	LOCKING RING
	76821	EBV-31-A	LOCKING RING FOR ZURN VALVE BODIES
2A.	76822	EBV-11	COVER (URINAL)
2B.	76823	EBV-38-A	COVER W/OVERRIDE BUTTON (WATER CLOSET)
2C.	76824	EBV-55-A	METAL COVER ASSEMBLY (URINAL)
	76825	EBV-1034-A	METAL COVER ASSEMBLY FOR ZURN VALVE BODY
2D.	76826	EBV-60-A	METAL COVER ASSEMBLY W/OVERRIDE BUTTON (WATER CLOSET)
	76827	EBV-1033-A	METAL COVER ASSEMBLY W/OVERRIDE BUTTON FOR ZURN VALVE BODY (WATER CLOSET)
3.	76828	EBV-67	COVER GASKET
4.	SEE CHART - ELECTRONIC MODULE		
5.	76829	EBV-21-A	INSIDE COVER ASSEMBLY (INCLUDES SOLENOID)
6.	SEE CHART - INSIDE PARTS REPLACEMENT KIT		
7.	76830	EBV-18	QUAD RING
8.	76020	A-156-A	DIAPHRAGM
9.	76831	EBV-1017-A	HANDLE CAP - METAL
10.	76832	EBV-1018-A	HANDLE CAP - DECORATIVE
11.	76057	V-651-A	VACUUM BREAKER REPAIR KIT
12.	76833	V-600-A	3/4"x9" CP VACUUM BREAKER
	76834	V-600-A	1 1/2"x9" CP VACUUM BREAKER
	76835	V-600-A	1 1/2"x9" CP VACUUM BREAKER
13.	76050	F-5-A	3/4" CP SPUD COUPLING
	76051	F-5-A	1 1/4" CP SPUD COUPLING
	76052	F-5-A	1 1/2" CP SPUD COUPLING
14.	76061	H-550	CP STOP COUPLING
15.	76577	H-551-A	CP ADJUSTABLE TAILPIECE 2-1/16" LONG
16.	76156	H-553	"O" RING
17.	76062	H-700-A	1" SCREWDRIVER BAK-CHEK® STOP CP - COMPLETE
	76063	H-700-A	3/4" SCREWDRIVER BAK-CHEK® STOP CP - COMPLETE
18.	76501	H-541-A	CONTROL STOP REPAIR KIT*
	76534	H-543-A	CONTROL STOP REPAIR KIT**
19.	76064	H-622	CP BONNET*
	76559	H-577	CP BONNET**
20.	76065	H-1010-A	VANDAL RESISTANT CONTROL STOP CAP ASSEMBLY*
	76066	H-1009-A	VANDAL RESISTANT CONTROL STOP CAP ASSEMBLY**
21.	76836	EBV-1019-A	3/4" DECORATIVE STOP CAP
	76560	H-574	1" DECORATIVE STOP CAP
* for use w/H-700-A 1" & 3/4" and H-600-A 1" Screwdriver Bak-Chek® Control Stops.			
** for use w/H-600-A 3/4" Screwdriver Bak-Chek® Control Stops.			
ACCESSORIES			
22.	76837	EBV-46-A	BEAM DEFLECTOR
23.	76838	EBV-20	SCREWDRIVER
24.	76839	EBV-22	DISPOSABLE STRAP WRENCH

APPLICATION	4. ELECTRONIC MODULE		6. INSIDE PARTS KIT	
	KIT NO.	PART NO.	KIT NO.	PART NO.
URINAL-0.5 gpl/1.9 Lpl	EBV-26-A-U-0.5	76800	EBV-32-A-0.5 U	76801
URINAL-1.0 gpl/3.8 Lpl	EBV-26-A-U-1.0	76802	EBV-32-A-1.0 U	76803
URINAL-1.5 gpl/5.7 Lpl	EBV-26-A-U-1.5	76804	EBV-32-A-1.5 U	76805
URINAL-3.5 gpl/13.2 Lpl	EBV-26-A-U-3.5	76806	EBV-10-A-3.5 U	76807
CLOSET-1.6 gpl/6.0 Lpl	EBV-26-A-C-1.6	76808	EBV-10-A-1.6 C	76809
CLOSET-2.4 gpl/9.0 Lpl	EBV-26-A-C-2.4	76810	EBV-10-A-2.4 C	76811
CLOSET-3.5 gpl/13.2 Lpl	EBV-26-A-C-3.5	76812	EBV-10-A-3.5 C	76813
CLOSET-4.5 gpl/17.0 Lpl	EBV-26-A-C-4.5	76814	EBV-10-A-4.5 C	76815

Inside Parts Replacement Kit includes the following: Inside Parts (Diaphragm) Kit, (4) AA Batteries & Quad Seal Lubricant.

Batteries: When required, replace with four (4) AA Alkaline batteries.

Plusco Supply Corp.

PLUSCO.

PLUSCO.

Troubleshooting and Maintaining the Sloan Optima Plus® Flushometer

1. PROBLEM: *Sensor flashes continuously only when user steps within range.*

CAUSE: Unit in Start-Up mode.

SOLUTION: No problem. This feature is active for the first 10 minutes of operation.

2. PROBLEM: *Valve doesn't flush; sensor not picking up user.*

CAUSE: (a.) Range too short.
(b.) Optima Plus installed on a high rough-in fixture (beam is shooting over the user's head).

SOLUTION: (a.) Increase the range.
(b.) Install EBV-46-A Beam Deflector.

3. PROBLEM: *Valve doesn't flush; sensor picking up opposite wall or surface, or only flushes when someone walks by. Red light flashes continuously for first 10 minutes even with no one in front of the sensor.*

CAUSE: (a.) Range too long.
(b.) Sensor is picking up mirror or highly reflective wall or surface in front of fixture.

SOLUTION: (a.) Shorten range.
(b.) Install Optima Plus slightly "off-center" (2° to 5°) to eliminate direct reflection off of mirror or opposite wall or surface.

4. PROBLEM: *Valve does not flush even after adjustment.*

CAUSE: (a.) Range Adjustment Potentiometer set at full "max" or full "min" setting.
(b.) Batteries completely used up.
(c.) Problem with Electronic Control Module.

SOLUTION: (a.) Readjust Potentiometer away from full "max" or "min" setting.
(b.) Replace batteries.
(c.) Replace Electronic Module.

5. PROBLEM: *Unit flashes 4 quick times when user steps within range.*

CAUSE: Batteries low.

SOLUTION: Replace batteries.

6. PROBLEM: *Valve does not shut off.*

CAUSE: (a.) By-pass orifice in diaphragm is clogged with dirt or debris or by-pass is clogged by an invisible gelatinous film due to "overtreated" water.
(b.) Dirt or debris fouling Stem of Inside Parts Assembly.
(c.) Quad Seal on Stem of Inside Parts Assembly damaged or worn.
(d.) Solenoid Valve in Electronic Module has been over-tightened.
(e.) Problem with Electronic Module.

SOLUTION: (a.) Remove Inside Parts Assembly and wash under running water. **NOTE:** Size of orifice in the By-pass is of utmost importance for the proper metering of water by the valve. **DO NOT ENLARGE OR DAMAGE THIS ORIFICE.** Replace Inside Parts Assembly if cleaning does not correct the problem.
(b.) Remove Inside Parts Assembly and wash under running water.
(c.) Replace EBV-18 Quad Seal.
(d.) Turn Solenoid counter-clockwise very slightly.
(e.) Replace Electronic Module.

7. PROBLEM: *Not enough water to fixture.*

CAUSE: (a.) Wrong Optima Plus model installed (i.e., 1 gpf. urinal installed on 3.5 gal. closet fixture).
(b.) Enlarged By-pass in Diaphragm.
(c.) Control Stop not adjusted properly.
(d.) Inadequate volume or pressure at supply.

SOLUTION: (a.) Replace with proper Optima Plus model.
(b.) Replace Inside Parts Assembly.
(c.) Readjust Supply Stop.

(d.) Increase water pressure or supply (flow) to valve. Consult factory for assistance.

8. PROBLEM: *Too much water to fixture.*

CAUSE: (a.) Control Stop not adjusted properly.
(b.) Wrong Optima Plus model installed (i.e., 3.5 gpf. model installed on 1 or 1.5 gal. urinal fixture).
(c.) Dirt in Diaphragm By-Pass.

SOLUTION: (a.) Readjust Control Stop.
(b.) Install proper Optima Plus model
(c.) Clean under running water or replace Inside Parts.

Use of the EBV-46-A Beam Deflector on high rough-in valves

The Sloan Optima Plus was designed to operate on Sloan Flushometer Models 110, 180 & 186. These common valve models have a nominal installation dimension of 11½" (292 mm) from the top of the fixture to the center of the water supply. In Flushometer installations that use longer vacuum breaker tubes (Sloan Flushometer Models 115, 116, and BPW-1000 Bedpan Washer Valves) the sensing device of the Optima Plus may be too high to properly pick up the fixture user. **In these installations Sloan recommends the use of the EBV-46-A Beam Deflector.**

The EBV-46-A Beam Deflector fits snugly over the two lenses in the front of the Optima Plus Electronics Module. The Beam Deflector shifts the sensing beam of the Optima Plus downward approximately 30 degrees. This deflection aims the beam at the user in these high rough-in situations.

The EBV-46-A Beam Deflector can also be used in high urinal applications that are used by small children or handicapped users confined to wheel-chairs. By shifting the sensing area downward, the Optima Plus will better target users who previously may have been below the sensor's range.

To make a Range Adjustment

Remove and then reinstall Battery Compartment Door to activate 10 minute Flashing Range Indicator feature. The Range Potentiometer is located at the top of the electronic sensor module beneath a rubber plug. Using the small screwdriver provided, turn the potentiometer a few degrees.

↻ Clockwise to Increase Range:

↺ Counter-clockwise to Decrease Range:

Place cover over sensor module, position body into typical user range and check range by looking for red flashing light. Red light should only flash when picking up user. Repeat adjustment procedure until desired range is obtained. Reinstall Optima Plus. Refer to Optima Plus Installation Manual for greater detail on Range Adjustment procedures.

Battery Replacement

When Optima Plus has approximately 4,000 flushes left, the same red light that appears at start-up will flash four (4) times quickly whenever an object is detected. When this occurs, we recommend changing the batteries.

Care and Cleaning Instructions

DO NOT use abrasive or chemical cleaners to clean the Optima Plus, they may dull the luster and attack the Plastic Cover and the chrome finish of the Flushometer. Use **ONLY** soap and water, then wipe dry with clean cloth or towel. While cleaning the bathroom tile, the Optima Plus should be protected from any splattering of cleaner. Acids and cleaning fluids can discolor or remove chrome plating.

Plusco Supply Corp.

DELANY

PLUSCO.


PLUSCO.

DELANY FLUSHBOY GENUINE RENEWAL PARTS

VALVES WITH 1" SUPPLY
(Without "Turn-to-Silence" on cover)


VALVES WITH 1" SUPPLY
(With "Turn-to-Silence" on cover)

VALVES WITH 3/4" SUPPLY
(With or without
"Turn-to-Silence" on cover).



*F180 part and F186 part supplied in valves with non hold open feature. Must be used together for complete diaphragm operating assembly with non hold open feature, order as applicable:
F141ACQTS
F141ACTS
F141AUTS
For complete handle assembly for non hold open feature, order F333A75.

COVER BUMPER



NEW STYLE RENEWAL KITS

PART #	DESCRIPTION
17025	1.6 GPF CLOSET
17027	1.0 GPF URINAL

PARTIAL ASSEMBLIES

PLUSCO #	OEM #	DESCRIPTION
17020	80A	COVER BUMPER ASSEMBLY
17021	F141AC	DIAPHRAGM OPERATING ASSEMBLY (FOR VALVES WITH 1" SUPPLY OR LARGER)
17022	F141AU	DIAPHRAGM OPERATING ASSEMBLY (FOR VALVES W/ 3/4" SUPPLY OR SMALLER)
17024	F141KC	RENEWAL KIT (FOR VALVES W/ 1" SUPPLY OR LARGER. CONTAINS F141C AND F8 PARTS).
17026	F141KU	RENEWAL KIT (FOR VALVES W/ 3/4" SUPPLY OR SMALLER. CONTAINS F141U AND F8 PARTS)
17030	F159A	COVER ASSEMBLY
17035	F159AQ	COVER ASSEMBLY (FOR VALVES WITH TURN-TO-SILENCE EQUIPMENT)
17040	**F333A	RUBBERFLEX HANDLE ASSEMBLY
INDIVIDUAL PARTS		
17041	F6	AUXILIARY VALVE SEAT HOLDER
17042	F8	AUXILIARY VALVE SEAT
17043	F16	DIAPHRAGM BUSHING
17044	F20	AUXILIARY VALVE
17045	F28G	PACKING FOR COVER
17058	**64	KWIK FIT UNION TAILPIECE, 2" STD. LENGTH OVERALL (ALLOWS 4-1/2" TO 5-1/2" CENTERS COMPLETE WITH NO. 65 AND NO. 66 PARTS)

INDIVIDUAL PARTS (CONTINUED)

PLUSCO #	OEM #	DESCRIPTION
17051	65	"O" RING
17052	66	CLAMPING RING
17053	83	SEAT BUMPER
17054	F170-4	SEAT GUIDE (FOR VALVES WITH 1" SUPPLY OR LARGER AND TURN TO SILENCE EQUIPMENT)
17055	F171-4-PA	MAIN VALVE SEAT WITH F25 & F171-4-1 PARTS (FOR VALVES WITH TURN-TO-SILENCE EQUIP.)
17056	F222-3	FLEXER
17057	F223-2	OPERATING STEM (OVERALL LENGTH 1-7/8")
** KWIKFIT UNION TAILPIECES		
SPECIAL LENGTHS AVAILABLE AS FOLLOWS:		
17059	64-1	KWIK FIT UNION TAILPIECE 4" OVERALL LENGTH (ALLOWS 7-1/2" TO 8-1/2" CENTERS. COMPLETE WITH NO. 65 AND NO. 66 PARTS)
17060	64-2	KWIK FIT UNION TAILPIECE. 4" OVERALL LENGTH. (ALLOWS 6-1/2" TO 7-1/2" CENTERS. COMPLETE WITH NO. 65 AND NO. 66 PARTS).
17061	64-3	KWIK FIT UNION TAILPIECE. 5" OVERALL LENGTH (ALLOWS 7-1/2" TO 8-1/2" CENTERS. COMPLETE WITH NO. 65 AND NO. 66 PARTS).

* IF FOR USE WITH VALVES CONTAINING NON HOLD OPEN FEATURE, ADD SUFFIX TS TO ASSEMBLY NUMBER.

NOTE: FOR 1.6 GAL. FLUSH SPECIFY F141KC 1.6 GAL.





Plusco Supply Corp.

DELANY

PLUSCO.

PLUSCO.

DELANY CONTROL STOPS Genuine Renewal Parts




Plusco Supply Corp.

PUSH TUB DRAINS

PLUSCO.

PLUSCO.

PUSH PULL TUB DRAINS






FEATURES SOLID BRASS STOP AND STRAINER BODY. THE **PUSH PULL** CLOSURE HAS A THEFT-RESISTANT STOPPER DESIGNED FOR HEAVY DUTY USE IN HOTELS, MOTELS, AND RENTAL PROPERTY. PUSH DOWN WITH HAND OR FOOT TO CLOSE. PULL UP TO OPEN. NO STOPPER ROTATION REQUIRED. EXTRA DEEP BRASS STRAINER BODY FOR CAST IRON OR PLASTIC TUBS. REPLACEABLE DRIP-PROOF BUNA-N SEAL. CHROME.

PART #	DESCRIPTION
90325	1.6" O.D./16 FINE THREAD. STRAINER BODY DEPTH 1". FITS *AMERICAN STANDARD, AMERICAN BRASS, *ALLEN, *CENTRAL BRASS, CRANE-RIVIERA, *ELJER, FROST, *INDIANA BRASS, *PRICE-PFISTER, SAVOY, SPEAKMAN, *STERLING, STREAMWAY, *WATCO.
90301	1.6" O.D./16 FINE THREAD. STRAINER BODY DEPTH 1-1/4" USE WHERE EXTRA STRAINER BODY LENGTH IS NEEDED.
90305	1.865" O.D./11-1/2 COARSE THREAD. STRAINER BODY DEPTH 1-1/4". FITS *ALLEN, *AMERICAN STANDARD, CASPER, *CENTRAL BRASS, GERBER, J&B, *KOHLER, *PRICE PFISTER, RAPID FIT, *STERLING, *WATCO.
90309	1.6" O.D./14 THREAD. STRAINER BODY DEPTH 1-1/8". FITS BRIGGS, SAYCO.
90313	1.8" O.D./14 THREAD WITH BUSHING. STRAINER BODY DEPTH 1". FITS CRANE ONLY.
90317	1.9" O.D./14 THREAD. STRAINER BODY DEPTH 1-1/8". FITS *ELJER.
90321	1.8" O.D./16 THREAD. STRAINER BODY DEPTH 1-1/4". FITS *CENTRAL BRASS, UNIVERSAL RUNDLE.
90329	2.11" O.D./16 THREAD. STRAINER BODY DEPTH 1-1/8". FITS *KOHLER.
* FIT SOME MODELS ONLY.	


TWIST & TURN TUB DRAIN

PART #	DESCRIPTION
90400	1-5/8 OD - 16 THREADS (AMERICAN STANDARD, PRICE PFISTER, ETC.)
90410	1-13/16 - 14 THREADS (CRANE)
90420	1-7/8 OD 11-1/2 THREADS (CENTRAL BRASS, GERBER, STERLING, ETC.)
90430	1-15/16 14 THREADS (ELJER)
90440	1-13/16 16 THREADS (CENTRAL BRASS)
90450	1-5/8 14 THREADS (SAYCO).
90460	2-1/8 OD 16 THREADS (KOHLER)




#90516

STOPPER REPLACEMENT FOR USE IN PLACE OF FOOT OPERATED STOPPERS (STERLING, RAPID FIT, CASPER) COMES WITH 2 POSTS (3/8 & 5/16).




#79140 - OEM
#79185 - IMPORT

STERLING TIP-TOE
CARTRIDGE



#90550

FLIP-IT TUB
REPLACEMENT
UNIVERSAL FIT



#79144

TIP TOE STOPPER ASSY.
COMPLETE
IMPORT


Plusco Supply Corp.

PLUSCO.

PLUSCO.

WATER COOLER PARTS

FOR FURTHER ASSISTANCE ON
NON-LISTED ITEMS, PLEASE CALL
OUR KNOWLEDGEABLE SALES STAFF



ITEM #	PART #	DESCRIPTION
#1	13120	BUBBLER HEAD
#2	13429	HANDLES
#3	13059	STEM ASSY. (NOT SHOWN)



ELKAY

#28502



CENTRAL BRASS

1230-02420

GENUINE CENTRAL BRASS

15052

IMPORTED EQUIVALENT


ELKAY DRINKING FOUNTAIN CARTRIDGES



STOP SEARCHING! OUR CARTRIDGE FITS ALL ELKAY
FOUNTAINS AND MANY SUNROC, HALSEY TAYLOR,
& HAWS MODELS


ITEM #	PART #	DESCRIPTION
#1	28113	REGULAR CARTRIDGE
#2	28114	HANDICAP CARTRIDGE

HALSEY-TAYLOR



#1 — #18757 DIAPHRAGM ASSY.

HAWS




ITEM #	PART #	DESCRIPTION
#1A	19501	STANDARD PUSH BUTTON ASSEMBLY*
#1B	19505	PUSH BUTTON ASSEMBLY FOR MODELS HWDFS8, HWDFS8-2*
#1C	19510	PUSH BUTTON ASSEMBLY FOR MODELS HWCD8, HWCD8-2*
#1D	19515	PUSH BUTTON ASSEMBLY FOR MODELS HWCDF8RF, HWCDF8RF-2*
#2A	19520	BODY ASSEMBLY
#3A	19521	REPAIR KIT FOR 19501

PARTS FOR ELKAY, EBCO, HAWS, HALSEY-TAYLOR, SUNROC ARE AVAILABLE.
CALL WITH * MODEL & MANUFACTURE NUMBER.

Plusco Supply Corp.

SOLDER SEAL®

PLUSCO.



NUMBER	DESCRIPTION
--------	-------------


RADIATOR SPEC. CAP THREAD/TOP BIBB GASKETS

1467 32001	C-3200	GASKET
1467 32011	C-3201 7/8ID	ASB GASKET
1467 32022	C-3202 9/32ID	RUBR GASKET
1467 32031	C-3203 15/16	RUBR GASKET
1467 32041	C-3204 3/4ID	ASB GASKET
1467 32051	C-3205 7/16ID	ASB GASKET
1467 32046	C-3205A 29/64ID	ASB GASKET
1467 32057	C-3205C 7/16ID	RUBR GASKET
1467 32061	C-3206 51/64ID	ASB GASKET
1467 32062	C-3206A 51/64ID	RUBR GASKET
1467 32071	C-3207 53/64ID	ASB GASKET
1467 32079	C-3208 1 ID	RUBR GASKET
1467 32089	C-3209	GASKET
1467 32099	C-3210	GASKET
1467 32121	C-3212 15/16ID	ASB GASKET
1467 32131	C-3213 1-1/32ID	ASB GASKET
1467 32139	C-3214 13/16ID	ASB GASKET
1467 32149	C-3215 3/4ID	ASB GASKET
1467 32159	C-3216 3/4ID	ASB GASKET
1467 32179	C-3218 1/2ID	ASB GASKET
1467 32189	C-3219 11/16ID	ASB GASKET
1467 32202	C-3220 5/8ID	ASB GASKET
1467 32211	C-3221 7/8ID	ASB GASKET
1467 32219	C-3222 43/64ID	ASB GASKET
1467 32231	C-3223 3/8ID	RUBR GASKET
1467 32241	C-3224 31/32ID	ASB GASKET
1467 32261	C-3226	GASKET
1467 32269	C-3227 15/16ID	ASB GASKET
1467 32282	C-3228 5/8ID	RUBR GASKET
1467 32291	C-3229 1 ID	ASB GASKET
1467 32301	C-3230 21/32ID	ASB GASKET
1467 32311	C-3231 1-1/32	ASB GASKET
1467 32319	C-3232 3/4ID	ASB GASKET
1467 32331	C-3233 23/64ID	RUBR GASKET
1467 32369	C-3237 13/16ID	ASB GASKET
1467 32382	C-3238A	GASKET
1467 32391	C-3239 27/32ID	RUBR GASKET
1467 32421	C-3242 2-29/64ID	ASB GASKET
1467 32471	C-3247 49/64ID	FIBR GASKET
1467 32491	C-3249 1-1/32	RUBR GASKET
1467 32501	C-3250 3/4ID	PLAS GASKET
1467 32511	C-3251 7/8ID	PLAS GASKET
1467 32542	C-3254 3/4ID	PLAS GASKET
1467 32551	C-3255 57/64ID	RUBR GASKET
1467 32571	C-3257 1 ID	RUBR GASKET
1467 32581	C-3258 7/16ID	FIBR GASKET
1467 32591	C-3259 7/16ID	FIBR GASKET
1467 32601	C-3260 3/4ID	FIBR GASKET
1467 32611	C-3261 49/64ID	FIBR GASKET
1467 32621	C-3262 13/16ID	FIBR GASKET
1467 32631	C-3263 13/32ID	FIBR GASKET
1467 32641	C-3264 13/32ID	FIBR GASKET
1467 32651	C-3265 5/8ID	FIBR GASKET
1467 32661	C-3266 7/16ID	FIBR GASKET
1467 32671	C-3267 15/32ID	FIBR GASKET
1467 32681	C-3268 13/16ID	FIBR GASKET
1467 32691	C-3269 15/16ID	FIBR GASKET
1467 32701	C-3270X 13/16ID	ASB GASKET

Plusco Supply Corp.


SOLDER SEAL®

PLUSCO.



FAUCET WASHERS

(ACTUAL SIZE)



**IF YOU DON'T SEE IT,
JUST ASK!!**

NUMBER	DESCRIPTION
--------	-------------

RADIATOR SPEC. CAP THREAD/TOP BIBB GASKETS

1467 32720	C-3292	P/100 ASST GASKET
1467 32730	C-3293	P/240 ASST GASKET
1467 32790	C-3299	P/42 ASST GASKET

RADIATOR SPEC. RUBBER SHT PACKING

1467 06942	P-302 3/32	P/LB RUBR SHEET PACKING
1467 39322	P-322	ASST RUBR SHEET PACKING

RADIATOR SPEC. MACK BASIN GASKETS

1467 34101	G-101 1-1/4	MACK GASKET
1467 34105	G-105 1-1/2	MACK GASKET
1467 34111	G-111 1-1/4	MACK GASKET

RADIATOR SPEC. GAUGE GLS GASKETS

1467 34173	G-153 3/8	GA GLS GASKET
1467 34174	G-154 1/2	GA GLS GASKET
1467 34176	G-156 5/8	GA GLS GASKET
1467 34183	G-163 5/8	GA GLS GASKET

RADIATOR SPEC. CLO HINGE GASKETS

1467 34191	G-201 1-1/8	CLO HINGE GASKET
1467 34193	G-210 13/16	CLO HINGE GASKET

RADIATOR SPEC. TANK BOLT GASKETS

1467 34195	G-206 11/16	TANK BOLT GASKET
------------	-------------	------------------

RADIATOR SPEC. CLOSE CPL GASKETS

1467 34601	G-601	STANDARD CLOSE CPL GASKET
1467 34602	G-602	KOHLER CLOSE CPL GASKET
1467 34603	G-603	ELJER CLOSE CPL GASKET
1467 34604	G-604	GERBER/CRAVE CLOSE CPL GASKET
1467 34605	G-605	A/S CLOSE CPL GASKET

RADIATOR SPEC. RETAINER CUPS

1467 09720	R-3001	00 BR RETAINER CUP
1467 09740	R-3002	1/4S BR RETAINER CUP
1467 09760	R-3003	1/4 BR RETAINER CUP
1467 09780	R-3004	1/4L BR RETAINER CUP
1467 09800	R-3005	3/8 BR RETAINER CUP
1467 09820	R-3006	3/8M BR RETAINER CUP
1467 09840	R-3007	3/8L BR RETAINER CUP
1467 09865	R-3092	ASSORTD BR RETAINER CUP

RADIATOR SPEC. BASIN/BATH STOPPERS

1467 66510	S-210 1	SOLID STOPPER
1467 66511	S-211 1-1/8	SOLID STOPPER
1467 66512	S-212 1-1/4	SOLID STOPPER
1467 66513	S-213 1-3/8	SOLID STOPPER
1467 66514	S-214 1-1/2	SOLID STOPPER
1467 66515	S-215 1-5/8	SOLID STOPPER
1467 66516	S-216 1-3/4	SOLID STOPPER
1467 66518	S-218 2	SOLID STOPPER


GOLDEN STATE FAUCET WASHERS

1467 68140	W-144	BOX/200 POCKET PAK WASHER
1467 68150	W-145 00	P/100 FLT FCT WASHER
1467 68153	W-145A 0	P/100 FLT FCT WASHER
1467 68160	W-146 1/4S	P/100 FLT FCT WASHER

Plusco Supply Corp.

SOLDER SEAL®

PLUSCO.



NUMBER	DESCRIPTION
--------	-------------

GOLDEN STATE FAUCET WASHERS

1467 68170	W-147 1/4	P/100 FLT FCT WASHER
1467 68180	W-148 1/4L	P/100 FLT FCT WASHER
1467 68190	W-149 3/8	P/100 FLT FCT WASHER
1467 68200	W-150 3/8M	P/100 FLT FCT WASHER
1467 68209	W-151 3/8L	FLT FCT WASHER
1467 68220	W-152 1/2	P/100 FLT FCT WASHER
1467 68230	W-153 1/2L	P/100 FLT FCT WASHER
1467 68240	W-154 5/8	P/100 FLT FCT WASHER
1467 68250	W-155 3/4	P/50 FLT FCT WASHER
1467 68260	W-156 1	P/50 FLT FCT WASHER
1467 68280	W-158	POCKET PAK FLT FCT WASHER
1467 68290	W-159	POCKET PAK FLT/BEV WASHER

RADIATOR SPEC. SPUD WASHERS

1467 68699	W-300 3/4	SPUD WASHER
1467 68701	W-301 1-1/4	FLG SPUD WASHER
1467 68702	W-302 1-1/2	FLG SPUD WASHER
1467 68703	W-303 2	FLG SPUD WASHER
1467 68705	W-305 2X1-1/4	FLG SPUD WASHER
1467 68706	W-306 2X1-1/2	FLG SPUD WASHER
1467 68708	W-308	BEV SPUD WASHER

RADIATOR SPEC. SPECIAL FCT WASHERS

1467 68731	W-356	CRANE FCT WASHER
1467 67299	W-369	AMSTD FCT WASHER
1467 67310	W-370	P/100 AMSTD FCT WASHER
1467 67320	W-371	P/100 KOHLER FCT WASHER
1467 67341	W-405	CHICAGO FCT WASHER
1467 67351	W-406	BRIGGS FCT WASHER

RADIATOR SPEC. SLIP JT WASHERS SQUARE-CUT

1467 12442	W-519 1-1/4 THIN	SJ WASHER
1467 12465	W-520 1-1/4 MEDIUM	SJ WASHER
1467 12481	W-521 1-1/2 THIN	SJ WASHER
1467 12505	W-522 1-1/2 MEDIUM	SJ WASHER
1467 12525	W-523 2" MEDIUM	SJ WASHER

RADIATOR SPEC. POLY SLIP JT WASHERS

1467 12882	W-571P 1-1/4"	SJ WASHER
1467 12905	W-572P 1-1/2"	SJ WASHER
1467 12922	W-573P 1-1/2"	SK STR CPLG WASHER
1467 12939	W-574P 1 1/2X1 1/4	BEVEL SJ WASHER

RADIATOR SPEC. BALLCOCK WASHERS

1467 12982	W-601	B/C SEAT WASHER
1467 12983	W-602	B/C SEAT WASHER
1467 12984	W-603	B/C SEAT WASHER
1467 12985	W-604	B/C SEAT WASHER
1467 12986	W-605	B/C SEAT WASHER
1467 12987	W-606	B/C SEAT WASHER
1467 12989	W-608	B/C SEAT WASHER
1467 12990	W-609	B/C SEAT WASHER
1467 13006	W-611	B/C SEAT WASHER
1467 12992	W-615	B/C SEAT WASHER
1467 13008	W-623	B/C SEAT WASHER
1467 13550	W-875	B/C SHK WASHER


Plusco Supply Corp.

SOLDER SEAL®


PLUSCO.




WASTE AND OVERFLOW WASHERS



W-832



W-851 - W-856



S-504

S-503

S-502

S-501

S-500



S-508



S-507



S-506



S-505



S-512



S-510



S-509



S-550 - S-554



S-555 - S-561



S-1256 - S-1265

FOR FURTHER ASSISTANCE ON
NON-LISTED ITEMS, PLEASE CALL
OUR KNOWLEDGEABLE SALES STAFF

NUMBER

DESCRIPTION

RADIATOR SPEC. WST/OFLOW WASHERS

1467 67632	W-752	BEV W/O WASHER
1467 67634	W-754	BEV W/O WASHER
1467 67635	W-755	FLT W/O WASHER
1467 67640	W-757 2-1/8X3-3/16	BEV SPONGE WASHER

RADIATOR SPEC. SINK CONN WASHERS

1467 13385	W-832	SINK CONN WASHER
------------	-------	------------------

RADIATOR SPEC. FLUSH VALVE SHANK WASHERS

1467 13530	W-851	FLSH VA SHK WASHER
1467 13542	W-856	FLSH VA SHK WASHER

RADIATOR SPEC. FCT HANDLE SCREWS

1467 09850	S-500 1/2" X 8-32	HDL SCREW
1467 09905	S-501 1/2" X 10-24	HDL SCREW
1467 09925	S-502 1/2" X 8-32	HDL SCREW
1467 09945	S-503 7/8" X 8-32	HDL SCREW
1467 09965	S-504 3/8" X 8-32	HDL SCREW
1467 09985	S-505 3/8" X 8-32	HDL SCREW
1467 10005	S-506 7/16" X 10-24	HDL SCREW
1467 10006	S-507 5/8" X 10-24	HDL SCREW
1467 10045	S-508 9/16" X 8-32	HDL SCREW
1467 10065	S-509 11/32" X 10-32	HDL SCREW
1467 10081	S-510 3/8" X 10-32	HDL SCREW
1467 10084	S-512 9/16" X 10-32	HDL SCREW
1467 10100	S-591 ASSORTED CP FCT	HDL SCREW

RADIATOR SPEC. BRASS BIBB SCREWS

1467 10141	S-550 1/4" X 8-32	BR BIBB SCREW
1467 10165	S-552 1/2" X 8-32	BR BIBB SCREW
1467 10185	S-553 3/8" X 10-24	BR BIBB SCREW
1467 10205	S-554 1/2" X 10-24	BR BIBB SCREW
1467 10221	S-555 3/8" X 8-32	BR BIBB SCREW
1467 10245	S-556 3/8" X 10-28	BR BIBB SCREW
1467 10265	S-557 1/2" X 10-28	BR BIBB SCREW
1467 10285	S-558 3/8" X 10-32	BR BIBB SCREW
1467 10305	S-559 1/2" X 10-32	BR BIBB SCREW
1467 10325	S-560 3/8" X 6-32	BR BIBB SCREW
1467 10341	S-561 1/2" X 6-32	BR BIBB SCREW
1467 10355	S-562 ASSORTED	BR BIBB SCREW
1467 10361	S-563 3/8 & 1/2 X 10-24	ASST BIBB
1467 10370	S-575 5 PC.	BIBB SCREW REPR SET


RADIATOR SPEC. MONEL BIBB SCREWS

1467 10381	S-1256 3/8" X 6-32	MONEL BIBB SCREW
1467 10401	S-1257 1/2" X 6-32	MONEL BIBB SCREW
1467 10421	S-1258 3/8" X 10-24	MONEL BIBB SCREW
1467 10441	S-1259 1/2" X 10-24	MONEL BIBB SCREW
1467 10461	S-1260 3/8" X 10-28	MONEL BIBB SCREW
1467 10481	S-1261 1/2" X 10-28	MONEL BIBB SCREW
1467 10501	S-1262 3/8" X 8-32	MONEL BIBB SCREW
1467 10521	S-1263 1/2" X 8-32	MONEL BIBB SCREW
1467 10541	S-1264 3/8" X 10-32	MONEL BIBB SCREW
1467 10561	S-1265 1/2" X 10-32	MONEL BIBB SCREW
1467 10581	S-1271 ASST W/TAP	MONEL BIBB SCREW
1467 10591	S-1272 ASSORTED	MONEL BIBB SCREW

Plusco Supply Corp.

PLUSCO

PLUSCO.



"O" RINGS

PACKING RINGS FOR SWING SPOUT, SLIP-JOINTS, PUMP AND HYDRAULIC APPLICATIONS.

ORDERING INFORMATION

A. Standard box is 100 pieces; Example: R-201

B. To order X-Refills use suffix "X"; Example: R-201X (6) X-Refills to master box

Part No.	Use	O.D.	I.D.	Wall	Each X-Refill Contains
1467-64110	Various Makes	1/4	1/8	1/16	10
1467-64121	Various Makes	9/32	5/32	1/16	10
1467-64129	Various Makes	5/16	3/16	1/16	10
1467-64141	Various Makes	11/32	7/32	1/16	10
1467-64149	Central, Kohler	3/8	1/4	1/16	10
1467-64159	Schaible, Tracy	7/16	5/16	1/16	10
1467-64169	Central, Crane, Eljer	1/2	3/8	1/16	8
1467-64179	Kohler, Sears, Sterling	9/16	3/8	3/32	8
1467-64189	Crane, Eljer, Speakman	5/8	7/16	3/32	8
1467-64199	Kohler, Universal-Rundle, Elkar OEM 30453	11/16	1/2	3/32	8
1467-64209	Moen, Sears, Savoy	3/4	9/16	3/32	8
1467-64219	Central, Gerber, Indiana	13/16	5/8	3/32	8
1467-64222	Brass, Moen, Univ.-Rundle	13/16	11/16	1/16	5
1467-64229	Am. Std. Central, Crane	7/8	11/16	3/32	7
1467-64239	& Various Makes	15/16	3/4	3/32	7
1467-64249	American Std. Moen	1	3/4	1/8	7
1467-64259	Various makes	1-1/16	13/16	1/8	6
1467-64269	Am. Kit., Kohler, Moen				
1467-64279	& Various Makes				
1467-64291	Crane	1-3/16	15/16	1/8	5
1467-64299	Crane	1-1/4	1	1/8	5
1467-64309	Eljer, Gyro, Moen	1-5/16	1-1/16	1/8	5
1467-64319	Am. Std. OEM 507-37,	1-3/8	1-1/8	1/8	4
1467-64329	Moen 137, Repcal				
1467-64339	Speakman	1-7/16	1-3/16	1/8	3
1467-64349	Various Makes	1-1/2	1-1/4	1/8	3
1467-64359	Sears, Moen Model 42E	1-9/16	1-5/16	1/8	3
1467-64369	Special Applications	1-5/8	1-3/8	1/8	3
1467-64379	Special Applications	1-11/16	1-7/16	1/8	2
1467-64399	Special Applications	1-3/4	1-1/2	1/8	2
1467-64409	Crane Magic-Close	9/16	5/16	1/8	2
1467-64419	& Various Others	--	--	--	(1 Box)
1467-64429	200 Assortm. in Pocket Pak	--	--	--	(1 Box)
1467-64439	100 Assortment	--	--	--	(1 Box)
1467-64449	30 X-Refills Assortment	--	--	--	(1 Box)
1467-64459	Same as 64479				
1467-64469	Tracy & Various Others	1-1/2	1-5/16	3/32	3
1467-64479	Am. Std. Crane	1-1/16	7/8	3/32	4
1467-64489	& Various Others				
1467-64499	Various Makes	11/16	1/2 ± .005	3/32 ± .003	3
1467-64509	Kohler OEM 34264	1-1/16	15/16	1/16	3
1467-64519	Am. Std., Kohler OEM 34300	7/8	3/4	1/16	3
1467-64529	Alamark	1-3/16	1	3/32	2
1467-64539	Same as 64379				
1467-64549	Moen Model 42E	1-7/16	1-5/16	1/16	2
1467-64559	Am. Std. OEM 886-17	5/8	1/2	1/16	2
1467-64569	Assortment-Blister Pak				(10 Cards per Box)
1467-64579	Crane OEM F12376	45/64	27/64	9/64	5
1467-64589	Various Makes	1-1/4	1-1/8	1/16	3
1467-64599	Am. Std. OEM 12035,	1-3/16	1-1/16		1/16 3
1467-64609	Schaible, Sears, Youngstown				
1467-64619	Harcraft	11/16	9/16	1/16	2
1467-64629	Barnes	23/32	15/32	1/8	3
1467-64639	Eljer OEM 5285 Lusterline				
1467-64649	Am. Std. Aquarian Faucet	2-3/16	2	3/32	2
1467-64659	42 X-Refills Assortment	--	--	--	(1 Box)

Plusco Supply Corp.



KIRSCH

PLUSCO.

PLUSCO.



Drop-in Brackets Superfine Traverse Rods

Description	Order #	Finish	Extension in inches
Single Traverse Two-Way Draw 	3023	25 86	30 - 48
	3024	25	38 - 66
	3025	25 86	48 - 86
	3026	25 86	66 - 120
	3027	25 86	86 - 150
Single Traverse One-Way Draw Cords Right 	3028	25 86	100 - 180
	3029	25	160 - 300
	3229	25 86	30 - 48
	3227	25	38 - 66
	3231	25 86	48 - 86
	3237	25	66 - 120
	3233	25 86	86 - 150
	3235	25	100 - 180

Return: 3 1/2" - 4 1/2" Clearance: 2" - 3"

Return: 3 1/2" - 4 1/2" Clearance: 2" - 3"

Cord Tension Pulley



The most convenient way to control cords; install on floor, frame or baseboard.
For Superfine or Empire.

No. 9943 (bulk) white


Plain Slides



Molded for durability; self-lubricating. Glide smoothly.

No. 3909 (bulk)


Master Slides



Durable molded Celcon for easy sliding. Heavy-duty overlap arms. Reversible right-hand master arms permit two-way draw rod to be converted to one-way draw. Hook holes placed to prevent friction and drapery wear.

No. 9498 (bulk)

Batons With Adapters With Harness Snaps



No.	
91231	1/2" fiberglass, 30" long
91232R	3/4" fiberglass, 30" long
91248	1/2" clear fluted PVC, 30" long
91233	3/4" fiberglass, 36" long
91233R	
91249	1/2" clear fluted PVC, 36" long
91234	3/4" fiberglass, 48" long
91235	3/4" fiberglass, 60" long
91236	3/4" fiberglass, 72" long




94165



94166

No.	Description
94165	Baton holder, 20 per bag
94166	No. 8 x .312 hex washer head shoulder screw 20 per bag

Pin-on



1004
1004K

1005
1005K

1034

1035

1036
1036R
1036K

1060

No.	
1004	Lightweight; do not use on flameproof fabric Bulk
1004K	
1005	Lightweight; do not use on flameproof fabric Bulk
1005K	
1034	Heavy-duty; do not use on flameproof fabric
1035	Heavy-duty; do not use on flameproof fabric
1036	Heavy-duty; do not use on flameproof fabric Bulk
1036R	
1036K	
1060	Long shank, do not use flameproof fabric


Plusco Supply Corp.

PARTITION HARDWARE

PLUSCO.

PLUSCO.

Strike and Keepers, Pulls & Latches




1525 00100
Strike & Keeper



1525 00103
Pull




1525 00106
Pull




1525 00109
Latch


Hinges, Pins & Pintles



1525 00112
Hinge Set
Lower



1525 00115
Hinge Set
Upper



1525 00118
Hinge Set
Upper




1525 00121
Pin



1525 00124
Pintle

Complete line of
partition hardware
is available in
every finish!

Kits including all
hardware to repair
one in-swing or
out-swing door are
also available.



Pilaster shoes
of all shapes and
sizes are
available.

Please call to
place your
custom order!

Hooks



1525 00127




1525 00130



1525 00133

Tools / Fasteners



1525 00136
One Way Screwdriver:
Sizes 6-8 Small


1525 00137
One Way Screwdriver:
Sizes 8-10 Medium

1525 00138
One Way Screwdriver:
Sizes 12-14 Large




1525 00139
One Way Stainless Steel
Sex Bolt Set


Brackets




1525 00142
Two Ear



1525 00145
One Ear



1525 00148
Two Ear Urinal



1525 00151
One Ear Urinal




1525 00154
Two Ear Mini



1525 00157
One Ear Mini

Plusco Supply Corp.

BELL & GOSSETT Oil Lubricated Circulators Three-Piece - Information



Maximum working pressure 125 psi. Maximum operating temperature 225°F continuous for standard seal, 250°F continuous for special seals.

Specifications

Motor: Sleeve bearing. Oil lubricated with replaceable motor mounts. Two-piece bracket.

Noise Dampening Coupler: Flexible spring design provides quiet operation.

Bronze Sleeve Bearings: Maintain exact shaft alignment. Provide constant circulation of oil over bearing surfaces.

Ground Pump Shaft: Oversized for large bearing surfaces. Hardened integral thrust collar minimizes end-thrust.

Mechanical Seal: Withstand wide range of water temperatures, pressures, additives and dissolved solids common to hydronic systems.

Centrifugal Impeller: Prevents accumulation of air at seal faces. Close tolerances minimize water slippage and maximize efficiency.

Compliances. UL Listed. CSA Certified.


Model No.	Cast Iron Model No.	Cast Iron Part No.	Bronze Model No.	Bronze Part No.	Flange Size In.	hp @60 Hz	Phase @60 Hz	Volts @60 Hz	A In.	B In.	C In.	D In.
Series 100	100 NFI	106189	100 AB	106192	3/4	1/12	1	115	14 7/8	6 3/8	12 3/4	9 1/16
	100 BI	106190	100 BNFI	106197	1 & 1/4							
Series PR	PR	102206	PR AB	102208	1 1/2	1/6	1	115	15 1/4	8 1/2	12 3/4	15 5/16
	PR BI	102207			1 & 1/4							
Series HV	HV NFI	102210	HV AB	102231	1	1/6	1	115	15 3/8	8 1/2	13	5/8
	HV BI	102230	HV BNFI	102213	1 1/4 & 1 1/2							
2"	2 NFI	102214	2 AB	102233	2	1/6	1	115	16 5/8	8 1/2	14	13 1/16
	2 BI	102232	2 BNFI	102217								
2 1/2"	2 1/2	102218	2 1/2 AB	102220	2 1/2	1/4	1	115	17 1/4	10	14	1 1/16
	2 1/2 BI	102219										
LD3	LD3	102222	LD3 AB	102224	3	1/4	1	11	17 1/4	10	14	1 1/16
	LD3 BI	102223										
HD3	HD3	102226	HD3 AB	102228	3	1/3	1	115/230	17 1/2	10	14 1/4	1 1/16
	HD3 BI	102227										
PD-35S	PD35S	105089	PDB35S	105092	3	1/2	1	115/230	20 1/4	12	16 7/8	1 1/16
	PD35S BI	105090										
PD-35T	PD35T	105093	PDB35T	105096	3	1/2	3	208-230/460	20 1/4	12	16 7/8	1 1/16
	PD35T BI	105094										
PD-37S	PD37S	105097	PDB37S	105100	3	3/4	1	115/230	20 1/4	12	16 7/8	1 1/16
	PD37S BI	105098										
PD-37T	PD37T	105101	PDB37T	105104	3	3/4	3	208-230/460	20 1/4	12	16 7/8	1 1/16
	PD37T BI	105102										
PD-38S	PD38S	105121	PDB38S	105123	3	1	1	115/230	24	14 1/2	19 1/2	1 1/4
	PD38S BI	105122										
PD-38T	PD38T	105133	PDB38T	105135	3	1	3	208-230/460	24 1/4	14 1/2	19 3/4	1 1/4
	PD38T BI	105134										
PD-40S	PD40S	105151	PDB40S	105153	3	1 1/2	1	115/230	24 5/8	14 1/2	20 1/8	1 1/4
	PD40S BI	105152										
PD-40T	PD40T	105137	PDB40T	105139	3	1 1/2	3	208-230/460	25 1/8	14 1/2	20 5/8	1 1/4
	PD40T BI	105138										

Complete Information Available on Request.

We are in touch with the world's largest
and best manufacturers.
Centralize your purchases with us!

Plusco Supply Corp.

BELL & GOSSETT Maintenance-Free Circulators Series PL™ - Information








Maximum working pressure 150 psi. Maximum operating temperature 225°F. Dry design motor 25% more efficient. Precision-machined and balanced rotor. Quick-connect wire nut leads and dual knowckouts. Provide fast, sure hook-ups. Solid "Stiff-Shaft" design constructed of high-strength alloy steel. Impervious to thermal stress cracking. XL-11™ precision-crafted bearing system. Permanently oil lubricated. Positioned for long-life and isolated for quiet operation. Close-coupled design increases pump life and efficiency. Dependable seasonal start-ups and handles difficult water conditions. Seal system features carbon/silicon carbide seal on stainless steel shaft sleeve for long life and rugged operation. Double sided stainless steel neck ring.

Compliances. UL Listed. c UL Listed. CSA Certified.

Cast Iron Model No.	Cast Iron Part No.	Bronze Model No.	Bronze Part No.	Flange Size In.	hp @60 Hz	Phase @60 Hz	Volts @60 Hz	A In.	B In.	C In.	D In.	E In.
PL-30	1BL012	PL-30B	1BL013	1 & 1/4 1 1/2 3/4	1/12	1	115	8 5/8	6 3/8	7 1/8	9 1/16 3/4	4 3/16
PL-36	1BL001	PL-36B	1BL003	1 & 1/4 1 1/2 3/4	1/6	1	115	8 5/8	6 3/8	7 1/8	9 1/16 3/4	4 3/16
PL-45	1BL002	PL-45B	1BL004	1 & 1/4 1 1/2 1	1/6	1	115	9 1/8	8 1/2	7 1/4	15 1/16 5/8	4 5/8
PL-50	1BL016	PL-50B	1BL0017	1 & 1/4 & 1 1/2 1 1 1/4 & 1 1/2	1/6	1	115	9 1/8	8 1/2	7 1/4	3/4 5/8 3/4	4 5/8

Complete Information Available on Request.

BELL & GOSSETT Maintenance-Free Circulators Bronze Fox® - Series NBF - Information



Maximum working pressure 150 psi. Maximum operating temperature 230°F. 100% lead-free bronze. Wet rotor.

Compliances. UL Listed. c UL Listed. CSA Certified.



Model No.	Part No.	Conn.	Watts @60 Hz	Phase @60 Hz	Volts @60 Hz	F.L. Amps @60 Hz	rpm @60 Hz
NBF-8S/LW	103257	1/2" Sweat	39	1	115	.39	2800
NBF-9U/LW	103258	Union*	41	1	115	.40	2800
NBF-10S/LW	103259	1/2" Sweat	55	1	115	.46	2800
NBF-12F/LW	103260	Flange 3/4, 1, 1 1/4, 1 1/2	55	1	115	.48	2800
NBF-12U/LW	103261	Union*	55	1	115	.48	2800
NBF-18S	103316	1/2" Sweat	90	1	115	.74	3000
NBF-22	103252	Flange 3/4, 1, 1 1/4, 1 1/2	92	1	115	.80	2940
NBF-22U	103255	Union*	92	1	115	.80	2940

*Available in 3/4" NPT, 1/2" & 3/4" sweat.

Complete Information Available on Request.

Plusco Supply Corp.

BELL & GOSSETT
Maintenance-Free Circulators
Red Fox® - Series NRF - Information



Maximum working pressure 150 psi. Maximum operating temperature 240°F. Cast iron. Wet rotor.

Specifications

DuraGlide™ Bearing System: Incorporates components working together to eliminate seasonal freeze-up.

Motor: Up to 80% more starting torque.

Stator Can: Stainless steel. One-piece. High-nickel. Isolates stator from system fluid and maintains precision bearing alignment.

Carbon Bearings: Diamond-like ceramic shaft. Generous clearances. Resistant to lime, chloride and oxide build-up.

Face Plate & Rotor Sleeve: Corrosion resistant stainless steel construction.

Particl Shield: Self-cleaning. Protects shaft and bearings from system start-up debris.


Impeller: Polypropylene. Stabilized and heat resistant. Closed design improves operating efficiency.

Compliances. UL Listed, c UL Listed, CSA Certified.

Model No.	Part No.	Flange Size In.	Watts @60 Hz	Phase @60 Hz	Volts @60 Hz	F.L. Amps @60 Hz	rpm @60 Hz
NRF-22	103251	3/4, 1, 1 1/4, 1 1/2	92	1	115	.80	2940
NRF-9F/LW	103267	3/4, 1, 1 1/4, 1 1/2	41	1	115	.40	2800

Complete Information Available on Request.

BELL & GOSSETT
Oil Lubricated Circulators
Series LR - Compact - Information




Maximum working pressure 125 psi. Maximum operating temperature 225°F.

Model No.	Part No.	Mtl.	Flange Size In.	hp @60 Hz	Phase @60 Hz	Volts @60 Hz	A In.	B In.	C In.	D In.
LR-20BF	106506	Cast Iron	3/4	1/20	1	115	6 15/16	6 3/8	5 5/8	9 1/16
LR-15B	106513	Bronze	1 & 1/4							3/4
			1 1/2							15/16
			3/4	1/12	1	115	7 15/16	6 3/8	6 5/8	9 1/16
			1 & 1/4							3/4
			1 1/2							15/16

Complete Information Available on Request.

Plusco Supply Corp.

BELL & GOSSETT Pressure Reducing Valves Information



Fill system to preset pressure. Fast fill reduces start-up time and labor. Low inlet pressure check valve prevent loss of system pressure if supply water drops below system pressure. Cleanable strainer designed to prevent dirt and sediment from entering system. Union connection available with 1/2" male NPT thread and 1/2" female sweat tailpiece for fast, flexible connection. Brass body construction highly resistant to corrosion. Relief pressure 30 psi. Reducing pressure 12 psi. Maximum operating temperature 225°F. Maximum operating pressure 125 psig.

Combination Dual Units

Model No.	Part No.	Component Valves	Mtl.	Boiler Conn. In.	Fill Conn. In.	Between Conn. In.	Ht. In.
8	110199	Relief B-38	Iron Brass	1/2 NPT	1/2 NPT	67/16	53/8
8TU	110200	Relief B-38TU	Iron Brass	1/2 NPT	1/2 Union NPT/Sweat	85/8	53/8
F-3	110197	Relief FB-38	Brass	1/2 NPT	1/2 NPT	67/16	6
F-3TU	110198	Relief FB-38TU	Brass	1/2 NPT	1/2 Union NPT/Sweat	85/8	6
F-8	110201	Relief FB-38	Iron Brass	1/2 NPT	1/2 NPT	67/16	6
F-8TU	110202	Relief FB-38TU	Iron Brass	1/2 NPT	1/2 Union NPT/Sweat	85/8	6

Pressure Reducing Valves

Model No.	Part No.	Mtl.	Conn. Size In.	Factory Setting psig	Adj. Rge. psig	A In.	B In.	C In.	D In.
B-38	110190	Brass	1/2	12	10-25	31/16	413/16	311/16	11/8
B7-12	110196	Brass	3/4	12	10-25	3	431/32	321/32	15/16
B-38TU	110191	Brass	1/2	12	10-25	431/32	413/16	311/16	11/8
FB-38	110192	Brass	1/2	12	10-25	31/16	413/16	311/16	11/8
FB-38TU	110193	Brass	1/2	12	10-25	431/32	413/16	311/16	11/8
6	110194	Brass	1/2	45	25-60	31/16	413/16	311/16	11/8
7	110195	Brass	3/4	45	25-60	3	431/32	321/32	15/16

Note: Models ending in "TU" feature 1/2" sweat/NPT union connection.

Complete Information Available on Request.

New items are being added to our stock daily.


**If you fail to find in this catalog the item you want,
please send us your order or inquiries.**

It is our constant aim to carry a full and complete stock.


**We are prepared to furnish many articles
not shown in this catalog and
solicit your inquiries.**

Plusco Supply Corp.

BELL & GOSSETT Safety Relief Valves ASME - Information



Iron Body Valve



Bronze Body Valve

Protect fired and unfired hot water vessels against hazardous operating pressures. For heating boilers with capacities certified by National Board of Boiler and Pressure Vessel Inspectors. Highest BTUH ratings available. Low differential between opening and closing pressures helps prevent conditions under which system water might flash to steam and cause hammering. Maximum operating temperature 250°F.

Iron Body Valve. EPDM diaphragm operated to help overcome effects of fouling. Maximum working pressure 50 psig.

Bronze Body Valve. EPDM diaphragm assisted to help overcome effects of fouling. Maximum working pressure 125 psig.


		Inlet Outlet								
Model No.	Body	Conn. In.	Conn. In.	A In.	B In.	C In.	D In.	E In.	F In.	
790	Brass	3/4	3/4	2 1/16	1 1/2	3/4	4 1/16	1 1/32	2 3/32	
1170	Brass	1	1	2 7/8	1 3/4	7/8	4 15/16	1 1/32	2 1/4	
3301	Iron	1 1/2	2	6	2 7/8	3 1/4	11	
4100	Iron	2	2	6	2 7/8	3 1/4	11	

Note: Model nos. should include individual valve pressure settings as a suffix to the basic model no. given.


Complete Information Available on Request.

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.


BELL & GOSSETT Control Valves Flo-Control™ - Information




Bronze Straight Valve




Straight Angle Valve - Sizes 3/4", 1", 1 1/4", 1 1/2"



Straight Angle Valve - Size 2"



Angle Valve



Straight Valve

Prevent gravity flow in forced hot water systems and permit summer/winter operation of indirect water heaters. Removeable top cap for easy cleaning and service without removing pipe connections. Manual operating position for vertical lift disc to permit gravity circulation. Maximum operating temperature 250°F. Maximum working pressure 125 psig.

Model No.	Part No.	A In.	B In.	C In.	D In.	E In.
SA 3/4	107034	3 1/8	4 15/16	1 5/8	1 1/16	1 1/16
SA 1	107018	3 1/2	5 1/2	1 7/8	1 3/4	1 1/2
SA 1 1/4	107019	4	6 1/2	2 1/4	1 31/32	1 7/8
SA 1 1/2	107020	5	7 1/4	3	2 1/2	2 1/4
SA 2	107021	6 7/8	7 1/2	4 5/8	4	2 5/8
A 2 1/2	107006	7 1/4	7 5/8	5 3/8	4 1/2	4 1/8
A 3	107007	7 1/2	7 3/4	6	4 1/2	4 1/4
S 2 1/2	107014	9 5/16	8 11/16	5 3/8	4 3/4	2 11/16
S 3	107015	9 15/16	9	6	5 1/4	3
S 4	107004	13	12 1/2	7 3/4	7	3 7/8
SB 3/4	107024	3 1/4	3 3/8	1 7/16	1 5/8	2 3/32

Complete Information Available on Request.

GRUNDFOS® Circulation Pumps Series UP - Cast Iron



Domestic. Flanged housing. One-speed. For heating and hot water recirculation. Built-in motor protection. Corrosion resistant. Three-speed flexibility. Multiple fittings. Four-pole motor.

Compliances. UL Listed. CSA Listed.

No. 50.62 82 03T2. Rotated flanged housing.

No. 50.62 82 00T2. Three-speed.

Order No.	Mfr. No.	Model No.	hp	Volts
8010 40100	50.62 82 01T2	UP15-42F	1/25	115
8010 40200	50.62 82 03T2	UP15-42FR	1/25	115
8010 40300	50.62 82 00T2	UP15-42F	1/25	115
8010 40400	52.22 20 13T2	UP26-64F	1/12	115
8010 40500	52.22 21 13T2	UP26-96F	1/12	115
8010 40600	52.22 22 13T2	UP26-99F	1/6	115
8010 40700	53.07 20 13T2	UP43-75F	1/6	115

GRUNDFOS® Circulation Pumps Series UP - Stainless Steel



Domestic. Flanged housing. One-speed. For heating, hot water recirculation. Built-in motor protection. Corrosion resistant. Multiple fittings. Four-pole motor.

Compliances. UL Listed. CSA Listed.

Order No.	Mfr. No.	Model No.	hp	Volts
8010 40800	50.76 72 00T2	UP15-18SF	1/25	115
8010 40900	50.76 82 00T2	UP15-42SF	1/25	115
8010 41100	52.03 20 13T2	UP25-64SF	1/12	115

GRUNDFOS® Circulator Pumps Series UP - Bronze Body



Domestic. One-speed. Flow range 6 to 46 gallons per minute. Bronze flanged housing.

Compliances. UL Listed. CSA Certified.

Order No.	Mfr. No.	Model No.	hp	Volts
8010 41200	52.72 21 13T2	UP26-96BF	1/12	115
8010 41300	52.72 22 13T2	UP26-99BF	1/6	115
8010 41400	52.57 20 13T2	UP43-75BF	1/6	115

Plusco Supply Corp.

GRUNDFOS® Sump Pumps



For basement sumps, dewatering and water transfer. Lightweight. Corrosion-resistant. Automatic or manual operation. Field replaceable power cords. Continuous duty when fully submerged. Stainless steel.

Specifications

Heads: To 33'.

Discharge Size: 1½" female NPT.

Power Cord: 10' or 25'.

Maximum Solids: 7/16".

Fluid Temp. Range: 32°F to 131°F (0°C to 55°C).

Minimum Pumping Level: 1⅝".

Compliances. UL Listed. CSA Listed.

Order No.	Mfr. No.	hp	Volts	Phase	Max. Cap. gpm
8010 41700	AP12	½	115	1	78

GRUNDFOS® Sump Pumps



For basement sumps, dewatering and water transfer. Lightweight. Corrosion-resistant. Automatic or manual operation. Field replaceable power cord. Continuous duty. Stainless steel.

Specifications

Heads: To 26'.

Discharge Size: 1¼" female NPT.

Power Cord: 10' or 25'.

Maximum Solids: ⅜".

Fluid Temp. Range: 32°F to 95°F (0°C to 35°C).


Minimum Pumping Level: ½".

Compliances. UL Listed. cUL Listed. CSA Listed.

Order No.	Mfr. No.	hp	Volts	Phase	Max. Cap. gpm
8010 41500	KP150	¼	115	1	55
8010 41600	KP250	⅓	115	1	55

MUELLER STEAM SPECIALTY Y Strainers


Threaded - Cast Iron



Order No.	Mfr. No.	Size In.	Wt. Lbs.
0745 10500	11MB	¼	250
0745 10503	11MD	½	250
0745 10506	11MF	¾	250
0745 10509	11MG	1	250
0745 10512	11MH	1¼	250
0745 10515	11MJ	1½	250
0745 10518	11MK	2	250
0745 10521	11ML	2½	250
0745 10524	11MM	3	250

MUELLER STEAM SPECIALTY Y Strainers

Flanged - Cast Iron



Order No.	Mfr. No.	Size In.
0745 10527	758K	2
0745 10530	758L	2½
0745 10533	758M	3
0745 10536	758P	4
0745 10539	758S	5
0745 10542	758U	6
0745 10545	758X	8
0745 10548	75810	10
0745 10551	75812	12
0745 10554	75814	14

MUELLER STEAM SPECIALTY

Silent Check Valves
Center Guided



303



91



101M



105M

No. 303. Available in sizes ½" through 2".

No. 91. Available in sizes 2" through 10".

No. 101M. Available in sizes 1" through 10".

No. 105M. Available in sizes 2" through 24".

Substitute first letter suffix for optional body, second letter suffix for optional trim.

Example: #101—A(Body)—P(Trim)

When ordering, please specify body and trim.

Optional Bodies & Trims

Suffix	Desc.
Body Materials	
A	Semi-Steel (Cast Iron)
B	Bronze, 85-5-5-5
C	Bronze, "M" Metal
D	Carbon Steel, Grade WCB
E	Carbon Moly, Grade WCI
F	Stainless, Type 410
G	Stainless, Type 304
H	Stainless, Type 316
I	Ductile Iron
J	Aluminum
Trim Materials	
P	Bronze, 85-5-5-5
Q	Bronze, "M" Metal
R	Stainless, Type 410
S	Stainless, Type 304
T	Stainless, Type 316
U	Monel
V	Carbon Steel

Standard Valves

Order No.	Mfr. No.	Body	Trim	ANSI Class Lbs.
Compact Wafer Type				
0745 10557	91-AP	Cast-Iron	Bronze	125
0745 10560	92-AP	Cast-Iron	Bronze	125
0745 10563	93-AP	Cast-Iron	Bronze	250
Full Face Wafer Type				
0745 10566	101M-AP	Cast-Iron	Bronze	125
0745 10569	103M-AP	Cast-Iron	Bronze	250
0745 10572	101M-BP	Bronze	Bronze	150
0745 10575	103M-BP	Bronze	Bronze	300
0745 10578	101M-DT	Carbon-Steel	S.S.	150
0745 10581	103M-DT	Carbon-Steel	S.S.	300
0745 10584	131-DT	Carbon-Steel	S.S.	600
0745 10587	101M-HT	316-S.S.	S.S.	150
0745 10590	103M-HT	316-S.S.	S.S.	300
Globe Type				
0745 10593	105M-AP	Cast-Iron	Bronze	125
0745 10596	107M-AP	Cast-Iron	Bronze	250
0745 10599	105M-BP	Bronze	Bronze	150
0745 10602	109M-BP	Bronze	Bronze	300
0745 10605	105M-DT	Carbon-Steel	S.S.	150
0745 10608	109M-DT	Carbon-Steel	S.S.	300
0745 10611	113-DT	Carbon-Steel	S.S.	600
0745 10614	105M-HT	316-S.S.	S.S.	150
0745 10617	109M-HT	316-S.S.	S.S.	300

Screwed Ends

0745 10620	303-AP	Cast-Iron	Bronze	250
0745 10623	303-BP	Bronze	Bronze	300
0745 10626	303-HT	316-S.S.	S.S.	300

Note: Customized valves may be ordered using given suffixes.

MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs and other available publications and data on request.

Plusco Supply Corp.

MUELLER STEAM SPECIALTY Duplex Strainers Ball-Plex™



3-way balls as diverter valves. PTFE seats. Two-part body casting. All parts of valve accessible after removing the basket chamber without removing the strainer from line. Standard gear operator on 4" and 6" units. Standard perforated stainless steel baskets, unless specified. Shell test pressure = 1½ times working pressure. 80 psi valve seat test pressure. Available in cast iron, carbon steel, 316 stainless steel and bronze.

Series 791. Pressure and temperature rating: Class 125, 200 psi-wog.

Series 792. Pressure and temperature rating: Class 150, 285 psi-wog.

Series 794. Pressure and temperature rating: Class 300, 740 psi-wog.

Series 796. Pressure and temperature rating: Class 600 (flanges), 750 psi-wog.

Order No.	Mfr. No.	Nom. Size In.	Approx. Wt. Lbs.
Screwed End			
0745 10629	791-3/4 SE	¾	27
0745 10632	791-1 SE	1	28
0745 10635	791-1-1/4 SE	1¼	70
0745 10638	791-1-1/2 SE	1½	70
0745 10641	791-2 SE	2	94
0745 10644	791-2-1/2 SE	2½	136
0745 10647	791-3 SE	3	136
0745 10650	792-3/4 SE	¾	27
0745 10653	792-1 SE	1	28
0745 10656	792-1-1/4 SE	1¼	70
0745 10659	792-1-1/2 SE	1½	70
0745 10662	792-2 SE	2	94
0745 10665	792-2-1/2 SE	2½	136
0745 10668	792-3 SE	3	136
0745 10671	794-3/4 SE	¾	27
0745 10674	794-1 SE	1	28
0745 10677	794-1-1/4 SE	1¼	70
0745 10680	794-1-1/2 SE	1½	70
0745 10683	794-2 SE	2	94
0745 10686	794-2-1/2 SE	2½	136
0745 10689	794-3 SE	3	136
0745 10692	796-3/4 SE	¾	27
0745 10695	796-1 SE	1	28
0745 10698	796-1-1/4 SE	1¼	70
0745 10701	796-1-1/2 SE	1½	70
0745 10704	796-2 SE	2	94
0745 10707	796-2-1/2 SE	2½	136
0745 10710	796-3 SE	3	136

Flanged End			
0745 10713	791-1 FE	1	33
0745 10716	791-1-1/4 FE	1¼	60
0745 10719	791-1-1/2 FE	1½	60
0745 10722	791-2 FE	2	100
0745 10725	791-2-1/2 FE	2½	160
0745 10728	791-3 FE	3	160
0745 10731	791-4 FE	4	320
0745 10734	791-5 FE	5	610
0745 10737	791-6 FE	6	610
0745 10740	792-1 FE	1	33
0745 10743	792-1-1/4 FE	1¼	60
0745 10746	792-1-1/2 FE	1½	60
0745 10749	792-2 FE	2	100
0745 10752	792-2-1/2 FE	2½	160
0745 10755	792-3 FE	3	160
0745 10758	792-4 FE	4	320
0745 10761	792-5 FE	5	610

Order No.	Mfr. No.	Nom. Size In.	Approx. Wt. Lbs.
0745 10764	792-6 FE	6	610
0745 10767	794-1 FE	1	33
0745 10770	794-1-1/4 FE	1¼	60
0745 10773	794-1-1/2 FE	1½	60
0745 10776	794-2 FE	2	100
0745 10779	794-2-1/2 FE	2½	160
0745 10782	794-3 FE	3	160
0745 10785	794-4 FE	4	320
0745 10788	794-5 FE	5	610
0745 10791	794-6 FE	6	610
0745 10794	796-1 FE	1	33
0745 10797	796-1-1/4 FE	1¼	60
0745 10800	796-1-1/2 FE	1½	60
0745 10803	796-2 FE	2	100
0745 10806	796-2-1/2 FE	2½	160
0745 10809	796-3 FE	3	160

Note: 4", 5" and 6" units are standard with gear operator. Handwheel dimension is 10".

5" and 6" unit utilizes two baskets in each chamber.

6" bronze unit w/300 ANSI flanges rated 300 psi-wog.

UNAFLEX Metal Pump Connectors "MASTER" - Information



Designed with flexible core of corrugated tin bronze (98¾% copper and 1¼% tin) or corrugated Type 321 stainless steel tubing under braid. Flat-face flange standard; 150 lb. R.F., 300 lb., stainless, millimetric and male nipples available. Wire braid over flexible core on most designs provide strength for rated operating pressure.

Specifications - Threaded Metal Pump Connectors

No.	Nom. Hose ID In.	Lgth. In.	Max. Work. Press. psi*	Wt. Lbs.
8200	½	6½	950	¾
8750	¾	7	700	½
8001	1	8	550	¾
8250	1¼	8½	420	1
8220	1½	9	350	1¼
8002	2	10½	300	2½
8222	2½	12	300	2½

*At room temperature.

Specifications - Flanged Metal Pump Connectors

No.	Nom. Hose ID In.	Lgth. In.	Max. Work. Press. psi†	Wt. Lbs.
8202	2½	9	250	16
8003	3	9	250	19
8203	3½	9	200	23
8004	4	9	200	19
8005	5	11	200	32
8006	6	11	200	40
8008	8	12	200	62
8010	10	13	150	101
8012	12	14	125	153
8014	14	14	100	200

†At room temperature.

Complete Information Available on Request.

UNAFLEX

Sound Absorbers

"SUPER-QUIET" - Rubber Vibration - Information

For water service to 180°F.

Vibration Joint. 8" ID×24".

Caution: Not designed to accommodate movement in piping system caused by temperature change or other conditions.

Vibration Reduction Percentages

Ctr. Freq. Hz	10 psig Vibration Joint %	50 psig Vibration Joint %	80 psig Vibration Joint %
440	87	91	93
68	95	96	99
125	98	99	99
250	96	97	99
500	91	93	94
1000	82	91	96
2000	99	99	99
4000	99	99	99
8000	97	97	98



Style 3150

Style 3150. 150 psi U.S.A. drilling. Designed with molded rubber flanged ends with bolt holes that accommodate standard steel flanges. With or without helical wire reinforcement. Special tubes can be compounded to meet unique service conditions in either suction or discharge applications.

Style 3250. 250 psi U.S.A. drilling. Designed with molded rubber flanged ends with bolt holes that accommodate standard steel flanges. With or without helical wire reinforcement. Special tubes can be compounded to meet unique service conditions in either suction or discharge applications.

Sound Absorbers - Flanged End - Style 3150

Joint ID In.	Face-to-Face Min. In.	Face-to-Face Max. In.	Ring ID In.	Flge. Dia. In.	Flge. Thick. In.	Bolt Circle Dia. In.	No. Bolt Holes	Bolt Dia. In.
1½	12	24	2½	5	1¼	3⅞	4	⅝
2	12	24	3⅝	6	1¼	4¾	4	¾
3	12	36	4⅝	7½	2⅞	6	4	¾
4	12	36	5⅞	9	2⅞	7½	8	¾
5	12	36	6⅞	10	1⅝	8½	8	⅞
6	18	36	7⅞	11	3⅞	9½	8	⅞
8	24	48	9⅞	13½	3⅞	11¾	8	⅞
10	24	48	12⅞	16	1⅝	14¼	12	1
12	24	48	14½	19	1⅞	17	12	1

Sound Absorbers - Flanged End - Style 3250

Joint ID In.	Face-to-Face Min. In.	Face-to-Face Max. In.	Ring ID In.	Flge. Dia. In.	Flge. Thick. In.	Bolt Circle Dia. In.	No. Bolt Holes	Bolt Dia. In.
1½	12	24	2½	6⅞	2⅞	4½	4	⅞
2	12	24	3⅞	6½	2⅞	5	8	¾
3	12	36	4⅞	8¼	2⅞	6⅞	8	⅞
4	12	36	5⅞	10	⅞	7⅞	8	⅞
5	12	36	6⅞	11	1⅝	9¼	8	⅞
6	18	36	7⅞	12½	1⅝	10⅞	12	⅞
8	24	48	9⅞	15	1⅞	13	12	1
10	24	48	12⅞	17½	1⅞	15¼	16	1⅞
12	24	48	14½	20½	1⅞	17¾	16	1⅞



Style 2150

Plusco Supply Corp.

Style 2150. Lengths of rubber pipe with factory-attached ferrules for pipes and other connections involving standard IPT. Eliminate vibration between pump and pipe line either for suction or discharge.

Style 2250. Lengths of rubber pipe with factory-attached ferrules for pipes and other connections involving standard IPT. Eliminate vibration between pump and pipe line either for suction or discharge.

Sound Absorbers - Ferruled Coupling

Pipe ID In.	Lgth. In.
3/4	12
1	18
1 1/4	18
1 1/2	18
2	24
2 1/2	24
3	36
4	36

Complete Information Available on Request.

JOMAR® Emergency Shut-Off Device ADD-A-VALVE®



Use on M, L, K or metric copper tubing without shutting off water. Replace defective valve. New ball valve may be installed on hot water to 220°F (104°C) or cold water including hot or chilled H2O glycol systems under pressure 0 psi to 250 psi (17 bar). End cap/clean out cover serves as line tap by use of adapter.

Order No.	Mfr. No.	Size In.
61100	800-103ADD	1/2
61105	800-104ADD	3/4
61110	800-105ADD	1
61115	800-106ADD*	1 1/4
61120	800-107ADD*	1 1/2
61125	800-108ADD*	2

*On multi-story buildings, pump must be shut-off prior to installation.

NIBCO® Angle Sillcocks



Order No.	Mfr. No.	Nom. Size In.
0732 00370	63-1/2	1/2
0732 00380	63-3/4	3/4

Threaded to Hose

NIBCO® Cast Copper-Based Alloy Boiler Drains FIP to Hose - 125 psi WOG



Rated 125 psi WOG to 180°F. Nonshock.

Order No.	Mfr. No.	Size In.	Open. In.
0732 00480	73-1/2	1/2	3 1/4
0732 00485	73-3/4	3/4	3 5/16

NIBCO® Boiler Drains



Copper or M.S.P.S. to Hose

For washing machine hook-up. Weight .5 lbs.

Order No.	Mfr. No.	Desc.	Nom. Size In.
0732 00490	74-1/2	Cop or MIPxHose	1/2
0732 00495	74-3/4*	MIPxHose	3/4

*Furnished in M.S.P.S. to hose only.

NIBCO® Cast Copper-Based Alloy Boiler Drains Solder/Male to Hose - 125 psi WOG




Copper or male threads to hose. Rated 125 lb. WOG to 180°F. Made in USA.

No. 74CL-3/4. Furnished in male threads to hose only.

Order No.	Mfr. No.	Nom. Size In.
0732 00502	74CL-1/2	1/2
0732 00504	74CL-3/4	3/4

NIBCO®

Bronze Swing Check Valves Class 150 - Solder - Horizontal Y-Pattern



Regrinding type. Renewable seat and disc. TFE disc. Rated 150 psi saturated steam to 366°F. Rated 150 psi fluid to 406°F. Rated 300 psi nonshock cold water, oil or gas.

Compliances. Conform to MSS SP-80.

Order No.	Mfr. No.	Size In.	Ctr. to Top In.	End to End In.
0732 15504	S-433-Y-1/2	1/2	1 11/16	2 1/16
0732 15506	S-433-Y-3/4	3/4	1 7/8	2 15/16
0732 15508	S-433-Y-1	1	2 5/16	3 3/16
0732 15510	S-433-Y-1-1/4	1 1/4	2 11/16	4 3/16
0732 15512	S-433-Y-1-1/2	1 1/2	2 15/16	4 1/2
0732 15514	S-433-Y-2	2	3 15/16	5 1/4

NIBCO®

Bronze Swing Check Valves Class 150 - NPT Ends - Horizontal Y-Pattern



Regrinding type. Renewable seat and TFE steam disc. Rated 150 psi saturated steam to 366°F (185°C). Rated 150 psi fluid to 406°F (207°C). Rated 300 psi nonshock cold water, oil or gas.

Order No.	Mfr. No.	Nom. Size In.
0732 16104	T-433-Y-1/2	1/2
0732 16106	T-433-Y-3/4	3/4
0732 16108	T-433-Y-1	1
0732 16110	T-433-Y-1-1/4	1 1/4
0732 16112	T-433-Y-1-1/2	1 1/2
0732 16114	T-433-Y-2	2

IF YOU CAN'T FIND IT HERE....

Let us know! Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

Plusco Supply Corp.

NIBCO®

Bronze Swing Check Valves Class 125 - NPT Ends - Horizontal Y-Pattern



Regrinding type. Renewable seat and TFE steam disc. Rated 125 psi saturated steam to 353°F (178°C). Rated 125 psi fluid to 406°F (207°C). Rated 200 psi nonshock cold water, oil or gas.

Order No.	Mfr. No.	Size In.
NPT to NPT		
0732 21312	T-413-Y-1/2	1/2
0732 21314	T-413-Y-3/4	3/4
0732 21316	T-413-Y-1	1
0732 21318	T-413-Y-1-1/4	1 1/4
0732 21320	T-413-Y-1-1/2	1 1/2
0732 21350	T-413-Y-2	2

Copper to Copper

0732 21352	S-413-Y-1/2	1/2
0732 21354	S-413-Y-3/4	3/4
0732 21356	S-413-Y-1	1
0732 21358	S-413-Y-1-1/4	1 1/4
0732 21360	S-413-Y-1-1/2	1 1/2
0732 21362	S-413-Y-2	2

NIBCO®

Bronze Gate Valves Flat-Top®



Valve




Fig. No. T-29
Threaded
Dim.

Not recommended for use with hydrocarbons. Nonrising stem. Flat top threaded bonnet. Bronze gate. Rated 200 psi to 200°F.

Order No.	Mfr. No.	Nom. Size In.	A In.	B In.	Pkg. Qty.
0732 06448	T-29-1/2	1/2	1 13/16	2 1/2	10
0732 06450	T-29-3/4	3/4	2	2 7/8	10
0732 06452	T-29-1	1	2 5/16	3 9/16	5
0732 06454	T-29-1-1/4	1 1/4	2 9/8	3 11/16	5
0732 06456	T-29-1-1/2	1 1/2	2 3/4	4 3/16	5
0732 06458	T-29-2	2	2 7/8	4 7/8	5

NIBCO®

Bronze Gate Valves Solder - 200 psi



Nonrising stem. Threaded bonnet. Bronze gate 200 lb. WWP. Not for use with hydrocarbons. Copper to copper.

Order No.	Mfr. No.	Nom. Size In.	Size In.
0732 05102	S-29-1/2	1/2	1 13/16x2 1/2x1 3/16
0732 05104	S-29-3/4	3/4	2x2 7/8x1 7/8
0732 05106	S-29-1	1	3 9/16x1 1/16
0732 05108	S-29-1-1/4	1 1/4	...
0732 05110	S-29-1-1/2	1 1/2	...
0732 05112	S-29-2	2	...

NIBCO®

Gate Valves



Rated 125 lbs. Bronze gate valve. Nonrising stem. Screw in bonnet. Rated 125 psi 200 WOG.

Order No.	Mfr. No.	Nom. Size In.	End to End In.
Series T-113 - Threaded Ends			
0732 06886	T-113-1/4	1/4	1 11/16
0732 06888	T-113-3/8	3/8	1 11/16
0732 06890	T-113-1/2	1/2	1 15/16
0732 06892	T-113-3/4	3/4	2 1/16
0732 06894	T-113-1	1	2 7/16
0732 06896	T-113-1-1/4	1 1/4	2 9/8
0732 06898	T-113-1-1/2	1 1/2	2 7/8
0732 06900	T-113-2	2	3 1/16
0732 06902	T-113-2-1/2	2 1/2	4 1/8
0732 06904	T-113-3	3	4 1/2

Series S-113 - Solder Ends

0732 05328	S-113-3/8	3/8	1 11/16
0732 05330	S-113-1/2	1/2	1 15/16
0732 05332	S-113-3/4	3/4	2 1/16
0732 05334	S-113-1	1	2 7/16
0732 05336	S-113-1-1/4	1 1/4	2 9/8
0732 05338	S-113-1-1/2	1 1/2	2 7/8
0732 05340	S-113-2	2	3 1/16
0732 05342	S-113-2-1/2	2 1/2	4 1/8
0732 05344	S-113-3	3	4 1/2

NIBCO®

Bronze Gate Valves Class 150



NPT to NPT



Copper to Copper

Block pattern. Union bonnet. Rising stem. Solid wedge. Rated 150 psi saturated steam to 366°F or 185°C. Rated 150 psi fluid to 406°F or 207°C. Rated 300 psi nonshock cold water, oil or gas.

Order No.	Mfr. No.	Nom. Size In.
NPT to NPT		
0732-08030	T-134-1/4	1/4
0732-08032	T-134-3/8	3/8
0732-08034	T-134-1/2	1/2
0732-08036	T-134-3/4	3/4
0732-08038	T-134-1	1
0732-08040	T-134-1-1/4	1 1/4
0732-08042	T-134-1-1/2	1 1/2
0732-08044	T-134-2	2
0732-08046	T-134-2-1/2	2 1/2
0732-08048	T-134-3	3
0732-08052	T-134-4	4
Copper to Copper		
0732-06008	S-134-3/8	3/8
0732-06010	S-134-1/2	1/2
0732-06012	S-134-3/4	3/4
0732-06014	S-134-1	1
0732-06016	S-134-1-1/4	1 1/4
0732-06018	S-134-1-1/2	1 1/2
0732-06020	S-134-2	2
0732-06022	S-134-2-1/2	2 1/2
0732-06024	S-134-3	3

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

Plusco Supply Corp.

JOMAR®

Brass Gate Valves
Econo-Gate™ - Series T-302 - 200 psi
W.O.G.



Cast brass. Gate valve. Compression ends. For nonsteam use in residential and light commercial applications. Screwed bonnet. Nonrising stem. Solid wedge disc. Integral seats. Compression ends eliminate soldering. May be repacked in service under pressure. Cast brass body, bonnet, packing nut, disc, hand wheel and cup nut. Forged brass stem. Brass rod wheel nut, locknut and gland. Brass tube compression ring. Asbestos free graphite gland packing.

Compliances. ISO 9002 #5M4Y009 Compliant.

Order No.	Mfr. No.	Size In.
61050	T302-1/2	1/2
61051	T-302-3/4	3/4
61052	T-302-1	1

NIBCO®

Brass Gate Valves
Threaded - Imported



TI-8

SI-8

Rated 200 lbs. WOG to 200°F.

Model TI-8

Order No.	Mfr. No.	Nom. Size In.	A In.	B In.	Pkg. Qty.
Threaded					
0732 02020	TI-8-1/2	1/2	1.69	2.99	10
0732 02025	TI-8-3/4	3/4	1.85	3.54	10

Model SI-8

Order No.	Mfr. No.	Nom. Size In.	C In.	Pkg. Qty.
Copper to Copper				
0732 02250	SI-8-1/2	1/2	1.77	10
0732 02255	SI-8-3/4	3/4	2.32	10

NIBCO®

Bronze Ball Valves
2-Pc.



125 lbs. Conventional port. Ring ball design. Rated 400 psi nonshock cold water, oil or gas.

Order No.	Mfr. No.	Nom. Size In.	End to End In.
Threaded			
0732 19032	T-580-1/2	1/2	2
0732 19034	T-580-3/4	3/4	2 5/32
0732 19036	T-580-1	1	2 7/8
0732 19038	T-580-1-1/4	1 1/4	3 13/32
0732 19040	T-580-1-1/2	1 1/2	3 3/4
0732 19042	T-580-2	2	4 7/16
Copper to Copper			
0732 18366	S-580-1/2	1/2	1 15/16
0732 18368	S-580-3/4	3/4	2 5/8
0732 18370	S-580-1	1	3 7/32
0732 18372	S-580-1-1/4	1 1/4	3 13/16
0732 18374	S-580-1-1/2	1 1/2	4 1/4
0732 18376	S-580-2	2	5 7/32

NIBCO®

Ductile Iron Butterfly Valves
Wafer Type - 200 psi



Lever-lock operator. Extended neck, geometric drive, molded-in seat liner. Aluminum bronze disc. Install between standard ANSI Class 125/150 flanges.

Compliances. MSS-SP67 Compliant. MSS-SP25 Compliant. API-609 Compliant.

Order No.	Mfr. No.	Size In.	Ctr. to Top In.	End to End In.
0732 35560	WD 2000-3-2	2	5.38	1.812
0732 35562	WD 2000-3-2-1/2	2 1/2	5.88	1.938
0732 35564	WD 2000-3-3	3	6.12	1.938
0732 35566	WD 2000-3-4	4	6.88	2.188

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

NIBCO®

PVC True Union Ball Valves
Socket/Threaded - Full Port - 150 psi WWP



Universal connectors. Tru-Bloc™. True union. Full port. EPDM O-Rings. Teflon® seats. Rated 150 psi at 73°F water nonshock.


Order No.	Mfr. No.	Size In.	Ctr. to Top In.	Skt. End to End In.	Thrd. End to End In.
0732 20012	U45TB-E-1/2	1/2	2.00	4.19	4.00
0732 20034	U45TB-E-3/4	3/4	2.50	5.00	4.63
0732 20010	U45TB-E-1	1	2.63	5.50	5.19
0732 20114	U45TB-E-1-1/4	1 1/4	3.50	6.63	6.19
0732 20112	U45TB-E-1-1/2	1 1/2	3.50	6.88	6.19
0732 20200	U45TB-E-2	2	4.25	8.00	7.38

NIBCO®

Bronze Ring Check Valves
125 psi WSP/250 psi WOG



T-480



T-480-Y

S-480

For horizontal or vertical general purpose plumbing and heating specifications. Resilient sealing with nonmetallic seat and disc material. TFE seat and Buna-N rubber or TFE disc.

Order No.	Mfr. No.	Nom. Size In.	A In.	B In.	C In.	Pkg. Qty.
Threaded - Buna-N Discs						
0732 16290	T-480-1/2	1/2	2 1/16	1 3/8	...	10
0732 16292	T-480-3/4	3/4	2 1/4	1 5/8	...	10
0732 16294	T-480-1	1	2 5/8	2	...	10
0732 16296	T-480-1-1/4	1 1/4	2 15/16	2 3/8	...	5
0732 16298	T-480-1-1/2	1 1/2	3 1/16	2 3/4	...	5
0732 16300	T-480-2	2	3 3/4	3 3/8	...	5

Solder - Buna-N Discs

0732 15680	S-480-1/2	1/2	2 1/16	1 3/8	1 3/16	10
0732 15682	S-480-3/4	3/4	2 1/4	1 5/8	1 5/16	10
0732 15684	S-480-1	1	2 5/8	2	1 1/2	10
0732 15686	S-480-1-1/4	1 1/4	2 15/16	2 3/8	2 1/16	5
0732 15688	S-480-1-1/2	1 1/2	3 1/16	2 3/4	2	5
0732 15690	S-480-2	2	3 3/4	3 3/8	2 5/16	5

Note: Not for use for reciprocating air compressor service.

Plusco Supply Corp.

ZURN

Water Pressure Reducing Valves Bronze Body



Series 600

Series 70

Maximum temperature of 180° F. Bronze body and bell housing provide durability and long life. Prevent buildup of excessive system pressure caused by thermal expansion with built-in bypass. Stainless steel strainer. Buna-N diaphragm is nylon reinforced. Stainless steel seat is replaceable. Balanced piston. Install in any position. Corrosion-resistant internal parts. Serviceable in-line. Tapped and plugged for gauge or tapped for gauge available. Union end connection standard and available in sizes 1/2"-2" in FNPT. Available with BSP threads 1/2"-2".

Compliances. ASSE-1003 Listed. IAPMO® Listed. CSA, City of Los Angeles certified.

Series 600

Order No.	Mfr. No.	Size In.	Max. Press. psi
0240 30050	600-3/4	3/4	300
0240 30055	600-1	1	300

Series 70

Order No.	Mfr. No.	Size In.	Pressure psi	Spring Rge. psi
0240 30060	70-3/4	3/4	300	25-75
0240 30065	70-1	1	300	25-75

WATTS® REGULATOR

Water Pressure Reducing Valves w/Integral Strainer



For residential, commercial and industrial applications. Furnished with union inlet connection with threaded tailpiece, for sizes 1/2" to 2". Suitable for initial pressures up to 300 lbs. Reduced pressure range 25 to 75 lbs. Set for 50 lbs. delivery pressure unless otherwise specified. Maximum temperature 160°F.

Compliances. Certified Under American Society of Sanitary Eng. (Std. 1003).

Order No.	Mfr. No.	Size In.	End to End In.	Flow Cap. gpm	Wt. Lbs.
0770 02355	U5-1/2	1/2	5 3/4	17	4
0770 02360	U5-3/4	3/4	6 3/8	27	5
0770 02380	U5-1	1	6 3/4	40	6

WATTS® REGULATOR

Water Pressure Reducing Valves Threaded Union×Female NPT - Bronze Body




For residential and commercial applications. NPT female union inlet, NPT female outlet. Maximum pressure 200 psi. Set for 30 psi no flow pressure. Operating temperature maximum 180°F. Renewable strainer and seat. High pressure resistant diaphragm.

Compliances. Meet requirements of ASSE Standard No.1003. Meet ANSI A112.26.2 requirements. Meet CSA Standard B356 requirements. Meet Southern Standard Plumbing Code requirements. IAPMO Listed.

Order No.	Mfr. No.	Size In.	End to End In.	Ctr. to Top In.
0770 02580	U5LP-1/2	1/2	5 3/4	5
0770 02600	U5LP-3/4	3/4	6 3/8	5 3/8
0770 02620	U5LP-1	1	6 3/4	6

WATTS® REGULATOR

Water Pressure Reducing Valves Threaded Union×Female NPT



For residential, commercial, industrial applications. NPT union inlet and NPT female outlet. Bronze body, stainless steel integral strainer, renewable stainless steel seat, high-temperature-resistant diaphragm. Bypass feature to relieve thermal expansion in closed systems. Suitable for initial pressures up to 300 lbs. Reduced pressure range 25 lbs. to 75 lbs. Set for 50 lbs.; no flow pressure unless otherwise specified. Max. temperature 160°F. Flow capacities gpm based on average conditions, reduced-pressure fall-off due to demand, difference of 50 lbs. or more between initial and regulator lock-up pressure. Deduct 20% from cap. shown where difference is less than 50 lbs.

Compliances. Meet requirements of ASSE Std. No. 1003, CSA Std. No. B356. IAPMO Listed.

Flow Capacities - gpm

No.	1/2	3/4	1"	1 1/4	1 1/2	2"
USB	17	27	40	50	64	100

Reducing Valves

Order No.	Mfr. No.	A In.	B In.	C In.
0770 02460	U5B-1/2	1/2	1 1/8	5
0770 02480	U5B-3/4	3/4	1 1/8	5 3/8
0770 02500	U5B-1	1	2	6
0770 02520	U5B-1 1/4	1 1/4	2 1/4	6 1/8
0770 02540	U5B-1 1/2	1 1/2	3	6 3/4
0770 02560	U5B-2	2	3 1/4	9

WATTS® REGULATOR

Water Pressure Reducing Valves Threaded Union×Female NPT - Bronze Body



For residential and commercial applications. With built-in thermal by-pass. NPT female union inlet, NPT female outlet. Maximum pressure 200 psi. Pressure range 10 psi to 35 psi. Set for 30 psi no flow pressure. Operating temperature maximum 180°F. Renewable strainer and seat. High pressure resistant diaphragm.

Compliances. Meet requirements of ASSE Standard No.1003. Meet ANSI A112.26.2 requirements. Meet CSA Standard B356 requirements. Meet Southern Standard Plumbing Code requirements. Meet IAPMO Listed requirements.

Order No.	Mfr. No.	Size In.	End to End In.	Ctr. to Top In.
0770 02700	U5BLP-1/2	1/2	5 3/4	5
0770 02720	U5BLP-3/4	3/4	6 3/8	5 3/8
0770 02740	U5BLP-1	1	6 3/4	6
0770 02760	U5BLP-1-1/4	1 1/4	8	6 1/8
0770 02780	U5BLP-1-1/2	1 1/2	9 1/2	6 3/4
0770 02800	U5BLP-2	2	11	9

WATTS® REGULATOR

Water Pressure Reducing Valves Series 223 - Bronze Body



Series 223

Super capacity water pressure reducing valves with and without strainers. For commercial, institutional or industrial applications. Initial pressures up to 300 lb. Reduced pressure range 25 lbs.-75 lbs. Set for 50 lbs. delivery pressure unless other wise specified. NPT female inlet and outlet. Maximum temperature 160°F.

Order No.	Mfr. No.	Wt. Lbs.
0770 03020	223-1/2	5 1/4
0770 03040	223-3/4	5 1/4
0770 03060	223-1	7 1/8
0770 03080	223-1-1/4	9 5/8
0770 03100	223-1-1/2	20
0770 11000	223-2	33

Plusco Supply Corp.

WATTS® REGULATOR Steam Pressure Regulators Cast Iron Body



Medium capacity. Maximum pressure up to 200 psi. Stainless steel: strainer screen, renewable steel seat and valve disc, disc and stem guide.

Order No.	Mfr. No.	Size In.	Dim., In.		Adjustable Ranges psi
			End-to-End	Ctr.-to-Top	
0770 03590	152A 3-15-1/2	1/2	6	7	3-15
0770 03592	152A 10-30-1/2	1/2	6	7	10-30
0770 03594	152A 30-140-1/2	1/2	6	7	30-140
0770 03610	152A 3-15-3/4	3/4	6	7	3-15
0770 03612	152A 10-30-3/4	3/4	6	7	10-30
0770 03614	152A 30-140-3/4	3/4	6	7	30-140
0770 03630	152A 3-15-1	1	7 1/2	7 1/4	3-15
0770 03632	152A 10-30-1	1	7 1/2	7 1/4	10-30
0770 03634	152A 30-140-1	1	7 1/2	7 1/4	30-140
0770 03650	152A 3-15-1-1/4	1 1/4	7 1/2	7 1/4	3-15
0770 03652	152A 10-30-1-1/4	1 1/4	7 1/2	7 1/4	10-30
0770 03654	152A 30-140-1-1/4	1 1/4	7 1/2	7 1/4	30-140
0770 03670	152A 5-40-1-1/2	1 1/2	9	11 1/2	5-40
0770 03672	152A 30-100-1-1/2	1 1/2	9	11 1/2	30-100
0770 03690	152A 5-40-2	2	9	11 1/4	5-40
0770 03692	152A 30-100-2	2	9	11 1/4	30-100

KUNKLE VALVES

Safety Valves Bronze - Steam Side Outlet - Information



Full nozzle design with bronze/brass trim. Stainless steel spring. Pressure limits: steam to 250 psig, 406°F. Valve housing is heavy duty casting. Wide hex on valve body for easy installation. Seats lapped to optical flatness. Dual control rings for precise opening with minimum preopen or simmer and exact blowdown control. Ball bearing pivot to correct misalignment and compensate for spring side thrust. Grooved piston type disc to reduce sliding area and friction. Heavy duty lift lever assembly. Tested and inspected for pressure setting, blowdown and leakage. All adjustments factory sealed.

Order No.	Mfr. No.	Set Press. psig	Orifice Area Sq. In.	Male	Female
				NPT Inlet In.	NPT Outlet In.
9122-00100	6010DC-PM0125	125	.121	1/2	3/4
9122-00200	6010DD-PM0125	125	.121	3/4	3/4
9122-00300	6010EE-PM0125	125	.216	1	1
9122-00400	6010FF-PM-0125	125	.338	1 1/4	1 1/4
9122-00500	6010GG-PM0125	125	.554	1 1/2	1 1/2
9122-00600	6010HH-PM0125	125	.863	2	2
9122-00700	6010DC-PM0150	150	.121	1/2	3/4
9122-00800	6010EE-PM0150	150	.216	1	1
9122-00900	6010FF-PM0150	150	.338	1 1/4	1 1/4
9122-01000	6010GG-PM0150	150	.554	1 1/2	1 1/2
9122-01100	6010HH-PM0150	150	.863	2	2

Complete Information Available on Request.

Plusco Supply Corp.

WATTS® REGULATOR

Relief Valves

Series 174A - Bronze



Pressure protection only for hot water heating boiler equipment. Female inlet/outlet connections. Seat located above drain. Non-mechanical seat-to-disc alignment. Non-metallic disc-to-metal seating. Spring working parts isolated from water during relief by temperature-resistant water seal. Maximum temperature 250°.

Compliances. ASME Certified, Section IV low pressure heating boiler code. Military Spec. MIL-V-18634B, Type I, Class 3A, Style A Compliant.

Order No.	Mfr. No.	Size In.	Ht. In.	Lgth. In.	Steam Cap. Btu/h	psi
0770 04925	174A-M3-3/4x3/4-30	3/4x3/4	35/8	2 1/2	650000	30
0770 04931	174A-M3-3/4x3/4-125	3/4x3/4	35/8	2 1/2	2070000	125
0770 04933	174A-M3-3/4x3/4-150	3/4x3/4	35/8	2 1/2	2445000	150
0770 04945	174A-M1-1x1-30	1x1	5 3/4	3	1005000	30
0770 04951	174A-M1-1x1-125	1x1	5 3/4	3	3215000	125
0770 04954	174A-M1-1x1-150	1x1	5 3/4	3	3795000	150
0770 04964	174A-M1-1/4-1x1-1/4-30	1 1/4x1 1/4	8 3/8	4 3/4	1682000	30
0770 04972	174A-M1-1/4-1x1-1/4-125	1 1/4x1 1/4	8 3/8	4 3/4	5370000	125
0770 04974	174A-M1-1/4-1x1-1/4-150	1 1/4x1 1/4	8 3/8	4 3/4	6340000	150
0770 04984	174A-M1-1/2-1x1-1/2-30	1 1/2x1 1/2	9	4 7/8	2020000	30
0770 04992	174A-M1-1/2-1x1-1/2-125	1 1/2x1 1/2	9	4 7/8	6460000	125
0770 04994	174A-M1-1/2-1x1-1/2-150	1 1/2x1 1/2	9	4 7/8	7630000	150

WATTS® REGULATOR

Temperature & Pressure Relief Valves

Bronze Body



Vacuum
Relief
Valve

Temperature relief 210°F. For gas or oil-fired storage water heaters between 200,000 and 730,000 BTU/Hr. rating, compliance with applicable water-heating labeling requirements. Bronze body, vacuum relief valve vent in drain, back-up emergency safety fuse plug, tamper-resistant bonnet screws. Model M2 thermostat (included) standard with stainless steel thermostat tube.

Compliances. ASME Rated. AGA Design Certified. CGA Listed.

Order No.	Mfr. No.	Size In.	Inlet×Outlet Rating Lbs.	Inlet×Outlet Wdth. In.	Inlet×Outlet Wt. Lbs.
0770 00280	N240X-6-125	1F×1F	125	3 3/8	2 3/4
0770 00285	N240X-6-150	1F×1F	150	3 3/8	2 3/4

WATTS® REGULATOR

Temperature & Pressure Relief Valves

Bronze Body



Temperature relief 210°F. Use 3/4" sizes for gas, electric, or oil-fired storage water heaters between 180,000 and 200,000 BTU/Hr. rating. Use 1" sizes for gas or oil-fired storage water heaters between 200,000 and 730,000 BTU/Hr. rating, compliance with applicable water-heating labeling requirements. Bronze body, vacuum relief valve vent in drain, back-up emergency safety fuse plug, tamper-resistant bonnet screws. Model M12 thermostat (included) has thermo-bonded (non-metallic) protective coating, which regards accumulation of mineral deposits.

Compliances. ASME Rated. AGA Design Certified. CGA Listed.

Order No.	Mfr. No.	Size In.	Inlet×Outlet Rating Lbs.	Inlet×Outlet Lgth. In. *	Inlet×Outlet Ht. In.	Wdth. In.
0770 00060	40XL-5-125	3/4M×3/4F	125	5	5 5/8	2 5/8
0770 00065	40XL-5-150	3/4M×3/4F	150	5	5 5/8	2 5/8
0770 00080	40XL-4-125	1M×1F	125	4	6 1/4	2 3/4
0770 00085	40XL-4-150	1M×1F	150	4	6 1/4	2 3/4

*Below inlet thread.

Note: Height less thermostat.

Plusco Supply Corp.

WATTS® REGULATOR

Temperature & Pressure Relief
Valves

Self-Closing - Bronze Body



For water heaters up to 100,000 Btuh/Hr. All-bronze body, stainless steel spring. Thermostats have thermo-bonded (nonmetallic) protective coating. Temperature relief 210°F. Pressure relief set at 150 lbs.

Compliances. ASME Rated. Meet current FHA, ANSI Z21.22 Requirements. AGA Certified. CGA Certified. Military Spec. MIL-V-136-12D, Type I Compliant.

No. 100XL-4. Has test lever, 4" extension thermostat.

No. 100XL-8. Has 8" extension thermostat.

Order No.	Mfr. No.	Size In.	Ht. In.	Wdth. In.	Setting psi
0770 00632	100XL-4-125	3/4Mx3/4F	3 1/2	1 7/8	125
0770 00650	100XL-8-125	3/4Mx3/4F	3 1/2	1 7/8	125

Note: Height less element.

WATTS® REGULATOR

Temperature & Pressure Relief
Valves

ASME - Self-Closing - Bronze Body



For water heaters up to 80,000 Btuh/Hr. All-bronze body, stainless steel spring. Short thermostats with thermo-bonded (non-metallic) protective coating. Temperature relief 210°F. Pressure relief set at 75 Lbs. Inlet size 3/4" male. Outlet size 3/4" female. Width 1 7/8". Height less element 3 1/2".

Compliances. AGA, ASME Rated. Meet current FHA, ANSI Z21.22 Requirements. Military Spec. MIL-V-136-12D, Type I.

Order No.	Mfr. No.	Size In.	Ht. In.	Wdth. In.	Setting psi
0770 00580	10L-2-125	3/4Mx3/4F	3 1/2	1 7/8	125

Note: Height less element.

WATTS® REGULATOR

Temperature & Pressure Relief
Valves

Std. - Self-Closing - Bronze Body



For water heaters up to 15,000 Btuh/Hr. All-bronze body, stainless steel spring. Thermostats have thermo-bonded (nonmetallic) protective coating. Temperature relief 210°F.

Compliances. Meet current FHA, ANSI Z21.22 Requirements. AGA/CGA Certified. Military Spec. MIL-V-136-12D, Type I.

Order No.	Mfr. No.	Size In.	Lgth. In.	Ht. In.	Wdth. In.	Setting psi
0770 00520	1L-2-125	1/2Fx1/2M	2	3 1/2	1 7/8	125
0770 00540	1XL-4-125	1/2Fx1/2M	4	3 1/2	1 7/8	125
0770 00560	1XL-8-125	1/2Fx1/2M	8	3 1/2	1 7/8	125

Note: Height less element.

WATTS® REGULATOR

Backflow Preventers



Series 288A

Series 288A. Anti-siphon vacuum breaker. Prevents back-siphonage of contaminated water into a potable water supply. Max. temp. 210°F at 125 lbs. working pressure. Not to be used under continuous pressure.

Vacuum Breakers

Order No.	Mfr. No.	Size In.	Finish
Anti-Siphon Vacuum Breakers			
0770 01160	288A-1/4	1/4	Brass
0770 01180	288A-3/8	3/8	Brass
0770 01200	288A-1/2	1/2	Brass
0770 01220	288A-3/4	3/4	Brass
0770 01360	288AC-1/4	1/4	Chrome
0770 01380	288AC-3/8	3/8	Chrome
0770 01400	288AC-1/2	1/2	Chrome
0770 01420	288AC-3/4	3/4	Chrome

WATTS® REGULATOR

Vacuum Breakers
Atmospheric Anti-Siphon



Satin chrome finish. Bottom inlet and outlet connections. Hot or cold water. Prevent back siphonage of contaminated water into potable water supply. Full size orifice for maximum flow. Lightweight disc assembly prevents spilling under all rates of flow. Silicone disc. Not used under continuous pressure. Install 6" above highest point. Maximum temperature 180°F at 125 psi working pressure.

Compliances. Meet ASSE No. 1001 requirements. Meet CSA B.64.1.1 requirements.

Order No.	Mfr. No.	Size In.	Top to Bot. In.	Ctr. Inlet to Ctr. Outlet In.
0770 01454	N388-SC-1/4	1/4	2 5/16	3/4
0770 01455	N388-SC-3/8	3/8	2 3/8	7/8

WATTS® REGULATOR

Vacuum Breakers
Threaded - Brass



Brass. Size 3/4" female hose thread and 3/4" male hose thread. Nonremovable. Allow sill cock to be drained. Prevent flow of contaminated water into potable water supply. Not used under continuous pressure. Stainless steel working parts. Rubber diaphragm and disc. Top to bottom 1 1/2". End to end 1 1/2". Maximum pressure 125 psi. Maximum temperature 180°F.

Compliances. Meet ANSI A112.1.3 requirements. Meet ASSE Standard 1011 requirements. Meet IAPMO requirements. Meet CSA B64.2 requirements.

Order No.	Mfr. No.	Size In.	Finish
0770 01500	8A-3/4	3/4	...
0770 01520	8AC-3/4	3/4	Chrome

WATTS® REGULATOR

Flow Through Trap Primers



Prevent floor drain (or similar) traps from losing water seal. Automatically deliver metered amount of water to trap at the beginning and end of each line flow. Max. temperature 110°F. Max. pressure 125 psi. Size 1/2". Center to end dim. 2". Built in air gap.

Compliances. Meet ASSE Standard 1018. IAPMO Listed.

Order No.	Mfr. No.	Conn.	End to End In.
Standard			
0770 05540	A200T	Threaded	2 3/4
0770 05545	A200S	Solder	4 1/8

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

Plusco Supply Corp.

WATTS® REGULATOR Water Hammer Arrestors Residential/Domestic



Reduce the effect of bounce back, or shock, resulting from sudden changes in water pressure. Precharged stainless steel air chamber, energy absorbing sealed in diaphragm. Easy charge standard tire valve under air tight sealing cap. Install vertically, horizontally or at any angle. Max. working pressure 150 psig. Max. temperature 180°F. Max. velocity 10 fps. Max. shock pressure 200 psig. Vol. 10 Cu. In.

Order No. 0770 02345 Mfr. No. 150A-1/2

Size In. 1/2

WATTS® REGULATOR Water Shut-Off Valves Washing Machine - Threaded - Bronze Body



For washing machine water. Manually eliminate water pressure on supply hoses and prevent catastrophic water damage. Control both hot and cold water simultaneously. Single lever on-off. Bronze body construction. May be used with Model 05H and Model 150A-HA water hammer arrestors. Max. press. 150 psi. Max. temp. 180°F (82°C).

Compliances. CSA Approved.

No. 2T-M2. 1/2" threaded and solder copper dual adapter with two-way male connectors.

Order No.	Mfr. No.	Size In.	Ht. In.	Lgth. In.	Wt. Lbs.
0770 02260	2-M2	1/2	2 1/4	3 3/16	1.25
0770 02300	2T-M2	1/2	2 1/4	3 3/16	1.25

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

WATTS® REGULATOR Y-Strainers

Threaded - 125 psi WSP - 400 psi WOG - Bronze



Not tapped for closure plug. Stainless steel 20 mesh screen. Rated WSP 125 psi at 400°F; WOG 400 psi at 210°F.

Order No.	Mfr. No.	Size In.	End to End In.	Ctr. to Bot. In.
0770 09100	777-1/2	1/2	3	2
0770 09105	777-3/4	3/4	3 9/16	2 5/16
0770 09110	777-1	1	4 1/2	2 15/16
0770 09115	777-1-1/4	1 1/4	5 1/8	3 1/8
0770 09120	777-1-1/2	1 1/2	5 7/8	3 3/4

WATTS® REGULATOR Ball Valves Class 150 - Bronze Body



Series B-6001

Rated 150 psi saturated steam, 600 WOG. Chrome plated ball.

Order No.	Mfr. No.	Size In.
Threaded Ends		
0770 08000	B-6000-1/4	1/4
0770 08005	B-6000-3/8	3/8
0770 08010	B-6000-1/2	1/2
0770 08015	B-6000-3/4-M2	3/4
0770 08020	B-6000-1-M2	1
0770 08025	B-6000-1-1/4-M2	1 1/4
0770 08030	B-6000-1-1/2-M2	1 1/2
0770 08041	B-6000-2-M2	2
Sweat Ends		
0770 08085	B-6001-1/2	1/2
0770 08090	B-6001-3/4-M2	3/4
0770 08095	B-6001-1-M2	1
0770 08100	B-6001-1-1/4-M2	1 1/4
0770 08105	B-6001-1-1/2-M2	1 1/2
0770 08110	B-6001-2-M2	2

WATTS® REGULATOR Ball Valves

Class 150 - Bronze Body - w/Type 316 Stainless Steel Ball & Stem

Order No.	Mfr. No.	Size In.
0770 11005	B-6000-SS-1/4	1/4
0770 11010	B-6000-SS-3/8	3/8
0770 11015	B-6000-SS-1/2	1/2
0770 11020	B-6000-SS-3/4	3/4
0770 11025	B-6000-SS-1	1
0770 11030	B-6000-SS-1-1/4	1 1/4
0770 11035	B-6000-SS-1-1/2	1 1/2
0770 11040	B-6000-SS-2	2

WATTS® REGULATOR Dielectric Unions FIPT to Sweat Connection



For residential, commercial and industrial use. Provide protection against destruction caused by galvanic and stray current corrosion. Rated at 250 psi at 180°F. Factory certified to withstand minimum of 600V on dry line with no flashover.

Compliances. Meet ANSI B16.39 Requirements for hydrostatic strength, tensile strength and air pressure testing.

Order No.	Mfr. No.	Lgth. In.	Size In.	Wdth. In.	Wt. Lbs.
0770 05550	3001A-1/2	1 7/8	1/2	1 1/2	1/2
0770 05552	3001A-3/4	2 1/8	3/4	1 5/8	1/2
0770 05554	3001A-1	2 1/2	1	1 7/8	1/2
0770 05556	3001A-1-1/4	3	1 1/4	2 1/4	1 1/4
0770 05558	3001A-1-1/2	3	1 1/2	2 3/4	1 1/2
0770 05560	3001A-2	3	2	3 1/2	2.169

WATTS® REGULATOR Backflow Preventer Test Kits



Test reduced pressure zone backflow preventers, double check valve assemblies, pressure vacuum breakers, anti-spill vacuum breakers. Accurate testing of zone and relief valve opening differential fouled check valves or similar problems visual inspection cannot locate. Max. pressure 175 psi. Max. temperature 210°F. Contain gauge, test valves, hoses, adapters, securing strap, instruction guide, lightweight case.

Order No.	Mfr. No.	Desc.
0770 01819	TK-9A	For RPZ, SVB, DCVA, PVB Models

RICHARD SPECIALTY Pigtail Siphons Straight - 180°



Order No.	Mfr. No.	Size In.	Desc.
1451 06182	R235964	1/4	Black Steel
1451 06184	R235966	1/4	Brass

Plusco Supply Corp.

PASCO SPECIALTY & MFG.

Pressure Gauges Ashcroft



Steel case. 1/4" MPT brass connection.

Order No.	Mfr. No.	Dia. In.	psi Rating Lbs.
1451 06429	1739A	2 1/2	30
1451 06430	1740A	2 1/2	60
1451 06431	1741A	2 1/2	100
1451 06432	1742A	2 1/2	160
1451 06433	1743A	2 1/2	200

PASCO SPECIALTY & MFG.

Liquid Filled Gauges Glycerine



Stainless steel case. 1/4" MPT bottom mount brass connection.

Order No.	Mfr. No.	Dia. In.	psi Rating Lbs.
1451 06462	1772	2 1/2	0-30
1451 06463	1774	2 1/2	0-100
1451 06464	1776	2 1/2	0-200
1451 06465	1777	2 1/2	0-300

PASCO SPECIALTY & MFG.

Vacuum Gauges Ashcroft



0 to 30 inches dial. 1/4" MPT brass.


Order No.	Mfr. No.	Desc.	Dia. In.
1451 05915	1422	Vacuum	2 1/2

WOODFORD MFG.

Lawn Faucets Single Handle - Wall Mount

For use in mild climate areas. Polycarbonate wheel handle. Tamperproof lock shield. Brass construction. Adjustable packing nut with deep stem guard. Teflon impregnated packing and standard "O" size washer. NIDEL® Model No. 34HF antisiphon vacuum breaker with 3/4" male hose thread. Loose tee key available.

Compliances. Vacuum breaker approved under ASSE Standard 1011, CSA Approved, IAPMO® Listed and accepted by U.S. Department of Health.




Series 24P

No. 24P-1/2. FPT inlet 1/2".

No. 24P-3/4. FPT inlet 3/4".

Lawn Faucets - Series 24P

Order No.	Mfr. No.	Finish
6410 11125	24P-1/2	Brass
6410 11200	24P-3/4	Brass




24CP

No. 24CP. Copper tube 1/2" inside inlet. MPT 1/2" outside.

Lawn Faucets - 24CP

Order No.	Mfr. No.	Finish
6410 11350	24CP	Brass



24C

No. 24C. Copper tube 1/2" inside inlet. Copper coupling 3/4" outside.

Lawn Faucets - 24C

Order No.	Mfr. No.	Finish
6410 11410	24C	Brass

PASCO SPECIALTY & MFG.

Hot Water Thermometers Dual Scale




40° to 260° Fahrenheit and 0° to 120° Centigrade range. Reads in 5° increments.

Order No.	Mfr. No.	Material	Style
1451 06080	1442	Steel	Angle
1451 06090	1444	Steel	Straight
1451 06085	1443	Brass	Angle
1451 06095	1445	Brass	Straight

ROBERT MANUFACTURING CO.

Float Valves Bob® - FIPx FIP




Heavy-duty, high capacity. Buna-N discs standard. Compound lever. Rotating plunger.

Order No.	Mfr. No.	FIP Inlet Size In.	FIP Outlet Size In.
0759 13020	R600-1-1/4	1 1/4	1 1/4
0759 13040	R600-1-1/2	1 1/2	1 1/2

ROBERT MANUFACTURING CO.

Float Valves Bob® - MIPxMIP - Brass



Heavy-duty, high capacity. Constructed of red brass. Buna-N discs standard. Adjusting arm tapped 1/4-20 thread.

Order No.	Mfr. No.	MIP Inlet Size In.	MIP Outlet Size In.
0759 10440	R400-1/2	1/2	1/2
0759 10460	R400-3/4	3/4	3/4
0759 10480	R400-1	1	1

**We Appreciate
Your Business!**

Plusco Supply Corp.

PRECISION PLUMBING PRODUCTS

Pressure Compensating Valves Tempera



Highly sensitive. Pressure balancing. Holds selected water temperature to within 1° from constant hot water supply despite pressure change elsewhere in supply lines. Responds instantly to line pressure loss on hot or cold side. One moving part. Stainless steel internal components. Install in exposed or concealed locations. Polished chrome or rough brass finish. Primarily for shower protection but may be used where temperature control is desired such as schools, hotels, beauty and barber shops or photographic darkrooms.

Compliances. Meet ASSE 1016-88 requirements.

Order No.	Mfr. No.	Desc.
1237-01222	TRB-2	Pressure Compensating Valve

PRECISION PLUMBING PRODUCTS

Water Hammer Arrestors



Install in new or existing plumbing systems with standard pipe tee as near to shock source as possible on hot and cold water lines. Piston is only moving part. Test pressure in excess of 500 psi at temperature range of -40°F to 450°F. Barrel-fabricated type "K" hard drawn copper construction. Cap of standard wrought copper fittings attached to barrel with 95-5 solder. Machined piston and threaded adapter constructed of free turning brass. O-ring seals, Parker Spec.(N951-75). Lubricant is Dow-Corning silicone compound No. 111, FF and DA listed for use in potable water systems. Nickel plated for sea water uses. For operation on all domestic and commercial line pressures with normal operating pressure of 35 psi to 250 psi. Spike pressure 1500 psi.

Order No.	Mfr. No.	Lgth. In.	NPT In.	Air Preload psi
7512 33000	SC-125	4 3/4	1/8	20
7512 33010	SC-375	4 3/4	3/8	20
7512 33030	SC-500	5	1/2	25
7512 33060	SC-750	5	3/4	25
7512 33090	SC-1000	7	1	30
7512 33110	SC-1250	7	1 1/4	30
7512 33140	SC-1500	9	1 1/2	30
7512 33170	SC-2000	10 1/2	2	30
7512 33200	SC-2500	11	2 1/2	30
7512 33230	SC-3000	13 5/8	3	40
7512 33260	SC-4000	16	4	40

PRECISION PLUMBING PRODUCTS

Trap Primer Valves



Do not place closer than 40' apart if using same potable water supply line. Primer must be minimum of 1' elevation from finished floor for every 20' of floor drain trap make-up water line. Operating range 35 psig to 75 psig. Distribution units allow metered amount of water from floor drain trap primer to be distributed to a maximum of 8 individual floor drain traps.

No. P1. Delivers metered amount of water to floor drains that are not used often. Automatically activated when any faucet is opened. As little as 5 psi pressure drop opens valve piston.

No. P2. Delivers metered amount of water to floor drains that are not used often. Automatically activated when any faucet is opened. As little as 5 psi pressure drop opens valve piston.

No. PO-500. "Oregon #1". Delivers metered amount of water to floor drains that are not used often. Automatically activated when any faucet is opened. As little as 3 psi pressure drop opens valve.

Specifications

No.	Max. Water Del. on 15 Sec. Press. Drop.	Drain No.	Supply Tube	Distribution Units
P1	5	3	SS-8	DU-3
P1	5	4	SS-8	DU-4
P1	5	5	YS-8	DU-2 & DU-3
P1	5	6	YS-8	DU-3 & DU-3
P1	5	7	YS-8	DU-3 & DU-4
P1	5	8	YS-8	DU-4 & DU-4
P2	2	1
P2	2	2	SS-8	DU-2
PO-500*	...	1
PO-500*	...	2	SS-8	DU-2
PO-500*	...	3	SS-8	DU-3
PO-500*	...	4	SS-8	DU-4
PO-500*	...	5	YS-8	DU-2 & DU-3
PO-500*	...	6	YS-8	DU-3 & DU-3
PO-500*	...	7	YS-8	DU-3 & DU-4
PO-500*	...	8	YS-8	DU-4 & DU-4


*Based upon 3 psi pressure drop & fixture unit activity on system.

Trap Primer Valves

Order No.	Mfr. No.	Oper. Rge. psig
7512 33290	P-1	35-75
7512 33320	P-2	35-75
7512 33350	PO-500	35-75

JAMECO INDUSTRIES

Tubular P-Traps w/o Cleanout




Adjustable.

Order No.	Mfr. No.	Size In.	Ga.	Finish
72211	501 20-3	1 1/4x1 1/4	20	Chrome-Plated
72214	503 20-3	1 1/2x1 1/2	20	Chrome-Plated
72212	501 17-3	1 1/4x1 1/4	17	Chrome-Plated
72213	503 17-3	1 1/2x1 1/2	17	Chrome-Plated

JAMECO INDUSTRIES

Tubular P-Traps w/o Cleanout




For repair. Tubular brass.

Order No.	Mfr. No.	Size In.	Ga.	Finish
72208	516 20-3	1 1/4x1 1/4	20	Chrome-Plated
72209	517 20-3	1 1/2x1 1/2	20	Chrome-Plated

JAMECO INDUSTRIES

Drain Bends J-Bend - w/o Cleanout



Tubular brass.

Order No.	Mfr. No.	Size In.	Ga.	Finish
72251	402 20-3	1 1/4x1 1/4	20	Chrome-Plated
72253	403 20-3	1 1/2x1 1/2	20	Chrome-Plated
72252	404 17-3	1 1/4x1 1/4	17	Chrome-Plated
72254	405 17-3	1 1/2x1 1/2	17	Chrome-Plated

JAMECO INDUSTRIES

Waste Tubes Quick Hook-Up



Tubular brass.

Order No.	Mfr. No.	Dia. In.	Lgth. In.	Ga.	Finish
72151	582 20-2	1 1/2	15	20	Satin-Plated

Plusco Supply Corp.

JAMECO INDUSTRIES

Wall Tubes




Tubular brass.

Order No.	Mfr. No.	Size	In.	Ga.	Finish
72261	201 20-3	1 1/4 Regular	20	Chrome-Plated	
72260	201 205-3	1 1/4 x 12 Long	20	Chrome-Plated	
72258	203 20-3	1 1/2 Regular	20	Chrome-Plated	
72263	201 17-3	1 1/4 Regular	17	Chrome-Plated	
72262	201 175-3	1 1/4 x 12 Long	17	Chrome-Plated	
72259	203 17-3	1 1/2 Regular	17	Chrome-Plated	

JAMECO INDUSTRIES

Floor Tubes




Tubular brass.

Order No.	Mfr. No.	Dia.	Lgth.	In.	Ga.	Finish
72219	208 20-3	1 1/4	20 1/2	20	Chrome-Plated	
72221	212 20-3	1 1/2	20 1/2	20	Chrome-Plated	
72220	208 17-3	1 1/4	20 1/2	17	Chrome-Plated	

JAMECO INDUSTRIES

Continuous Waste Assemblies End Outlet




Slip joint. Include baffle tee. Tubular brass.

Order No.	Mfr. No.	Dia.	Ctr.	In.	Ga.	Finish
72171	549 20-2	1 1/2	16	20	Satin-Plated	
72172	549 17-2	1 1/2	16	17	Satin-Plated	

JAMECO INDUSTRIES

Continuous Waste Assemblies Center Outlet




Slip joint. Include baffle twin elbow. Two 8" arms. Tubular brass.

Order No.	Mfr. No.	Dia.	Ctr.	In.	Ga.	Finish
72161	559 20-2	1 1/2	16	20	Satin-Plated	
72162	559 17-2	1 1/2	16	17	Satin-Plated	

JAMECO INDUSTRIES

Continuous Waste Assemblies End Outlet - Quick Hook-Up




Include baffle tee. Tubular brass.

Order No.	Mfr. No.	Dia.	Ctr.	In.	Ga.	Finish
72345	590 20-2	1 1/2	16	20	Satin-Plated	
72346	590 17-2	1 1/2	16	17	Satin-Plated	

JAMECO INDUSTRIES

Continuous Waste Assemblies Center Outlet - Quick Hook-Up




Tubular brass.

Order No.	Mfr. No.	Dia.	Ctr.	In.	Ga.	Finish
72350	595 20-2*	1 1/2	16	20	Satin-Plated	
72351	595 17-2	1 1/2	16	17	Satin-Plated	

*Two 8" arms.

JAMECO INDUSTRIES

Tubular Offsets



Double offset.

Order No.	Mfr. No.	Dia.	In.	Ga.	Finish
72181	637 20-3	1 1/4	20	Chrome-Plated	
72182	638 20-3	1 1/2	20	Chrome-Plated	

JAMECO INDUSTRIES

Extension Tubes Solvent Weld



Order No.	Mfr. No.	Dia.	Lgth.	In.	Ga.	Finish
72126	710 20-3	1 1/4	6	20	Chrome-Plated	
72127	711 20-3	1 1/4	8	20	Chrome-Plated	
72124	713 20-3	1 1/4	12	20	Chrome-Plated	
72128	714 20-3	1 1/2	6	20	Chrome-Plated	
72129	715 20-3	1 1/2	8	20	Chrome-Plated	
72121	717 20-3	1 1/2	12	20	Chrome-Plated	
72122	717 17-3	1 1/2	12	17	Chrome-Plated	

JAMECO INDUSTRIES

Extension Tubes Slip Joint



Tubular brass.

Order No.	Mfr. No.	Dia.	Lgth.	In.	Ga.	Finish
72135	710 30-3	1 1/4	6	20	Chrome-Plated	
72136	711 30-3	1 1/4	8	20	Chrome-Plated	
72134	713 30-3	1 1/4	12	20	Chrome-Plated	
72131	714 30-3	1 1/2	6	20	Chrome-Plated	
72132	715 30-3	1 1/2	8	20	Chrome-Plated	
72130	717 30-3	1 1/2	12	20	Chrome-Plated	
72138	710 37-3	1 1/4	6	17	Chrome-Plated	
72140	711 37-3	1 1/4	8	17	Chrome-Plated	
72125	713 37-3	1 1/4	12	17	Chrome-Plated	
72139	714 37-3	1 1/2	6	17	Chrome-Plated	
72123	715 37-3	1 1/2	8	17	Chrome-Plated	
72133	717 37-3	1 1/2	12	17	Chrome-Plated	

JAMECO INDUSTRIES

Tailpieces Flanged



Order No.	Mfr. No.	Dia.	Lgth.	In.	Ga.	Finish
72142	706 20-3	1 1/2	6	20	Chrome-Plated	
72143	707 20-3	1 1/2	8	20	Chrome-Plated	
72141	709 20-3	1 1/2	12	20	Chrome-Plated	
72145	706 17-3	1 1/2	6	17	Chrome-Plated	
72146	707 17-3	1 1/2	8	17	Chrome-Plated	
72144	709 17-3	1 1/2	12	17	Chrome-Plated	

JAMECO INDUSTRIES

Threaded Tubes



Threaded both ends.

Order No.	Mfr. No.	Dia.	Lgth.	In.	Ga.	Finish
72200	722 20-3	1 1/4	12	20	Chrome-Plated	
72201	727 20-3	1 1/2	12	20	Chrome-Plated	
72202	722 17-3	1 1/4	12	17	Chrome-Plated	
72203	727 17-3	1 1/2	12	17	Chrome-Plated	

JAMECO INDUSTRIES

Reducing Tubes




Threaded one end. Tubular brass.

Order No.	Mfr. No.	OD	Lgth.	In.	Finish
72191	751 20-3	1 1/2 x 1 1/4	8	Chrome-Plated	

**Please Phone or Fax
Your Orders**

Plusco Supply Corp.

JAMECO INDUSTRIES Dishwasher Branch Tailpieces



Order No.	Mfr. No.	Dia. In.	Lgth. In.	Ga.	For	Finish
72243	761 15-2	1 1/2	8	22	1/2" Copper	Satin-Plated
72242	761 00-2	1 1/2	8	22	3/4" Copper	Satin-Plated
72241	761 10-2	1 1/2	8	22	3/4" Hose & 1/2" Copper	Satin-Plated

JAMECO INDUSTRIES Extension Couplings Double Slip



Tubular brass.

Order No.	Mfr. No.	Size In.	Ga.	Finish
72101	756 00-3	1 1/4x1 1/4	22	Chrome-Plated
72102	757 00-3	1 1/2x1 1/2	22	Chrome-Plated


JAMECO INDUSTRIES Tubular Elbows 45°



Double slip. Tubular brass.

Order No.	Mfr. No.	Size In.	Finish
72114	790 10-3	1 1/4x1 1/4	Chrome-Plated
72112	791 10-3	1 1/2x1 1/2	Chrome-Plated


JAMECO INDUSTRIES Tubular Elbows 90°



Double slip. Tubular brass.

Order No.	Mfr. No.	Size In.	Finish
72113	792 10-3	1 1/4x1 1/4	Chrome-Plated
72111	793 10-3	1 1/2x1 1/2	Chrome-Plated

JAMECO INDUSTRIES Waste Fittings Desanco - Commercial



Include chrome-plated, die-cast nut and brass ferrule.

No. 1900. Fits on 1 1/4" copper tube.

No. 1901. Fits on 1 1/2" copper tube.

No. 1904. Fits on 1 1/2" copper tube.

Order No.	Mfr. No.	Size In.
72291	1900	1 1/4 ODx1 1/4 Male IPS
72294	1901	1 1/4 ODx1 1/4 Female IPS
72292	1903	1 1/2 ODx1 1/2 Female IPS
72293	1904	1 1/4 ODx1 1/2 Male IPS
72295	1905	1 1/4 ODx1 1/2 Female IPS

JAMECO INDUSTRIES Slip Coupling Nuts



Order No.	Mfr. No.	Size In.	Desc.
72311	1067 10-3	1 1/4 IPSx1 1/4 ID	Die-Cast C.P.
72313	1069 10-3	1 1/2 IPSx1 1/4 ID	Die-Cast C.P.
72312	1071 10-3	1 1/2 IPSx1 1/2 ID	Die-Cast C.P.
72314	1074 10-3	2 IPSx2 ID	Die-Cast C.P.
72316	1067 00-3	1 1/4 IPSx1 1/4 ID	Brass C.P.
72317	1069 00-3	1 1/2 IPSx1 1/4 ID	Brass C.P.
72318	1071 00-3	1 1/2 IPSx1 1/2 ID	Brass C.P.

Manufacturer's data sheets,
catalogs and other detailed
information will be supplied
upon request.

JAMECO INDUSTRIES Sink Strainers Duo



No. 2-9-3. Stain-
less steel strainer
and basket. Deep
cut 14 pitch lock-
nut threads.
Chrome plated
stem.

Order No.	Mfr. No.	Desc.	Pkg. Qty.
72285	2-9-3	Sink Strainer	1

JAMECO INDUSTRIES Sink Strainers Duplex



Stainless steel.
Fixed strainer grid.
For 2 1/2" drain
openings. For use
in bar sinks, mobile
homes or similar
applications.

Order No.	Mfr. No.	Desc.	Pkg. Qty.
1438 09105	641003	Sink Strainer	1

JAMECO INDUSTRIES Sink Strainers Junior - Duo



Stainless steel. Fit
2 1/2" drain open-
ings. For bar sinks,
mobile homes and
travel trailers.

Order No.	Mfr. No.	Desc.	Pkg. Qty.
1438 09142	640003	Sink Strainer	1

Plusco Supply Corp.

JAMECO INDUSTRIES

Sink Strainers Eez-On™ - Duo



Fit all sinks. No tools needed. Triangular strainer and thumb screws. Stainless steel.

Order No.	Mfr. No.	Desc.
1438 09182	646443	Sink Strainer

Pkg.
Qty.
1

JAMECO INDUSTRIES

Sink Strainers Kwik-Fit™ - Duo



Cup style strainer. Deep drawn stainless steel construction with rolled threads. Fit 3½" to 4" drain openings. Fit stainless steel and cast iron sinks.

Order No.	Mfr. No.	Desc.
1438 09125	644003	Sink Strainer

Pkg.
Qty.
1

JAMECO INDUSTRIES

Basket Replacements Replacement



Stainless steel.

No. 649033. Universal. Designed to fit Duo sink strainers. Polished finish. Buffed rim.

No. 649004. Chrome-plated brass knob and long spring steel clip closure. For No. 644003 KWIK-FIT™ strainer.


No. 649006. Chrome-plated brass knob and short spring steel clip closure. For No. 645663 SPECIFICATION™ strainer and No. 646443 EEZ-ON™ strainer.

No. 649004. Jr. Duo strainer basket. Chrome-plated stem.

Order No.	Mfr. No.	Desc.
72283	649033	Fit-All Basket
1438 09228	649004	Replacement Basket
1438 09230	649006	Replacement Basket
1438 09234	649013	Replacement Basket

JAMECO INDUSTRIES

Brass Stop Valves



For compression. Angle valve.

Compliances. IAPMO Listed.

Order No.	Mfr. No.	Size In.	Finish
1438 12190	89400-3*	5/8 OD×3/8 OD Comp. (CR19)	Chrome-Plated
1438 12194	89420-3	5/8 OD×1/2 OD Comp. (CR39)	Chrome-Plated

*For lock shield loose key stops, add suffix "-LK". Only one key supplied for each 5 loose key stops. For stops with screwdriver slots, add suffix "-SD".

JAMECO INDUSTRIES

Brass Stop Valves



89200

For solvent welding. Angle valve.

Compliances. IAPMO Listed.

Order No.	Mfr. No.	Size In.	Finish
1438 12140	89200-3*	1/2 Copper Sweat ×3/8 OD Comp. (R19)	Chrome-Plated
1438 12128	89220-3	1/2 Copper Sweat ×1/2 OD Comp. (R39)	Chrome-Plated

*For lock shield loose key stops, add suffix "-LK". Only one key supplied for each 5 loose key stops. For stops with screwdriver slots, add suffix "-SD".

JAMECO INDUSTRIES

Brass Stop Valves



For IPS. Angle valve.


Compliances. IAPMO Listed.

When ordering, specify -LK=Lock shield loose key stops, 1 key per 5 loose key stops; -SD=stops with screwdriver slots.

Order No.	Mfr. No.	Size In.	Finish
1438 12080	88900-3	3/8 IPS×3/8 OD Comp. (R15)	Chrome-Plated
1438 12100	89000-3	1/2 IPS×3/8 OD Comp. (R17)	Chrome-Plated

JAMECO INDUSTRIES

Supply Stops 3-Way - Angle - Flexible




Compliances. UPC Compliant. IAMPO Listed.

Order No.	Mfr. No.	Comp. OD In.
1438 11696	389400-1	5/8×3/8×3/8
1438 11697	389431-1	5/8×3/8×1/4

JAMECO INDUSTRIES

Supply Stops 3-Way - Angle - Flexible




Compliances. UPC Compliant. IAPMO Listed.

Order No.	Mfr. No.	Copper Sweat In.	Comp. OD In.
1438 11692	389200-1	1/2	3/8×3/8

JAMECO INDUSTRIES

Supply Stops 3-Way - Angle - Flexible



Compliances. UPC Compliant. IAPMO Listed.


Order No.	Mfr. No.	IPS In.	Comp. OD In.
1438 11690	389000-1	1/2	3/8×3/8

Telephone Your Orders.

Plusco Supply Corp.

JAMECO INDUSTRIES

Brass Stop Valves
Dual Outlet



Angle valve.

Compliances. IAPMO Listed.

Order No.	Mfr. No.	Size In.	Finish
1438 15424	DV389400-1	5/8 OD Comp.x3/8 OD Rough Brass Comp.x3/8 OD Comp.	

JAMECO INDUSTRIES

Supply Tubes
Smooth - Flexible



Faucet supply. C.P. brass.

Order No.	Mfr. No.	Dia. In.	Lgth. In.	Finish
80312	87600-3	3/8	12	Chrome-Plated
80320	87700-3	3/8	20	Chrome-Plated

JAMECO INDUSTRIES

Supply Tubes
Smooth - Flexible



Tank supply. C.P. brass.

Order No.	Mfr. No.	Dia. In.	Lgth. In.	Finish
80412	880003-3	3/8	12	Chrome-Plated
80420	881003-3	3/8	20	Chrome-Plated

JAMECO INDUSTRIES

Supply Tubes
Smooth - Flexible



Tank supply. C.P. brass.

Order No.	Mfr. No.	Dia. In.	Lgth. In.	Finish
80509	288003-3	1/2	12	Chrome-Plated

JAMECO INDUSTRIES

Supply Tubes



Series 89310. Swedged one end.

Series 89320. Swedged one end.

Series 89325. With compression fitting.

Series 89335. With compression fitting.

Order No.	Mfr. No.	Dia. In.	Lgth. In.	Finish
80201	89310-1	1/2	12	Rough Brass
80050	89310-3	1/2	12	Chrome-Plated
80051	89320-1	3/8	20	Rough Brass
80052	89320-3	3/8	20	Chrome-Plated
80203	89325-1	3/8	12	Rough Brass
80205	89325-3	3/8	12	Chrome-Plated
80053	89335-1	3/8	20	Rough Brass
80055	89335-3	3/8	20	Chrome-Plated

JAMECO INDUSTRIES

Toilet Supply Connectors
Quick 'N Easy®



Braided nylon.

Order No.	Mfr. No.	Size In.	Lgth. In.
80812	3812T	3/8 Comp.x1/8 Ballcock	12
80820	3820T	3/8 Comp.x1/8 Ballcock	20
80830	2212T	1/2 Comp.x1/8 Ballcock	12

JAMECO INDUSTRIES

Faucet Supply Connectors
Quick 'N Easy®



Braided nylon.

Order No.	Mfr. No.	Size In.	Lgth. In.
80712	3812B	3/8 Comp.x1/2 Faucet	12
80720	3820B	3/8 Comp.x1/2 Faucet	20

BRASSCRAFT®


Supply Stops
Copper Sweat Inlet - Angle



Order No.	Mfr. No.	Inlet Size In.	Outlet Size In.	Finish
1440 00125	R19 C	1/2	3/8	Chrome-Plated

BRASSCRAFT®

Supply Stops
Compression Inlet - Angle




Old style oval handle.

Order No.	Mfr. No.	Inlet Size In.	Outlet Size In.	Finish
1440 00100	OCR19-C	1/2	3/8	Chrome-Plated
1440 00105	OCR19-R	1/2	3/8	Rough
1440 00110	OCR39-C	1/2	1/2	Chrome-Plated

BRASSCRAFT®

Supply Stops
F.I.P. Inlet - Angle




Old style oval handle.


Order No.	Mfr. No.	Inlet Size In.	Outlet Size In.	Finish
1440 00115	OR15-C	3/8	3/8	Chrome-Plated
1440 00120	OR17-C	1/2	3/8	Chrome-Plated

BRASSCRAFT®

Valve Stops
Angle



F.I.P. Loose Key



Copper Sweat Inlet, Loose Key


Order No.	Mfr. No.	Inlet Size In.	Outlet Size In.	Desc.	Finish
1440 00140	SR17 C	1/2	3/8	F.I.P. Inlet, Loose Key	Chrome
1440 00145	SR19 C	1/2	3/8	Cu Sweat Inlet, Loose Key	Chrome

Our order desk is always
ready to assist you.

Plusco Supply Corp.

BRASSCRAFT®

Valve Stops Dual Shut-Off



For dishwasher and icemaker installations. Meet code in areas requiring separate shut-off for each line. Offset 180° to inlet. 30/ctn. Weight 18 lbs.


Order No.	Mfr. No.	Inlet Size In.	Outlet Size In.	Finish
1440 00130	CR1900DVS R	1/2	3/8x1/4	Rough
1440 00135	CR1901DVS R	1/2	3/8x3/8	Rough

FLUIDMASTER®

Water Supply Lines No-Burst® - Stainless Steel



Faucet



Toilet

Strong, flexible, braided stainless steel connector. Easy to install, no special tools needed. Heavy-duty nickel-plated nuts. High performance under pressure. Nontoxic polymer inner core. High flow rating. Color-coded washers, flag and carton labels for fast and easy identification and instructions. Hot/Cold lengths from 6"-72". Use for faucet and toilet hook-up.

Compliances. ANSI Code Approved. CSA Code Approved. FDA Approved polymer inner core. NSF 61 Approved polymer inner core. IAPMO Approved.

Order No.	Mfr. No.	Lgth. In.
Faucet		
3/8" Female Compression Thread x 1/2" I.P. Female Straight Thread		
80210	B1F09	9
80211	B1F12	12
80215	B1F16	16
80222	B1F20	20
80224	B1F30	30
Faucet		
3/8" Female Compression Thread x 3/8" Copper Tubing Coupling		
80244	B8F12	12
80246	B8F16	16
80250	B8F20	20
Toilet		
3/8" Female Compression Thread x 7/8" Female Ballcock Thread		
80228	B1T06	6
80230	B1T09	9
80233	B1T12	12
80243	B1T16	16
80234	B1T20	20
Toilet		
1/2" Female Compression Thread x 7/8" Female Ballcock Thread		
80254	B3T06	6
80255	B3T09	9
80256	B3T12	12
80246	B3T16	16
80257	B3T20	20

FLUIDMASTER®

Washing Machine Hoses No-Burst®




Braided stainless steel connectors with captive cone washer, nickel-plated hex nuts. For hot and cold connections. Hose fitting 3/4"x3/4".

Order No.	Mfr. No.	Lgth. Ft.
32800	9WM48	4
32810	9WM60	6

JAMECO INDUSTRIES

Shower Curtain Rods



Aluminum. With flanges.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
1460 02360	660-30	1	60

Note: Available without flanges or with C.P. ABS jiffy flanges.

CHICAGO SPECIALTY

Lavatory Legs




For china fixtures. Hexagon design with Fit-All lugs. Stainless steel. Include escutcheons. Sold as pair.

Order No.	Mfr. No.	Desc.
1460 06080	2403E	Lavatory Legs

JAMECO INDUSTRIES

Pop-Up Wastes Brass



No. 5-5-3BA. Chrome plated brass.


No. 5-5PB. Polished brass

No. 5-6-1BA. Chrome plated ABS.

Order No.	Mfr. No.	Pkg. Qty.
72550	5-5-3BA	1
72560	5-5PB	1
72570	5-6-1BA	1

JAMECO INDUSTRIES

Tubular P-Traps




Tubular plastic. White.

Order No.	Mfr. No.	Desc.	Size In.
72015	501666PB	Include 2 Nuts	1 1/4
72014	503662PB	Include 2 Nuts & Solvent Weld Adapter	1 1/2

JAMECO INDUSTRIES

J-Bend Traps PVC



Include poly washers to fit 1 1/4" and 1 1/2" inlets.

No. 416666. For sink trap. White.

Order No.	Mfr. No.	Desc.	Dia. In.	Pkg. Qty.
72010	416666	Sink Trap	1 1/2	25

JAMECO INDUSTRIES

Tubular Trap Adapters



Tubular plastic. White. Solvent weld x thread. With nut and washer.

Order No.	Mfr. No.	Size In.
72034	788666NW	1 1/2

JAMECO INDUSTRIES

Extension Tubes



Tubular plastic. White. Solvent weld on both ends.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
72031	740666	1 1/2	16

Plusco Supply Corp.

JAMECO INDUSTRIES

Extension Tubes




Tubular plastic. White. Solvent weld on 1 end.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
72206	713666	1 1/4	12

JAMECO INDUSTRIES

Tubular Tailpieces Flanged



Tubular plastic. White. Flanged on both ends.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
72029	754666	1 1/2	16

JAMECO INDUSTRIES

Tubular Tailpieces Flanged



Tubular plastic. White. Flanged on 1 end.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
72028	709666	1 1/2	12
72026	706666	1 1/2	6
72027	707666	1 1/2	8

JAMECO INDUSTRIES

Extension Tubes Slip Joint - Double End - PVC




738666

Tubular plastic. White.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
72083	738666	1 1/2	16

JAMECO INDUSTRIES

Extension Tubes



Tubular plastic. White. Slip joint, one end.

Order No.	Mfr. No.	Dia. In.	Lgth. In.
72226	7176662	1 1/2	12
72224	7146662	1 1/2	6
72240	7156662	1 1/2	8

JAMECO INDUSTRIES

Dishwasher Branch Tailpieces Quick Hook-Up



Tubular plastic. White. Molded-in baffles.

Order No.	Mfr. No.	Dia. In.	Lgth. In.	Branch Size In.
72025	761665	1 1/2	8	1/2

JAMECO INDUSTRIES

Nuts Slip Joint - w/o Washers




Tubular plastic.

Order No.	Mfr. No.	Lgth. In.	Wdth. In.	Color
72036	1071666	1 1/2	1 1/2	White

JAMECO INDUSTRIES

Double Slip Couplings



Tubular plastic. White. Supplied with polywashers.

Order No.	Mfr. No.	Size In.
72035	757666	1 1/2 x 1 1/4 or 1 1/2 x 1 1/2

JAMECO INDUSTRIES

Double Slip Elbows




Tubular plastic. White. With nuts and washers.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Size In.	Deg.
72055	792666	1 1/2 x 1 1/2	45
72056	793666	1 1/2 x 1 1/2	90

JAMECO INDUSTRIES

Tees 3-Way




Tubular plastic. White. With nuts and washers.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Size In.
72057	801666	1 1/2 x 1 1/2 x 1 1/2

JAMECO INDUSTRIES

Baffle Twin Elbows




Tubular plastic. White. One piece with tailpiece.

Compliances. UPC Compliant.

Order No.	Mfr. No.	OD In.
72058	802666	1 1/2

JAMECO INDUSTRIES

Continuous Waste Assemblies Center Outlet




Tubular plastic. White.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Dia. In.	Ctr. In.
72020	559666AP	1 1/2	16

JAMECO INDUSTRIES

Continuous Waste Assemblies End Outlet




Tubular plastic. Include polywashers to fit 1 1/2" and 1 1/4" inlets. White.

Compliances. UPC Compliant.

Order No.	Mfr. No.	Dia. In.	Ctr. In.
72018	549666AP	1 1/2	16

JAMECO INDUSTRIES

Disposer Waste Assemblies End Outlet




Tubular plastic. White. Include baffle tee.

Order No.	Mfr. No.	Dia. In.
72050	603666DK	1 1/2

Plusco Supply Corp.

CHICAGO SPECIALTY

P-Traps Form-N-Fit



Extend 3 1/2" to 6".

Order No.	Mfr. No.	Desc.	Size In.
1429 02100	3522605	P-Trap	1 1/2 x 1 1/4

RICHARD SPECIALTY

Flanged Tailpieces Split-One™



Order No.	Mfr. No.	Size In.	Desc.
0763 44150	R426830	1 1/2 x 12	w/Nut & Washer

RICHARD SPECIALTY


Pipe Extensions Spit-One™ - Slip Joint



Order No.	Mfr. No.	Size In.	Desc.
0763 44125	R426820	1 1/4 x 9	w/Nut & Washer
0763 44160	R426825	1 1/2 x 12	w/Nut & Washer

RICHARD SPECIALTY


J-Bend Traps Split-One™ - Flexi-Drain



Order No.	Mfr. No.	Size Rge. In.
1460 04200	R426800	1 1/4 - 1 1/2

RICHARD SPECIALTY

Floor & Ceiling Plates Steel



Plates for Iron Pipe IPS

Order No.	Mfr. No.	Size In.	Finish
1460 04686	R418100	3/8	Chrome Plate
1460 04687	R418200	1/2	Chrome Plate
1460 04688	R418300	3/4	Chrome Plate
1460 04689	R418400	1	Chrome Plate
1460 04690	R418500	1 1/4	Chrome Plate
1460 04691	R418600	1 1/2	Chrome Plate

Plates for Copper Water Tube CWT

Order No.	Mfr. No.	Size In.	Finish
1460 04693	R420100	3/8	Chrome Plate
1460 04694	R420200	1/2	Chrome Plate
1460 04695	R420300	3/4	Chrome Plate
1460 04696	R420400	1	Chrome Plate
1460 04697	R420500	1 1/4	Chrome Plate
1460 14698	R420600	1 1/2	Chrome Plate

RICHARD SPECIALTY

Flanges Steel - Low Pattern



Height 1/2". Base 2 1/2".

Order No.	Mfr. No.	Size In.	Finish
1460 03480	R421500	3/8 IPS	Chrome Plate
1460 03490	R421600	1/2 IPS	Chrome Plate
1460 03519	R421700	3/4 IPS	Chrome Plate
1460 03700	R421800	3/8 OD	Chrome Plate
1460 03710	R422000	1/2 OD	Chrome Plate
1460 04079	R422200	5/8 OD	Chrome Plate
1460 04099	R422400	7/8 OD	Chrome Plate
1460 04100	R422600	1 OD	Chrome Plate
1460 04101	R422700	1 1/8 OD	Chrome Plate

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

SIOUX CHIEF MFG.

Floor & Ceiling Plates Snap-One™



Chrome-Plated

Construction 100% rustproof ABS. Nonbreakable. Split for prepped jobs.

Chrome-Plated


Order No.	Mfr. No.	ID In.	OD In.	Thick. In.
1451 05004	926-2	1/2 Nom. CTS	2 1/2	3/8
1451 05805	926-3	3/4 Nom. CTS	2 3/4	3/8
1451 05806	926-4	1 Nom. CTS	3	3/8
1451 05798	927-2	1 1/2 IPS	2 3/4	3/8
1451 05799	927-3	3/4 IPS	3	3/8
1451 05800	927-4	1 IPS	3 1/16	3/8
1451 05810	927-6	1 1/2 IPS	3 7/8	3/8
1451 05812	927-7	2 IPS	4 3/8	3/8

White

Order No.	Mfr. No.	ID In.	OD In.	Thick. In.
1451 05850	926-2W	1/2 Nom. CTS	2 1/2	3/8
1451 05851	926-3W	3/4 Nom. CTS	2 3/4	3/8
1451 05852	926-4W	1 Nom. CTS	3	3/8
1451 05853	927-2W	1 1/2 IPS	2 3/4	3/8
1451 05854	927-3W	3/4 IPS	3	3/8
1451 05855	927-4W	1 IPS	3 1/16	3/8
1451 05856	927-6W	1 1/2 IPS	3 7/8	3/8
1451 05857	927-7W	2 IPS	4 3/8	3/8
1451 05858	927-8W	3 IPS	6	3/8

SIOUX CHIEF MFG.

Faucet Escutcheons Trim-Tite™



Deep tubular. High density polyethylene. Corrosionproof. Appliance white. Indestructable molded-in memory. Can be trimmed with utility knife.

Order No.	Mfr. No.	Tubular Wdth. In.	Base Wdth. In.	Dpth. In.
1461 21050	922-5W	1 1/4	4	3
1461 21052	922-6W	1 1/2	4	3

Plusco Supply Corp.

SIoux CHIEF MFG.

Slip Adapters MIP×Female Sweat



Brass. Eliminate tedious measuring. Replace male adapters when hex not needed.

No. 614-2. For use when installing FIP tub spouts.

No. 614-3. For use as closet/urinal stub-out adapter.

No. 614-4. For use as closet/urinal stub-out adapter.

Order No.	Mfr. No.	Size In.
1461 21000	614-2	1/2×1/2
1461 21002	614-3	3/4×3/4
1461 21004	614-4	1×1

SIoux CHIEF MFG.

Slip Nuts Two-Piece



Replace fractured or stripped slip nuts without disassembly. Ideal for problems on soldered trap arms, bath wastes and captured nuts on sink traps. Washer included. Poly material. White.

Order No.	Mfr. No.	Size In.
94222	290-20376	1 1/4×1 1/4
94333	290-20379	1 1/2×1 1/2

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

SIoux CHIEF MFG.

Cleanout Covers Stainless Steel



Standard 20 gauge. May be combined with other brass and plastic pipe plugs.

Cleanout Covers

Order No.	Mfr. No.	Dia. In.
1460 15122	870-3	3
1460 15123	870-4	4 1/2
1460 15124	870-5	5 1/2
1460 15125	870-6	6 1/2
1460 15127	870-8	8 1/2
1460 15128	870-810	10 1/2

Bolts

Order No.	Mfr. No.	Lgth. In.
1460 15130	874-4	4
1460 15131	874-6	6

SIoux CHIEF MFG.

Service Plugs Medium-Duty - Polypropylene - Slotted



White. Acid-resistant and chemically inert. Will not seize up on ABS or PVC.

w/Threaded Brass Inserts

Order No.	Mfr. No.	Size In.
1461 20100	878-15	1 1/2
1461 20102	878-20	2
1461 20104	878-25	2 1/2
1461 20106	878-30	3
1461 20108	878-35	3 1/2
1461 20110	878-40	4
1461 20112	878-50	5
1461 20114	878-60	6

w/o Threaded Brass Inserts

Order No.	Mfr. No.	Size In.
1461 20116	878-015	1 1/2
1461 20118	878-020	2
1461 20120	878-025	2 1/2
1461 20122	878-030	3
1461 20124	878-035	3 1/2
1461 20126	878-040	4
1461 20128	878-050	5
1461 20130	878-060	6

PASCO SPECIALTY & MFG.

Cleanout Plugs Brass

Southern code type.



Raised Head Plugs

Order No.	Mfr. No.	Size In.
1460 19377	1846	1 1/2
1460 19381	1847	2
1460 19382	1848	2 1/2
1460 19383	1849	3
1460 19384	1850	3 1/2
1467 19385	1851	4
1460 19387	1875	5



Countersunk Plugs

Order No.	Mfr. No.	Size In.
1460 19390	1852	1 1/2
1460 19391	1853	2
1460 19392	1854	2 1/2
1430 19393	1855	3
1460 19394	1856	3 1/2
1460 19395	1857	4
1460 19397	1878	5

B&K®

Floor Drains

Type 304 Stainless Steel - Snap In



Adjustable leg allows drain to fit most types of pipe. Individually display boxed. Inner pack is counter dispenser tray.

Order No.	Mfr. No.	Drain Size In.	Grid Dia. In.
18620	133-501	1 1/2	3
18630	133-502	2	3
18640	133-503	3	4
18650	133-504	4	5

SIoux CHIEF MFG.

Floor Strainers

Adjustable Gripper® - Replacement



Flush-to-floor. Stainless steel. Screw-down clips for adjustment. Bright annealed finish.

Order No.	Mfr. No.	Dia. In.	For Drain Open. In.	Ga.
78050	847-7	7 1/4	3 1/4-6 3/4	14
78051	847-9	9 1/4	5 1/4-8 3/4	12

Plusco Supply Corp.

SIOUX CHIEF MFG.

Stability Wedges
Wedge-It™ - Multi-Purpose



Soft, rubber-like PVC construction. Easy to trim and resists slipping on tile floors. Rot and corrosion free.

Order No.	Mfr. No.	Color
78090	460-20	White

MCGUIRE MFG.

Open Grid Drain Assemblies
Pull Out Plugs




Cast brass with chrome finish solid top and locknut. Tailpiece 6", 17-ga. For sink depth up to 2 1/4".

Order No.	Mfr. No.	Ht. In.	OD In.	Tailpiece OD In.
16155	155A-1 1/4	2 1/16	2 1/4	1 1/4
16156	155A-1 1/2	2 1/16	2 1/4	1 1/2

MCGUIRE MFG.

Lavatory Strainers
Offset Wheelchair




Furnished with heavy cast brass grid drain strainer, elbow and 1 1/4" 17-ga. tubular brass offset tailpiece. Fit sink depth up to 2 1/4".

Compliances.
ADA Compliant.

Order No.	Mfr. No.	H In.	I-O In.
16175	155WC	8 3/4	5 1/8

MCGUIRE MFG.

P-Traps
w/Tubular Wall Bend




Heavy cast brass body. Adjustable. Cleanout plug. Include slip nuts and shallow steel flange. Brass nuts.

Compliances. Federal Specification WWP-541 Compliant.

Order No.	Mfr. No.	Pipe Size In.	Ht. In.	Lgth. In.	Ctr. To End In.	Ga.
16872	8872	1 1/4 x 1 1/4	5	8 1/2	11	17
16912	8912	1 1/2 x 1 1/2	5	9	12	17

MCGUIRE MFG.

Urinal Strainers
Beehive




For 2" lead caulk, iron or solid pipe. Heavy cast brass. Vandal-resistant screws available.

Order No.	Mfr. No.	OD In.	Ht. In.	Finish
1460 01060	1303	4 1/4	3 1/2	Chrome

ENFIELD INDUSTRIAL

P-Traps
Mechanically Joined - Chemical Waste Piping System




Change configuration to suit by pivoting ell. Assembled with olives and union nuts.

Order No.	Mfr. No.	Size In.	A In.	B In.	C In.
0698 10000	W1021	1 1/2	5 3/4	5 3/8	2 3/8
0698 10005	W1022	2	6 3/4	6 3/4	3

ENFIELD INDUSTRIAL

Pipe Elbows
Mechanically Joined - Chemical Waste Piping System - 1/4 Bend




Assembled with olives and union nuts.

Order No.	Mfr. No.	Size In.	A In.
0698 30010	W181	1 1/2	2 1/8
0698 30020	W182	2	2 1/2
0698 30030	W183	3	3 1/8
0698 30040	W184	4	3 7/8

ENFIELD INDUSTRIAL

Sanitary Tees
Mechanically Joined - Chemical Waste Pipe System




Assembled with olives and union nuts.

Order No.	Mfr. No.	Size In.	A In.	B In.	C In.
0698 20100	W201	1 1/2	2 1/8	1 3/4	3 7/8
0698 20200	W202	2	2 1/2	2	4 1/2
0698 20300	W203	3	2 7/8	2 3/8	5 1/4
0698 20400	W204	4	3 7/8	3	6 7/8

J-TEC PRODUCTS

Floor Flanges
Closet - Replacement



For concrete construction. Street compression flange to replace broken cast iron closet flanges. Allow 3" adjustment to riser. Compression joint. Slide inside 4" cast iron. Secure to floor for proper installation. Use with flanged wax ring.

Order No.	Mfr. No.	Size In.	Color
0247 90000	GH950P	4	White

PLASTIC ODDITIES

Closet Flange Spacer Kits



For increasing existing flange. Include 1 slab ring, two 3 1/2" bolts, 2 no-wax gaskets, 2 nuts and 2 washers. White.

Order No.	Mfr. No.	Desc.
31955	CFSK-P	PVC

Plusco Supply Corp.


PLASTIC ODDITIES Offset Closet Flanges



Fit inside 4" pipe and over 3" pipe. Allow 4 way offset up to 2". White. Bulk.

Order No.	Mfr. No.	Desc.
0247 90820	P0F100	PVC

PLASTIC ODDITIES Closet Flanges Spigot Flush-Fit®




Spigot end allows insertion of flange into hub end of 4" Schedule 40 DWV fittings. Four countersunk holes ensure secure attachment to floor. Pipe may be cut flush with floor. Flanges for over 3" pipe or inside 4" pipe. White. Bulk.

Compliances. IAPMO Listed.
No. PFF-102. Slots on 4 sides.

Order No.	Mfr. No.	Desc.
0247 90817	PFF-102	4-Slot

PLASTIC ODDITIES Closet Flanges Spigot Flush Fit®



Fits inside 4" Schedule 40 DWV hub. Secure attachment to floor using four countersunk holes. Pipe may be cut flush to floor.

Order No.	Mfr. No.	Desc.
31951	PFF-110	w/o Test Cap

PASCO SPECIALTY & MFG. Ring Repair Flanges Quick Ring



Replace broken closet rings. Attach securely to sub floor or slab with unique screw tabs. Adjustable. Slotted for 1/4" or 5/16" closet bolts.

Order No.	Mfr. No.	Desc.
1451 20100	1013	Plated Steel


FERNCO® Flanges Spanner Flanges®



Eliminate need to replace broken toilet flanges. Place flange under broken area of ring, tighten nut. Fit all cast iron, plastic, copper, brass toilet flanges.

Order No.	Mfr. No.	Desc.
30100	SF-100	Flange


PLASTIC ODDITIES Adjustable Urinal Flanges Flush-Fit® - PVC



Fit over 2" Schedule 40 DWV pipe and feature horizontal slots to accommodate urinals with 4" to 6" flange mount centers. PVC. Include all bolts, nuts, washers, and gaskets.

Order No.	Mfr. No.	Desc.
0247 26322	PKT-110	Urinal Flange

PLASTIC ODDITIES Cleanout Plugs



Feature recessed slot/square design which allows removal with 3/4" ratchet or a T-slot tool.

Order No.	Mfr. No.	Desc.	Std. Thrd. Size	Plug Dia.
0247 98003	PRP-3	PVC	In. 3	In. 3 1/2
0247 98004	PRP-4	PVC	In. 4	In. 4 1/2

MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs and other available publications and data on request.

ZURN

Roof Drains

Series Z-100 - Low Silhouette Dome



Dura-coated cast iron body. Combination membrane flashing clamp/gravel guard. Poly-dome. Dia. 15".

Ordering Guide

Catalog number consists of prefix, series, outlet designation (pipe size and outlet type) and options suffix.

Example: **Z-100-2IC-AC**

Prefix: Z=Dura-coated cast iron body with Poly-dome; ZA=Dura-coated cast iron body with aluminum dome; ZC=Dura-coated cast iron body with cast iron dome; ZRB=Dura-coated cast iron body with plain bronze dome.

Series: 100=100.

Outlet Designation: 2IC=2" pipe/inside caulk; 3IC=3" pipe/inside caulk; 4IC=4" pipe/inside caulk; 5IC=5" pipe/inside caulk; 6IC=6" pipe/inside caulk; 8IC=8" pipe/inside caulk; 10IC=10" pipe/inside caulk; 2IP=2" pipe/threaded; 3IP=3" pipe/threaded; 4IP=4" pipe/threaded; 5IP=5" pipe/threaded; 6IP=6" pipe/threaded; 8IP=8" pipe/threaded; 10IP=10" pipe/threaded; 2NH=2" pipe/no-hub; 3NH=3" pipe/no-hub; 4NH=4" pipe/no-hub; 5NH=5" pipe/no-hub; 6NH=6" pipe/no-hub; 8NH=8" pipe/no-hub; 10NH=10" pipe/no-hub; 2NL=2" pipe/neo-loc; 3NL=3" pipe/neo-loc; 4NL=4" pipe/neo-loc.

Options Suffix: AC=Angular underdeck clamp; AR=Acid-resistant epoxy coated; AW=3/4" to 4" adjustable water level regulator (ZC only); BS=Bronze mesh screen over dome; C=Underdeck clamp; DX=Dextotex flange; E=Static extension 1" thru 4" (specify height); EA=Adjustable extension assembly 1 3/4" thru 3 1/2" (specify height); ES=Static extension with secondary clamp collar at body; FG=Flush gate; G=Galvanized cast iron; GD=Galvanized cast iron dome (ZC only); R=Roof sump receiver; SC=Secondary clamp collar; SS=Stainless steel mesh screen over dome; VP=Vandalproof secured top; W2=2" internal water dam; W3=3" internal water dam; W4=4" internal water dam; XJ=Vertical expansion joint; 6=6 3/4" high dome strainer; 84=Stainless steel perforated gravel guard (specify height); 85=Stainless steel perforated extension; 89=2" high external water dam; 90=90° threaded side outlet body (Z-100 only).

Order No.	Mfr. No.	Pipe Size In.	Body Ht. In.
0240 98041	Z-100-2IC-AC	2	5 1/4
0240 98043	Z-100-3IP-AR	3	3 3/4
0240 98046	Z-100-4NH-BS	4	5 1/4
0240 98049	ZA-100-2IC-AC	2	5 1/4
0240 98052	ZA-100-3IP-AR	3	3 3/4

Plusco Supply Corp.

ZURN

Floor Drain Body Assemblies Series Z-415 - w/Type "T" Strainer



Dura-coated cast iron body. Bottom outlet. Combination invertible membrane clamp and adjustable collar. Polished, nickel bronze strainer. Solid secured strainer cover.

Ordering Guide

Catalog number consists of prefix, series, outlet designation (pipe size/outlet type) and suffix.


Example: **Z-415-2IC-AR**

Prefix: ZB=Dura-coated cast iron body assembly with polished bronze top.


Order No.	Mfr. No.	Strainer Dia. In.	Pipe Size In.	Body Ht. In.
0240 98055	ZB-415-5T-2IC-G	5	2	3 ⁷ / ₈
0240 98058	ZB-415-6T-3IC-P	6	3	3 ⁷ / ₈
0240 98061	ZB-415-7T-4IC-90	7	4	3 ⁷ / ₈
0240 98064	ZB-415-5T-2IP-G	5	2	2 ⁵ / ₈
0240 98067	ZB-415-6T-3IP-P	6	3	2 ⁵ / ₈

ZURN

Roof Drains



Series Z100



Series Z010

Series Z100. Main Neo-Loc™ pipe connection roof drains. Dura-coated cast iron body. Neoprene gaskets. Low silhouette Poly-Dome. Combination membrane flashing clamp/gravel guard. Gaskets allow connections with any pipe w/out switching gaskets.

Series Z010. Plastic roof drains w/cast iron domes bolted to clamping collars and gravel guards. PVC material. 3" fit over 3" schedule DWV pipe. 4" fit over 4" schedule 40 DWV pipe. Threaded brass inserts. Can be tapped for trap primers.

Order No.	Mfr. No.	Pipe Size In.	Open Area Sq. In.
0240 30030	Z103	3	112
0240 30035	Z104	4	112
0240 30040	Z013	3	50
0240 30045	Z014	4	50

FERNCO®

Drain Traps Flexible



Replace 1¹/₄" or 1¹/₂" plastic or metal drain traps. Install quickly and securely with common screwdriver or nutdriver. Provide long-lasting, leak-free connection that resists freeze damage. Flexible PVC material adjusts to pipe misalignment.

Order No.	Mfr. No.	Desc.
30650	FT-150	Trap

FERNCO®

Flexible Coupling - Black



Attach cast iron, plastic, copper, steel or lead to cast iron, plastic, copper, steel or lead.

Order No.	Mfr. No.	Size In.
30225	1056-125	1 ¹ / ₄ ×1 ¹ / ₄
30230	1056-150	1 ¹ / ₂ ×1 ¹ / ₂
30235	1056-22	2×2
30240	1056-33	3×3
30245	1056-44	4×4

FERNCO®

Drain & Trap Connectors - Gray



Used for new installations, repairs and alterations. Can be installed easily and quickly without special tools, gluing, threading or soldering.

No. DTC-150. Connects 1¹/₄" or 1¹/₂" tubular traps to all common 1¹/₄" or 1¹/₂" drain piping and 2" copper.

No. DTC-215. Connects 1¹/₄" or 1¹/₂" tubular traps to all common 2" drain piping except copper.

Order No.	Mfr. No.	Size In.
30444	DTC-150-1.5	1 ¹ / ₂ ×1 ¹ / ₂
30666	DTC-215-1.5	2×1 ¹ / ₂

FERNCO®

Drain Pipe Connectors - Gray Tubular PVC




Used to extend, alter or repair any combination of 1¹/₂" or 1¹/₄" brass or plastic drain pipe. Create leak-free seal on sink, lavatory, garbage disposal, laundry tub drainage systems.

Order No.	Mfr. No.	Desc.
30150	TC-150	Connector

FERNCO®

No Hub Couplings Stainless Steel



Compliances. Manufactured in accordance with CISPI Standard 310. Gasket sleeve conforms to ASTM C564.

Order No.	Mfr. No.	Size In.
0247 06770	NH-150	1 ¹ / ₂
0247 06775	NH-22	2
0247 06785	NH-33	3
0247 06790	NH-44	4

FERNCO®

Clothes Washer Connectors Hose Grip




Strong, flexible PVC connectors hold washing machine hoses securely in standpipe drains. Fit both 1¹/₂" & 2" standpipes and most washing machine hoses from 1" to 1⁷/₁₆" diameter.

Order No.	Mfr. No.	Desc.
30600	HG-1	Washer Connectors

Plusco Supply Corp.

SIOUX CHIEF MFG.

Repair Couplings Copper Tubing



Full slip compression. No flame eliminates danger of fire when soldering. Safe for repair of cold and hot water lines. Ideal for tight spaces. Pressure rated at 150 psi.

Order No.	Mfr. No.	Tube OD In.	Lgth. In.
78010	600-40154	5/8	6
78012	600-40155	5/8	12
78011	600-306C	7/8	6
78013	600-312C	7/8	12

SIOUX CHIEF MFG.

Repair Couplings Copper Tubing




Female sweatxfemale sweat. Extra long. Full slip.

Order No.	Mfr. No.	Tube ID In.	Lgth. In.	Slips Over
78000	600-203	5/8x5/8	3	1/2" CTS
78001	600-40150	5/8x5/8	6	1/2" CTS
78002	600-40151	5/8x5/8	12	1/2" CTS
78005	600-303	7/8x7/8	3	3/4" CTS
78003	600-306	7/8x7/8	6	3/4" CTS
78004	600-312	7/8x7/8	12	3/4" CTS

COPPER PRESSURE FITTINGS - WROT

Couplings CxC - w/o Stops



Order No.	Mfr. No.	Size In.
WC18COUPL/S	30944	1/8
WC14COUPL/S	30948	1/4
WC38COUPL/S	30950	3/8
WC12COUPL/S	30952	1/2
WC34COUPL/S	30956	3/4
WC1COUPL/S	30960	1
WC114COUPL/S	30962	1 1/4
WC112COUPL/S	30964	1 1/2
WC2COUPL/S	30966	2

COPPER PRESSURE FITTINGS - WROT

Couplings CxC - w/Rolled Stop



Order No.	Mfr. No.	Size In.
WC18COUPW/S	30666	1/8
WC14COUPW/S	30678	1/4
WC38COUPW/S	30686	3/8
WC12COUPW/S	30694	1/2
WC34COUPW/S	30712	3/4
WC1COUPW/S	30730	1
WC114COUPW/S	30746	1 1/4
WC138COUPW/S	30761	1 3/8
WC112COUPW/S	30764	1 1/2
WC2COUPW/S	30782	2

COPPER PRESSURE FITTINGS - WROT

Tube Caps C



Order No.	Mfr. No.	Size In.
WC18CAP	30620	1/8
WC14CAP	30622	1/4
WC38CAP	30624	3/8
WC12CAP	30626	1/2
WC34CAP	30630	3/4
WC1CAP	30632	1
WC114CAP	30634	1 1/4
WC112CAP	30636	1 1/2
WC2CAP	30638	2

COPPER PRESSURE FITTINGS - WROT

Elbows 45° - CxC



Order No.	Mfr. No.	Size In.
WC1845	31082	1/8
WC1445	31086	1/4
WC3845	31090	3/8
WC1245	31096	1/2
WC3445	31106	3/4
WC145	31120	1
WC1445	31128	1 1/4
WC11245	31134	1 1/2
WC245	31140	2

COPPER PRESSURE FITTINGS - WROT

Elbows 45° - FTGxC



Order No.	Mfr. No.	Size In.
WC14ST45	31186	1/4
WC38ST45	31190	3/8
WC12ST45	31194	1/2
WC34ST45	31202	3/4
WC1ST45	31206	1
WC114ST45	31212	1 1/4
WC112ST45	31216	1 1/2
WC2ST45	31220	2

COPPER PRESSURE FITTINGS - WROT


Elbows 90° - CxC



Order No.	Mfr. No.	Size In.
WC1890	31260	1/8
WC1490	31262	1/4
WC3890	31266	3/8
WC1290	31272	1/2
WC3490	31288	3/4
WC7890	31295	7/8
WC190	31296	1
WC11490	31306	1 1/4
WC11290	31314	1 1/2
WC290	31322	2

COPPER PRESSURE FITTINGS - WROT

Elbows 90° - FTGxC




Order No.	Mfr. No.	Size In.
WC14ST90	31392	1/4
WC38ST90	31396	3/8
WC12ST90	31400	1/2
WC34ST90	31408	3/4
WC1ST90	31412	1
WC114ST90	31416	1 1/4
WC112ST90	31420	1 1/2
WC2ST90	31424	2

Plusco Supply Corp.

COPPER PRESSURE FITTINGS - WROT


Tees
C×C×C



Order No.	Mfr. No.	Size In.
WC18T	32606	1/8
WC14T	32640	1/4
WC38T	32668	3/8
WC12T	32700	1/2
WC34T	32768	3/4
WC1T	32818	1
WC114T	32866	1 1/4
WC112T	32910	1 1/2
WC2T	32970	2

COPPER PRESSURE FITTINGS - WROT


Tees
C×C×C



Order No.	Mfr. No.	Size In.
WC12X12X34T	32704	1/2×1/2×3/4
WC34X34X12T	32774	3/4×3/4×1/2
WC34X12X34T	32790	3/4×1/2×3/4
WC34X12X12T	32794	3/4×1/2×1/2

COPPER PRESSURE FITTINGS - WROT

Adapters
C×F



Order No.	Mfr. No.	Size In.
WC18FADAP	30100	1/8
WC14FADAP	30110	1/4
WC38FADAP	30120	3/8
WC12FADAP	30130	1/2
WC34FADAP	30150	3/4
WC1FADAP	30160	1
WC114FADAP	30170	1 1/4
WC112FADAP	30180	1 1/2
WC2FADAP	30190	2

COPPER PRESSURE FITTINGS - WROT

Adapters
C×M



Order No.	Mfr. No.	Size In.
WC18MADAP	30280	1/8
WC14MADAP	30290	1/4
WC38MADAP	30300	3/8
WC12MADAP	30310	1/2
WC34MADAP	30330	3/4
WC1MADAP	30342	1
WC114MADAP	30354	1 1/4
WC112MADAP	30368	1 1/2
WC2MADAP	30378	2

COPPER PRESSURE FITTINGS - WROT


Reducing Adapters
C×M



Order No.	Mfr. No.	Size In.
WC12X34MADAP	30316	1/2×3/4

COPPER PRESSURE FITTINGS - WROT


Reducing Adapters
C×F



Order No.	Mfr. No.	Size In.
WC12X34FADAP	30134	1/2×3/4

COPPER PRESSURE FITTINGS - WROT


Reducing Adapters
FTG×M



Order No.	Mfr. No.	Size In.
WC12FTGX34MADAP	30438	1/2×3/4

COPPER PRESSURE FITTINGS - WROT

Unions
C×C



Order No.	Mfr. No.	Size In.
WC14UN	33576	1/4
WC38UN	33578	3/8
WC12UN	33580	1/2
WC34UN	33582	3/4
WC1UN	33584	1
WC114UN	33585	1 1/4
WC112UN	33586	1 1/2

COPPER PRESSURE FITTINGS - WROT


Reducing Couplings w/Rolled Stop
C×C



Order No.	Mfr. No.	Size In.
WC14X18COUP	30684	1/4×1/8
WC38X14COUP	30688	3/8×1/4
WC12X38COUP	30696	1/2×3/8
WC12X14COUP	30698	1/2×1/4
WC34X12COUP	30716	3/4×1/2
WC1X34COUP	30734	1×3/4
WC114X1COUP	30748	1 1/4×1

COPPER PRESSURE FITTINGS - CAST


Reducers
FTG×C



Order No.	Mfr. No.	Size In.
WC12FTG14C	35981	1/2×1/4
WC34FTG12C	35983	3/4×1/2
WC1FTG34C	35986	1×3/4
WC114FTG34C	35990	1 1/4×3/4
WC112FTG1C	35995	1 1/2×1

COPPER PRESSURE FITTINGS - CAST

Drop Elbows
90° - C×F



Order No.	Mfr. No.	Size In.
WC12DE90	35440	1/2
WC34DE90	35445	3/4

COPPER PRESSURE FITTINGS - CAST

Elbows
90° - C×F



Order No.	Mfr. No.	Size In.
WC12CXF90	35306	1/2
WC34CXF90	35312	3/4

COPPER PRESSURE FITTINGS - WROT

Tube Straps




Order No.	Mfr. No.	Size In.
WC12STRAP	32416	1/2
WC34STRAP	32420	3/4
WC1STRAP	32422	1
WC114STRAP	32424	1 1/4
WC112STRAP	32426	1 1/2
WC2STRAP	32428	2

Plusco Supply Corp.

COPPER TUBING

Tubing
Type L - Soft Copper



Order No.	Mfr. No.	Dia. In.	Lgth. Ft.
WC14LTUBE	LSOFTB60	1/4	60
WC38LTUBE	LSOFTC60	3/8	60
WC12LTUBE	LSOFTD60	1/2	60
WC34LTUBE	LSOFTF60	3/4	60

COPPER TUBING


Tubing
Type L - Hard Copper



Order No.	Mfr. No.	Dia. In.	Lgth. Ft.
WC12PIPE	LHARDD20	1/2	20
WC34PIPE	LHARDF20	3/4	20
WC1PIPE	LHARDG20	1	20
WC114PIPE	LHARDH20	1 1/4	20
WC112PIPE	LHARDJ20	1 1/2	20
WC2PIPE	LHARDK20	2	20

COPPER REFRIGERATION TUBING


Copper Tubing
Refrigeration



Order No.	Mfr. No.	OD In.	Wall Thick. In.
	50 Ft. Coils		
WC14TUBE	32308002	1/4	.030
WC38TUBE	32308004	3/8	.032

BRASS NIPPLES

Brass Nipples
TBE - Standard




B43, B1.20.1

Order No.	Mfr. No.	Size In.
BN18CL	00003	1/8xClose
BN18112	00006	1/8x1 1/2
BN182	00009	1/8x2
BN18212	00012	1/8x2 1/2
BN183	00015	1/8x3
BN18312	00018	1/8x3 1/2
BN184	00021	1/8x4
BN18412	00024	1/8x4 1/2
BN185	00027	1/8x5
BN18512	00030	1/8x5 1/2
BN186	00033	1/8x6
BN14CL	00072	1/4xClose
BN14112	00075	1/4x1 1/2
BN142	00078	1/4x2
BN14212	00081	1/4x2 1/2
BN143	00084	1/4x3
BN14312	00087	1/4x3 1/2
BN144	00090	1/4x4
BN14412	00093	1/4x4 1/2
BN145	00096	1/4x5
BN14512	00099	1/4x5 1/2
BN146	00102	1/4x6
BN38CL	00141	3/8xClose
BN38112	00144	3/8x1 1/2
BN382	00147	3/8x2
BN38212	00150	3/8x2 1/2
BN383	00153	3/8x3
BN38312	00156	3/8x3 1/2
BN384	00159	3/8x4
BN38412	00162	3/8x4 1/2
BN385	00165	3/8x5
BN38512	00168	3/8x5 1/2
BN386	00171	3/8x6
BN12CL	00210	1/2xClose
BN12112	00213	1/2x1 1/2
BN122	00216	1/2x2
BN12212	00219	1/2x2 1/2
BN123	00222	1/2x3
BN12312	00225	1/2x3 1/2
BN124	00228	1/2x4
BN12412	00231	1/2x4 1/2
BN125	00234	1/2x5
BN12512	00237	1/2x5 1/2
BN126	00240	1/2x6
BN34CL	00279	3/4xClose
BN34112	00282	3/4x1 1/2
BN342	00285	3/4x2
BN34212	00288	3/4x2 1/2
BN343	00291	3/4x3
BN34312	00294	3/4x3 1/2
BN344	00297	3/4x4
BN34412	00300	3/4x4 1/2
BN345	00303	3/4x5
BN34512	00306	3/4x5 1/2
BN346	00309	3/4x6

BRASS THREADED FITTINGS

Cast Couplings
FxF



Order No.	Mfr. No.	Size In.
BF18COUP	40200	1/8
BF14COUP	40202	1/4
BF38COUP	40206	3/8
BF12COUP	40212	1/2
BF34COUP	40220	3/4


PLUMBING Reducing Couplings Brass - FIPxFIP



Order No.	Mfr. No.	Size In.
BF14X18COUP	40204	1/4x1/8
BF38X14COUP	40208	3/8x1/4
BF38X18COUP	40210	3/8x1/8
BF12X38COUP	40214	1/2x3/8
BF12X14COUP	40216	1/2x1/4
BF34X12COUP	40222	3/4x1/2
BF34X38COUP	40224	3/4x3/8
BF34X14COUP	40226	3/4x1/4
BF1X34COUP	40230	1x3/4

BRASS THREADED FITTINGS

Cast Tees
FxFxF



Order No.	Mfr. No.	Size In.
BF18T	40850	1/8
BF14T	40852	1/4
BF38T	40858	3/8
BF12T	40866	1/2
BF34T	40880	3/4


MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs
and other available publications and data on request.

Plusco Supply Corp.

BRASS THREADED FITTINGS


Cast Unions F×F



Order No.	Mfr. No.	Size In.
BF18UN	41090	1/8
BF14UN	41092	1/4
BF38UN	41094	3/8
BF12UN	41096	1/2
BF34UN	41098	3/4

BRASS THREADED FITTINGS


Cast Solid Plugs M



Order No.	Mfr. No.	Size In.
BF18PLUG	40810	1/8
BF14PLUG	40812	1/4
BF38PLUG	40814	3/8
BF12PLUG	40816	1/2
BF34PLUG	40818	3/4

BRASS THREADED FITTINGS

Cast Elbows 90° - F×F




Order No.	Mfr. No.	Size In.
BF1890	40460	1/8
BF1490	40462	1/4
BF3890	40466	3/8
BF1290	40470	1/2
BF3490	40476	3/4

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

BRASS THREADED FITTINGS


Cast Street Elbows 90° - F×M



Order No.	Mfr. No.	Size In.
BF18ST90	40580	1/8
BF14ST90	40582	1/4
BF38ST90	40584	3/8
BF12ST90	40586	1/2
BF34ST90	40588	3/4

BRASS THREADED FITTINGS


Cast Elbows 45° - F×F



Order No.	Mfr. No.	Size In.
BF1845	40390	1/8
BF1445	40392	1/4
BF3845	40394	3/8
BF1245	40396	1/2
BF3445	40398	3/4

BRASS THREADED FITTINGS


Cast Hex Bushings M×F



Order No.	Mfr. No.	Size In.
BF14X18BUSH	40040	1/4×1/8
BF38X18BUSH	40044	3/8×1/8
BF38X14BUSH	40042	3/8×1/4
BF12X14BUSH	40048	1/2×1/4
BF12X38BUSH	40046	1/2×3/8
BF34X38BUSH	40054	3/4×3/8
BF34X12BUSH	40052	3/4×1/2
BF1X34BUSH	40058	1×3/4

BRASS THREADED FITTINGS

Cast Caps F




Order No.	Mfr. No.	Size In.
BF18CAP	40146	1/8
BF14CAP	40148	1/4
BF38CAP	40150	3/8
BF12CAP	40152	1/2
BF34CAP	40154	3/4

BRASS COMPRESSION FITTINGS

Unions



Union




Reducing Union

Order No.	Mfr. No.	Trade Size In.
CP62-4	18-064	1/4
CP62-6	18-066	3/8
CP62-8	18-068	1/2
CP62-10	18-069	5/8
CP62-14	18-071	7/8
CP62R-42	18-076*	1/4×1/8
CP62R-64	18-079*	3/8×1/4
CP62R-86	18-081*	1/2×3/8
CP62R-106	18-082*	5/8×3/8

*Reducing union.

BRASS COMPRESSION FITTINGS

Tees




Order No.	Mfr. No.	Trade Size In.
CP64-4	18-103	1/4
CP64-6	18-105	3/8
CP64-8	18-106	1/2
CP64-10	18-107	5/8
CP64-14	18-109	7/8
CP64-64	18-115*	3/8×3/8×1/4

*Reducing tee.

BRASS COMPRESSION FITTINGS


Elbows



Order No.	Mfr. No.	Trade Size In.
CP65-4	18-124	1/4
CP65-6	18-126	3/8
CP65-8	18-127	1/2
CP65-10	18-128	5/8

BRASS COMPRESSION FITTINGS

Tees



Comp.xMIP.

Order No.	Mfr. No.	Trade Size In.
CP64-66	18-296	3/8×1/4

Plusco Supply Corp.

BRASS COMPRESSION FITTINGS

Male Adapters



Comp.xMIP.

Order No.	Mfr. No.	Trade Size In.
CP68-42	18-179	1/4x1/8
CP68-64	18-188	3/8x1/4
CP68-66	18-189	3/8x3/8
CP68-86	18-190	3/8x1/2
CP68-612	18-191	3/8x3/4
CP68-68	18-194	1/2x3/8
CP68-88	18-195	1/2x1/2
CP68-128	18-196	1/2x3/4
CP68-108	18-198	5/8x1/2
CP68-10	18-199	5/8x3/4
CP68-14	18-203	7/8x3/4

BRASS COMPRESSION FITTINGS

Female Adapters



Comp.xFIP.

Order No.	Mfr. No.	Trade Size In.
CP66-46	18-153	3/8x1/4
CP66-66	18-154	3/8x3/8
CP66-86	18-155	3/8x1/2
CP66-88	18-159	1/2x1/2
CP66-108	18-162	5/8x1/2

BRASS COMPRESSION FITTINGS

Male Elbows



Comp.xMIP.

Order No.	Mfr. No.	Trade Size In.
CP69-46	18-223	3/16x1/4
CP69-42	18-224	1/4x1/8
CP69-44	18-225	1/4x1/4
CP69-66	18-234*	3/8x3/8
CP69-86	18-235	3/8x1/2
CP69-68	18-237	1/2x3/8
CP69-88	18-238	1/2x1/2
CP69-106	18-241	5/8x1/2

*Dishwasher elbow.

BRASS COMPRESSION FITTINGS

Caps



Order No.	Mfr. No.	Trade Size In.
CP61-6SC	18-048	3/8

BRASS COMPRESSION FITTINGS

Brass Inserts



Order No.	Mfr. No.	Trade Size In.
CP59-4	22-010	1/4
CP59-6	22-012	3/8

BRASS COMPRESSION FITTINGS

Brass Sleeves



Order No.	Mfr. No.	Trade Size In.
CP60-2	18-001	1/8
CP60-4	18-003	1/4
CP60-6	18-005	3/8
CP60-8	18-007	1/2
CP60-10	18-008	5/8
CP60-14	18-010	7/8

BRASS COMPRESSION FITTINGS

Delrin Sleeves



Order No.	Mfr. No.	Trade Size In.
CP55-4	18-015	1/4
CP55-6	18-017	3/8
CP55-8	18-018	1/2

BRASS COMPRESSION FITTINGS

Nuts




Order No.	Mfr. No.	Trade Size In.
CP61-4	18-035	1/4
CP61-6	18-037	3/8
CP61-8	18-039	1/2
CP61-10	18-040	5/8
CP61-6C	18-055*	3/8
CP61-8C	18-056*	1/2

*Chrome.

BRASS COMPRESSION FITTINGS

Needle Valves




Comp. to comp.

When ordering, specify pin handle or pressed on handle.

Order No.	Mfr. No.	Size In.
CP142-4	46-021	1/4
CP142-6	46-023	3/8

BRASS COMPRESSION FITTINGS

Saddle Valves Self-Piercing




Fit 3/8" OD thru 3/4" IPS.

Order No.	Mfr. No.	Size In.
CP249-4	46-090	1/4

BRASS COMPRESSION FITTINGS

Valves & Tees Water Line Take Off




For ice makers, water coolers and humidifiers.

Order No.	Mfr. No.	Size In.
CP645-64	46-175	3/8x1/4
CP645-66	46-178	3/8x3/8

BRASS COMPRESSION FITTINGS


Ice Maker Kits Self-Tapping - Polyethylene Tubing



Order No.	Mfr. No.	Desc.
CP43265	K2249	Ice Maker Kit

PVC SCH. 40 PIPE

Plain End Pipe



Order No.	Mfr. No.	Size In.	Lgth. Ft.
PVC12PIPE	102057	1/2	20
PVC34PIPE	102058	3/4	20
PVC1PIPE	102059	1	20
PVC114PIPE	50150	1 1/4	20
PVC112PIPE	50120	1 1/2	20
PVC2PIPE	50122	2	20
PVC3PIPE	50124	3	20
PVC4PIPE	50126	4	20

Plusco Supply Corp.

WATER WHIZ®

PVC Ball Valves
Standard Series - Schedule 80



Use EPDM seats and seals. Rated 150 psi at 72° water temperature. Full port flow opening, quarter-turn operation. Fit Schedule 40 and 80 pipe.

Solvent Ends. Comply with ASTM D2466.

Threaded Ends. Comply with ANSI B2.1.

Order No.	Mfr. No.	Desc.	Pipe Size In.
PVC1011-005	9120	Solvent	1/2
PVC1011-007	9121	Solvent	3/4
PVC1011-010	9122	Solvent	1
PVC1011-012	9123	Solvent	1 1/4
PVC1011-015	9124	Solvent	1 1/2
PVC1011-020	9125	Solvent	2
PVC1020-005	9130	Threaded	1/2
PVC1020-007	9131	Threaded	3/4
PVC1020-010	9132	Threaded	1
PVC1020-012	9133	Threaded	1 1/4
PVC1020-015	9134	Threaded	1 1/2
PVC1020-020	9135	Threaded	2

B&K®

PVC Compression Couplings
For Iron Pipe Sizes



For piping or repairs on galvanized or plastic pipe. Rubber gaskets. Rated 150 psi at 73°F. Pipe needs to be restrained after installation.

Order No.	Mfr. No.	Trade Size In.
15500	160-103	1/2
15501	160-104	3/4
15502	160-105	1
15503	160-106	1 1/4
15504	160-107	1 1/2
15505	160-108	2

IF YOU CAN'T FIND IT HERE....

Let us know! Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

WATER WHIZ®

PVC Unions
Threaded Ends - Schedule 80



Can be used with Schedule 40 and 80 pipe. EPDM O-ring. Heavy duty. Noncorrosive.

Compliances. Comply with ANSI B21.

Order No.	Mfr. No.	Pipe Size In.
99200	9060	1/2
99201	9061	3/4
99202	9062	1
99203	9063	1 1/4
99204	9064	1 1/2
99205	9065	2

NIBCO®

PVC Repair Couplings
Slip-Fix® - Series SF-5



For repairing broken lines, installing valves or adding laterals or risers. Install next to fittings where space is limited. Require no bracing. Ensure permanent seal. O-ring rated 1500 psi. O-ring relief and pressure rating to schedule 40 tolerances assure tight seal with no leaks.

Order No.	Mfr. No.	Size In.	A Closed In.	A Open In.
71012	FSF-050	1/2	5 1/2	7 1/2
71034	FSF-075	3/4	6	8
71100	FSF-100	1	6 3/8	8 7/8
71114	FSF-125	1 1/4	7 3/4	10 1/4
71112	FSF-150	1 1/2	8 1/8	11 1/8
71200	FSF-200	2	9 5/8	12 5/8
71212	FSF-250	2 1/2	11 1/4	15 1/4
71300	FSF-300	3	12 5/8	16 5/8
71400	FSF-400	4	13 3/4	17 3/4

PVC PRESSURE FITTINGS


Sch. 40 Couplings
SLIP



Order No.	Mfr. No.	Size In.
PVC12COUP	13748	1/2
PVC34COUP	13750	3/4
PVC1COUP	13754	1
PVC114COUP	13758	1 1/4
PVC112COUP	13762	1 1/2
PVC2COUP	13766	2
PVC212COUP	13770	2 1/2
PVC3COUP	13772	3
PVC4COUP	13774	4

PVC PRESSURE FITTINGS


Sch. 40 Elbows
SLIP×SLIP - 90°



Order No.	Mfr. No.	Size In.
PVC1290	14062	1/2
PVC3490	14064	3/4
PVC190	14068	1
PVC11490	14074	1 1/4
PVC11290	14082	1 1/2
PVC290	14090	2
PVC21290	14096	2 1/2
PVC390	14098	3
PVC490	14100	4

PVC PRESSURE FITTINGS

Sch. 40 Tees
SLIP×SLIP×SLIP



Order No.	Mfr. No.	Size In.
PVC12T	14522	1/2
PVC34T	14528	3/4
PVC1T	14538	1
PVC114T	14560	1 1/4
PVC112T	14586	1 1/2
PVC2T	14624	2
PVC212T	14656	2 1/2
PVC3T	14670	3
PVC4T	14686	4

PVC PRESSURE FITTINGS

Sch. 40 Elbows
SLIP×SLIP - 45°




Order No.	Mfr. No.	Size In.
PVC1245	14022	1/2
PVC3445	14024	3/4
PVC145	14026	1
PVC11445	14028	1 1/4
PVC11245	14030	1 1/2
PVC245	14032	2
PVC21245	14034	2 1/2
PVC345	14036	3
PVC445	14038	4

Please Phone or Fax
Your Orders

Plusco Supply Corp.

PVC PRESSURE FITTINGS

Sch. 40 Adapters
SLIP×FIP



Order No.	Mfr. No.	Size In.
PVC12FADAP	13038	1/2
PVC34FADAP	13046	3/4
PVC1FADAP	13052	1
PVC114FADAP	13062	1 1/4
PVC112FADAP	13066	1 1/2
PVC2FADAP	13070	2
PVC3FADAP	13074	3
PVC4FADAP	13076	4

PVC PRESSURE FITTINGS


Sch. 40 Elbows
SLIP×FIP - 90°



Order No.	Mfr. No.	Size In.
PVC12SXF90	14120	1/2
PVC34SXF90	14124	3/4

PVC PRESSURE FITTINGS

Sch. 40 Tees
SLIP×FIP



Order No.	Mfr. No.	Size In.
PVC12SSTT	14742	1/2
PVC34SSTT	14748	3/4

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

PVC PRESSURE FITTINGS

Sch. 40 Plugs
SLIP



Order No.	Mfr. No.	Size In.
PVC12PLUG	14286	1/2
PVC34PLUG	14288	3/4
PVC1PLUG	14290	1
PVC114PLUG	14292	1 1/4
PVC112PLUG	14294	1 1/2
PVC2PLUG	14296	2

PVC PRESSURE FITTINGS

Sch. 40 Adapters/Riser Extenders
FIP×MIP



Order No.	Mfr. No.	Size In.
PVC12RISER	13266	1/2

PVC PRESSURE FITTINGS

Sch. 40 Reducing Bushings
SPIG×SLIP



Order No.	Mfr. No.	Size In.
PVC34X12BUSH	13304	3/4×1/2
PVC1X12BUSH	13312	1×1/2
PVC1X34BUSH	13310	1×3/4
PVC114X1BUSH	13316	1 1/4×1
PVC112X34BUSH	13328	1 1/2×3/4
PVC2X1BUSH	13336	2×1
PVC2X112BUSH	13332	2×1 1/2

PVC PRESSURE FITTINGS

Sch. 40 Caps
SLIP



Order No.	Mfr. No.	Size In.
PVC12CAP	13678	1/2
PVC34CAP	13680	3/4
PVC1CAP	13682	1
PVC114CAP	13684	1 1/4
PVC112CAP	13686	1 1/2
PVC2CAP	13688	2
PVC212CAP	13690	2 1/2
PVC3CAP	13692	3
PVC4CAP	13694	4

PVC PRESSURE FITTINGS

Sch. 40 Caps
FIP



Order No.	Mfr. No.	Size In.
PVC12TCAP	13716	1/2
PVC34TCAP	13718	3/4
PVC1TCAP	13720	1
PVC114TCAP	13722	1 1/4
PVC112TCAP	13724	1 1/2
PVC2TCAP	13726	2

RICHARD SPECIALTY

Repair Clamps
Stainless Steel

Fit IPS or Schedule 40 PVC. **Caution:** Not for hot water lines.



Small Repair Clamps

Order No.	Mfr. No.	Size In.
18161	R187300	1/2×3
18162	R187400	3/4×3
18163	R187500	1×3
18164	R187600	1 1/4×3
18165	R187700	1 1/2×3
18166	R187800	2×3
18168	R188000	3×3
18169	R188100	4×3



Large Repair Clamps

Order No.	Mfr. No.	Size In.
18185	R188800	1/2×6
18186	R188900	3/4×6
18187	R189000	1×6
18188	R189100	1 1/4×6
18189	R189200	1 1/2×6
18190	R189300	2×6
18192	R189500	3×6
18194	R189600	4×6

Plusco Supply Corp.

CHICAGO SPECIALTY Economy Plugs



Use in soil, plastic or copper pipe. Molded rubber gasket. High grade molded rubber. Positive seal.

Order No.	Mfr. No.	Size In.
1451 14250	3410	2
1451 14255	3411	3
1451 14260	3412	4
1451 14245	3413	1½


CHICAGO SPECIALTY Test Plugs Copper Tubing



For water, air and gas tubing lines. Use to seal off tubing end while checking for leaks. Rubber expands for positive sealing. Hold pressure up to 100 lbs.

Order No.	Mfr. No.	ID In.	OD In.
1429 07665	3484	½	⅝
1429 07685	3486	¾	⅞
1429 07695	3487	1	1⅝
1429 07705	3488	1¼	1⅞
1729 07715	3489	1½	2⅝
1429 07725	3490	2	2⅞

CHATHAM BRASS Thermocouple Kits Replacement



All copper. Stainless steel tip with fittings.

Order No.	Mfr. No.	Lgth. In.
15232	233-12	12
15233	233-18	18
15234	233-24	24
15235	233-30	30
15236	233-36	36
15238	233-48	48

CAMCO MANUFACTURING, INC.

Water Heater Thermostats Thermodisc



Upper Thermostats

Order No.	Mfr. No.	Desc.
1659 05777	08162	Upper Thermostat w/HLC



Lower Thermostats

Order No.	Mfr. No.	Desc.
1659 05765	08122	Lower Thermostat



Single Element Thermostats

Order No.	Mfr. No.	Desc.
1659 05237	08142	Single Element Thermostat w/HLC

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

CAMCO MANUFACTURING, INC.

Heating Elements Water Heater - Universal



Replace flat or round elements. High watt density. Include 1 gasket.

Order No.	Mfr. No.	Watts	Volts	Min. Tank Dia. In.
1659 00175	04382	1500	240	8
1659 00195	04482	2500	240	10
1659 00172	04522	3500	240	12
1659 00192	04602	4500	240	14

CAMCO MANUFACTURING, INC.

Heating Elements Water Heater - Screw-In




High watt density. Include gasket.

Compliances. UL Listed.

Order No.	Mfr. No.	Watts	Volts	Min. Tank Dia. In.
1659 01265	02162	1500	240	8
1659 01285	02242	2500	240	10
1659 01260	02282	3500	240	12
1659 01272	02342	4500	240	12

CAMCO MANUFACTURING, INC.

Element Part Kits




Convert screw-in to replace round head, flat and universal flange elements. Include 1 flat flange, 1 four-hole gasket, 1 round gasket, 1 thermostat bracket, (4) ½"-20x¾" hex slot and (4) ⅝"-18° hex washer relok.

Order No.	Mfr. No.	Desc.
1659 05225	07223	Universal Adapter Kit

Plusco Supply Corp.


CAMCO MANUFACTURING, INC.

Gaskets Water Heater




Screw-In Gaskets

Order No.	Mfr. No.	OD In.	ID In.	Thick. In.
1659 01597	06822	1.425	1.225	.165



Round 1/2" Thick Gaskets


Order No.	Mfr. No.	OD In.	ID In.	Thick. In.
1659 01617	06842	1.625	1.875	.5



Four Hole Gaskets

Order No.	Mfr. No.	ID In.	Thick. In.
1659 01602	06902	1.5625	.1


CHATHAM BRASS Spray Heads Rinse-Quik® - Replacement



Order No.	Mfr. No.	Desc.
15422	MR-422-4	RINSE-QUIK Spray w/Adapter
15420	MR-422	Head Only
15418	MR-4	48" Hose w/Adapter
15410	MR-30	30" Hose w/Adapter
15425	MR427-4WH	White Spray w/Adapter
15430	MR427-WH	White Head Only
15435	MR200-WH	White Hose Guide

COAST FOUNDRY & MFG.

Fill Valves Type 1B1 - Anti-Siphon




One-piece design. Include 8" brass float rod, vinyl refill tube, locknut, coupling nut and washers. Brass screws.

Order No.	Mfr. No.	Lgth. In.
19164	12164	12
19114	12114	10

COAST FOUNDRY & MFG.

Fill Valves Type 1B1X - Nonmetallic



Include float rod and all necessary installation parts to fit many 1-piece toilets. Nonmetallic materials.

Compliances. Meet all codes.

Order No.	Mfr. No.	Desc.
19174	10174	Fill Valve

COAST FOUNDRY & MFG.

Fill Valves Universal - Coastmaster




Include float rod, refill tube, locknut, coupling nut and all necessary washers. Regular ballcock. One size fits all tanks.

Order No.	Mfr. No.	Lgth. In.
19008	12704	8 1/2

COAST FOUNDRY & MFG.

Flush Valves Plastic





Noncorrosive. Vinyl flapper. Stainless steel chain. Hex nut. Washer included.

Order No.	Mfr. No.	Desc.
41076	30016	Plastic Flush Valve

COAST FOUNDRY & MFG.

Top Assemblies Coastmaster NF




Include cover, top, 3 assembly screws, and 1 trigger screw.

Order No.	Mfr. No.	Desc.
19736	71736	Plastic Ferrule Included

COAST FOUNDRY & MFG.

Top Assemblies Type 1B1 NF




Include cover, top, 3 assembly screws, and 1 trigger.

Order No.	Mfr. No.	Desc.
19666	71666	Plastic Ferrule Included

Plusco Supply Corp.

COAST FOUNDRY & MFG. Toilet Repair Kits For Coastmaster & Type 1B1



Order No.	Mfr. No.	Desc.
19014	55014	Piston & Seal Ring

COAST FOUNDRY & MFG. Top Assemblies Mark III



Order No.	Mfr. No.	Desc.
19646	71646	Plastic Rod Included

COAST FOUNDRY & MFG. Toilet Repair Kits Mark III



Order No.	Mfr. No.	Desc.
19314	55114	Piston, Seal Ring & Key


COAST FOUNDRY & MFG. Top Assemblies Type 1B1X NF



Include cover, top, 3 assembly screws, 1/2" trigger screw, and 3/4" trigger screw.

Order No.	Mfr. No.	Desc.
19866	71866	Plastic Ferrule Included

COAST FOUNDRY & MFG. Toilet Repair Kits For Type 1B1X



Order No.	Mfr. No.	Desc.
19214	55214	Piston & Seal Ring


CHICAGO SPECIALTY Piston Valve Ballcocks Hoov-R-Line® - Anti-Siphon



No. 910004. 8" solid brass rod, 1/4" and 3/8" rubber washers, synthetic washer, coupling and flange nuts, fiber friction ring, 7 1/8" refill tube and holder.

Order No.	Mfr. No.	Size
41212	910002	In. 12
41208	910003	8 1/2
41210	910004	10


CHICAGO SPECIALTY Ballcocks Anti-Syphon - Adjustable



Delrin Acetal. Float rod conserves water. Resist corrosion. Exact size replacement not necessary.

Order No.	Mfr. No.	Size
41126	910126	Rge. In. 9-13

CHICAGO SPECIALTY Valve Covers For Anti-Siphon Ballcocks



Order No.	Mfr. No.	Desc.
41864	930015	Top Assy.


CHICAGO SPECIALTY Ballcock Repair Kits



Include piston assembly, diaphragm and 1 screw.


Order No.	Mfr. No.	Desc.
41868	930025	Repair Kit

CHICAGO SPECIALTY Flush Valves



Order No.	Mfr. No.	Desc.	Size
41076	920199	Flush Valve	In. 8 11/16


FLUIDMASTER® Toilet Tank Repair Valves



For most standard tanks. Adjustable 9"-14" height. Anti-siphon. Water level clip adjusts for ideal flush volume. Low or high water pressure operation. Turn-and-lock cap for easy seal replacement. Made of stainless steel and corrosion-resistant plastic. **Compliances.** Code Approved.

Order No.	Mfr. No.	Desc.
32400	400A	Toilet Tank Repair Valve

FLUIDMASTER® Toilet Fill Valves w/Leak Sentry™



For hotel, motel, multi-housing, vacation homes and seldom-used bathrooms. Stop hidden water waste. Prevent endless refills of leaky tank. Locking action forces pressing flush lever twice when tank is emptied, indicating leaks. Adjustable bowl refill prevents overflow. Toilet remains operational. Adjustable height 9" to 14" fits most toilets. Anti-siphon operation. Corrosion-resistant materials withstand harsh water and constant use. **Compliances.** CSA Certified. UPC Compliant. IAPMO Compliant.

Order No.	Mfr. No.	Desc.
32411	400LS PRO	Fill Valve

Plusco Supply Corp.


FLUIDMASTER® Replacement Seals For Model 400A



For Fluidmaster model 400A.

Order No. 32242	Mfr. No. 242	Desc. Carded
--------------------	-----------------	-----------------

FLUIDMASTER® Fill Valves Toilet Tune Up™



Inlet tube systems, wet/dry. Kit includes flusher fixer kit, vinyl hoses, valve with vertical float, rim diverter.

Order No. 32756	Mfr. No. 756	Desc. Toilet Repair Kit
--------------------	-----------------	----------------------------


FLUIDMASTER® Toilet Flush Kits Flusher Fixer®



Fit most tanks. Install without tools. Durable flap-per to resist rotting. Chain floats. Adjustable time cup ensures complete flush. New drain seat included to fix worn, pitted flush valves.

Order No. 32555	Mfr. No. 555C	Pkg. Qty. 20
--------------------	------------------	--------------------

FLUIDMASTER® Toilet Replacement Parts



Replacement for No. 555A flusher fixer kit.

Order No. 32558	Mfr. No. 558	Desc. Mfr. No. 555A Flush Fixer Kit Repl.
--------------------	-----------------	--


MANSFIELD™ Ballcocks Heavy-Duty - Brass



Heavy-duty. One length fits all tanks. High water pressure lever adjusting screw. Noncorrosive nylon seat. Brass plunger. Vinyl refill tube 10". Brass float rod 8". Brass locknut. Brass coupling nut.

Order No. 55003	Mfr. No. 03	Desc. Ballcock
--------------------	----------------	-------------------


MANSFIELD™ Ballcocks



Seamless copper riser pipe. Long-life nylon valve seat. Huva-cup seal to prevent squirting. Brass plunger. ABS hush tube. Brass float rod 8". Vinyl refill tube 10". Brass lock nut. Brass coupling nut.

Order No. 55009	Mfr. No. 09	Desc. Ballcock
--------------------	----------------	-------------------

MANSFIELD™ Ballcocks Anti-Siphon - Noncorrosive



Full-flow design. Large waterway eliminates noise and allows large sediment and calcium pieces to pass through. Operate at high or low water pressures. Snap-action shut-off; easy to install and service. PVC and acetal plastics construction. Include 8" brass float rod, 8" vinyl refill tube, Celcon® lock nut and Celcon® coupling nut, and shank gasket. For use with 3.5 gpf or 1.6 gpf-6.0 Lpf models.

Compliances. Meet ANSI/ASME 1002 requirements (Federal Specification WW-P-541).

Competitive Code Approved. Blue cap.


Order No. 55008	Mfr. No. 08-10*	Lgth. In. 10
--------------------	--------------------	--------------------

*Available individually, boxed and skin packed.

Note: Celcon® is a registered trademark of Celanese Corp.

**Our order desk is always
ready to assist you.**


MANSFIELD™ Ballcocks Anti-Siphon



Red brass. Adjustable water flow. Sure seal shut-off prevents whining and leaking. Brass float rod 8". Vinyl refill tube 8". Brass locknut. Brass coupling nut. Celcon® body and seat with brass cap.

Order No. 55012	Mfr. No. 12	Lgth. In. 11½	Pkg. Qty. 20
--------------------	----------------	---------------------	--------------------

MANSFIELD™ Ballcocks Extra Quiet - Brass



One length fits all tanks. Fingertip flow adjustment. Noncorrosive nylon seat. Brass plunger with huva-cup seal. Vinyl refill tube 10". Brass float rod 6". Brass locknut. Brass coupling nut.

Order No. 55016	Mfr. No. XQ16	Desc. Ballcock
--------------------	------------------	-------------------

MANSFIELD™ Toilet Flush Valves Watersaver - "Universal" - Anti-Siphon



Fit most tank-style toilets and work with all trip levers, direct- or chain-connect. Spud gasket and spud locknut. Boxed.

Order No. 55021	Mfr. No. 210	Size In. 12
--------------------	-----------------	-------------------

MANSFIELD™ Ballcock Service Kits



For Mansfield™ ballcock No. 7. Include upper diaphragm, lower diaphragm, thumb screw, nylon plunger and 4 body screws.

Order No. 55702	Mfr. No. 630-5702	Desc. Ballcock Service Kit
--------------------	----------------------	-------------------------------

Plusco Supply Corp.

MANSFIELD™ Ballcock Service Kits



For Mansfield™ ballcock Nos. 03, 09, XQ-16. Include two thumb screws, nylon seat, neoprene valve seat and hupa-cup seal.

Order No. 55066 Mfr. No. 630-7066 Desc. Ballcock Service Kit

MANSFIELD™ Ballcock Service Kits Anti-Siphon



For Mansfield™ ballcock No. 08. Include upper and lower diaphragms.

Order No. 55798 Mfr. No. 630-7984 Desc. Ballcock Service Kit

MANSFIELD™ Ballcock Service Kits



For Mansfield™ ballcock No. 12. Include upper diaphragm, lower diaphragm, thumb screw and nylon plunger.

Order No. 55699 Mfr. No. 630-5699 Desc. Ballcock Service Kit

MANSFIELD™ Flush Valve Service Kits Valve Seal




For Mansfield™ flush valves No. 210. Includes valve seal.

Order No. 55300 Mfr. No. 630-0030 Desc. Flush Valve Service Kit

Telephone Your Orders.

MANSFIELD™ Flush Valve Service Kits Diaphragm Seal



Include diaphragm valve seal. For Mansfield™ flush valve Nos. 208 and 209.

Order No. 55483 Mfr. No. 630-4837 Desc. Flush Valve Service Kit

CESCO BRASS Ballcocks Burlington



Solid brass construction. Brass plunger with neoprene cup washer. Pressure regulator/silencer. Replaceable nylon seat. Double acting lever.

Order No. 1225 05762 Mfr. No. 20A Desc. Ballcock, Anti-Syphon


FORT RECOVERY INDUSTRIES Toilet Tank Levers



Zinc handle. Fortalloy arm. Plastic spud and nut.

Order No. 33333 Mfr. No. 9055-224-23 Finish Chrome Plate

FORT RECOVERY INDUSTRIES All Metal Toilet Tank Levers



No. 9581-241-22. Zinc handle, spud and nut. Brass arm.

No. 9581-242-22. Zinc handle. Brass arm. Plastic spud and nut.

Order No. 33399 Mfr. No. 9581-241-22 Finish Buffed Chrome Plate
33381 Mfr. No. 9581-242-22 Finish Buffed Chrome Plate

FORT RECOVERY INDUSTRIES Toilet Tank Levers



Zinc handle. Brass arm. Plastic spud and nut.

Order No. 33355 Mfr. No. 9027-222-30 Finish Polished Brass


FORT RECOVERY INDUSTRIES Toilet Tank Levers



Plastic handle, arm, spud and nut.

Order No. 33366 Mfr. No. 9570-200-78 Finish Bone
32680 Mfr. No. 9570-200-70 Finish White

MANSFIELD™ Toilet Tank Levers Trip



Noncorrosive. Highly durable. Use on Mansfield™ toilet tank Nos. 4, 10, 16, 163 and 164.

Order No. 55043 Mfr. No. 430000010 Finish Chrome

MANSFIELD™ Blue Toilet Tank Levers Trip



Use in Mansfield™ toilet tank Nos. 35LT, 51, 8 and 162.

Order No. 55867 Mfr. No. 001238867 Finish Chrome

FLUIDMASTER® Toilet Tank Flush Levers



Trim-to-fit. Easy and quick to install. Use in all popular front-mount tanks. Flapper chain has 3-slotted lever that will replace most brands. Self-tightening locknut will not loosen over time.

Order No. 32680 Mfr. No. 680 Color White
32681 Mfr. No. 681 Color Chrome

Plusco Supply Corp.

CHICAGO SPECIALTY

Flush Levers
Push Button

Chrome.



Front Mount Flush Levers

Order No. 41763	Mfr. No. 4233C	Desc. Front Mount
--------------------	-------------------	----------------------



Side Mount Flush Levers

Order No. 41765	Mfr. No. 4234C	Desc. Side Mount
--------------------	-------------------	---------------------

NEOPERL® Faucet Aerators Spring-Flo®



Three screen, slotted. 2.2 gpm at 60 psi. Sold in a 6-pack tube.

Order No. 92666	Mfr. No. 38D	Desc. Dual Thread Aerator
--------------------	-----------------	------------------------------

NEOPERL® Faucet Aerators Perlator®



Dual thread aerators with dome screens. Rated 2.2 gpm (8.3 L/min.). Dome screen construction eliminates sediment clogging. Fit most faucets. Sold in 6-pack tube.

Order No. 92632	Mfr. No. 31R	Desc. Dual Thread Aerator
--------------------	-----------------	------------------------------

NEOPERL® Spout Moderators WPM-MODERATOR®




Laminar flow spout-end attachment. Deliver splash reduction without aeration. Provide excellent but different flow performance and stream quality when compared to typical aerator in applications that prohibit aerator use. Max. 3 gpm at 80 psi.

Compliances. Comply with California Title 24, Special Building Regulations T17-208. Meet California Administrative Code, Title 20, Chapter 2.4.4.

Order No. 92555	Mfr. No. 310	Desc. Spout Moderator
--------------------	-----------------	--------------------------

RADIATOR SPECIALTY® Aerator Fittings



Order No.	Mfr. No.	Desc.	Thrd. Size
1467 00050	A-1101	Female	...
1467 00051	A-1107	Male	15/16
1467 00056	A-1108	Male	13/16
1467 00081	A-1110	Male/Female	...

CHICAGO SPECIALTY Faucet Aerators Insta-Rinse® - Swivel Spray®



Decorator design. C.P. brass upper and lower section. Fit most faucets. Include No. 1M male, water saving adapter.

Order No. 1429 01736	Mfr. No. 252C	Desc. Faucet Aerator
-------------------------	------------------	-------------------------

CHICAGO SPECIALTY Spout Adapters



Upper Male Section Adapters

Order No.	Mfr. No.	Desc.	Thrd. Size
1429 01768	272A	Hose Adapter	13/16"×27



Upper Section Dual Adapters


Order No.	Mfr. No.	Desc.
1429 01979	293A	Hose Adapter



Female Adapters

Order No.	Mfr. No.	Desc.	Thrd. Size In.
1429 02012	296A	Female Adapter	3/4


ZIN-PLAS Faucet Handles Tri-Set® - Two-Handle



For kitchen and lavatory faucets. Include index buttons.

Order No.	Mfr. No.	Finish
96260	15-1502-71-K	Clear Acrylic

ZIN-PLAS Tub & Shower Handles Tri-Set® - Two-Handle




For tub and shower and wide spread lavatory faucets. Include index buttons.

Order No.	Mfr. No.	Style	Finish
96265	15-2502-71-K	w/o Arrow Index Button	Clear Acrylic
96266	15-2502-71A-K	w/Arrow Index Button	Clear Acrylic

Plusco Supply Corp.


ZIN-PLAS Faucet Handles Tri-Set® - Two-Handle



Crystal lever. Plated zinc base. Nonindexed.

Order No.	Mfr. No.	Style
96110	15-5001-10-K	w/Chrome Base

ZIN-PLAS Faucet Handles Tri-Set® - Two-Handle



Lever canopy. Chrome-plated zinc.

Order No.	Mfr. No.	Style	Finish
96220	15-5011-71-K	Small	Chrome
96222	15-5111-71-K	Large	Chrome

FLUIDMASTER® Tub, Shower & Faucet Handles & Trim Sure-Fit®



600D



603D




620

No. 600D. Fit wide-spread faucet handles. 4 traditional and Eurostyle designs available. Coordinate with Sure-Fit® showerheads and trim.

No. 620. Tub and shower handle trim. Coordinates with all Sure-Fit® handle styles.

Order No.	Mfr. No.	Desc.
32600	600D	Clear Acrylic w/Chrome Button
		Handle Trim
32650	620	Chrome

CHICAGO SPECIALTY Toilet Tank Covers Speedy®



Replace broken tank tops. High impact plastic. High tension spring adjusts to fit beveled or rounded tanks, wall hung or free standing. Rescued styling. White.

Order No.	Mfr. No.	Desc.
1429 09480	4211	Toilet Tank Cover

CHICAGO SPECIALTY Bolt Caps



Plastic. Per pair.

Order No.	Mfr. No.	Desc.
1460 14642	930125	Round

CHICAGO SPECIALTY Sink Hole Covers

Stainless steel.



Two-Piece Covers

Order No.	Mfr. No.	Desc.	Size In.
1460 05682	1227C	w/Two-Piece Head	1 3/4



Snap-In Covers

Order No.	Mfr. No.	Desc.	Size In.
1460 05746	1229	Snap-In	1 1/2

CHICAGO SPECIALTY Strainers



3-Prong Strainers


Order No.	Mfr. No.	Desc.	Size In.
1460 15405	1256	3-Prong	1 7/8
1460 15380	1257	3-Prong	1 5/8



Postless Strainers

Order No.	Mfr. No.	Desc.	Size In.
1460 15300	1276	Basin Type	1
1460 15320	1277	Sink Type	1 1/2

CHICAGO SPECIALTY Basin Coupling Nuts



Order No.	Mfr. No.	Desc.	Size In.
1460 14142	8636	Unfinished Brass	1/2 NPT x 1/4 NPT

CHICAGO SPECIALTY Shower Curtain Pins



Plated steel.

Order No.	Mfr. No.	Desc.	Size In.
1514 05910	1056	Shower Curtain Pin	1 3/8

CHICAGO SPECIALTY Drain Guards Hair Snare



Prevent hair from clogging drain. Fit any sink, shower or tub. White. Plastic.

Order No.	Mfr. No.	Desc.
1429 11876	7534C	Drain Guard

CHICAGO SPECIALTY Tub Stoppers



Fit all tubs. Metal ring. Bead chain. White.


Order No.	Mfr. No.	Desc.
1429 11920	7537WC	Tub Stopper

CHICAGO SPECIALTY Ballcock Coupling Nuts



Order No.	Mfr. No.	Desc.	Size In.
1460 14142	8622	Brass	5/8

CHICAGO SPECIALTY Splash Guards




ABS plastic. White.

Order No.	Mfr. No.	Desc.
1467 17552	1300C	Shower Splash Shield

Plusco Supply Corp.

RADIATOR SPECIALTY® Closet Bolt Sets



No. CB-105. Oval, heavy-type closet bolts, nuts and washers. 2 1/4" x 1/4" x 20 thread bolt, 1/4" x 20 thread nut and 7/8" OD x 5/16" ID round washer.

No. CB-110. Closed-coupled tank-to-bowl bolt sets. Packed in individual plastic bags. Include: two solid brass bolts 3 x 5/16, two brass hex nuts, four solid brass washers, four cloth-inserted washers and two wing nuts.

No. CB-112. Brass breakaway with N.P. open end nuts and easy-up closet bolts. Include 2 brass slotted bases and 2 brass studs.

No. CB-113. Brass breakaway with N.P. open end nuts and easy-up closet bolts. Include 2 brass slotted bases and 2 brass studs.

Order No.	Mfr. No.
1467 00281	CB-105
1467 00290	CB-110
1467 00295	CB-112
1467 00285	CB-113

RADIATOR SPECIALTY® Close Couple Gaskets Sponge Rubber



Tank to bowl.

Order No.	Mfr. No.	Desc.	OD In.	ID In.	Thick. In.
1467 34601	G-601	Fit All	3 1/4	2 1/4	...
1467 34602	G-602	For Kohler/Mansfield
1467 34603	G-603	For Eljer
1467 34604	G-604	For Gerber & Crane
1467 34605	G-605	For American Standard & Crane	3 1/2	2 7/8	1 5/8


PASCO SPECIALTY & MFG. Tank Bolts Offset - Tank-to-Bowl



Brass with rubber washers.

Order No.	Mfr. No.	Max. Adjust. In.
1451 03545	266	2

HERCULES® Closet Bolt Kits Johni-Bolt® XL



Solid brass. Length 3 1/2". Packed in plastic bags. Include 2 bolts, 2 washers and 2 brass nuts.

Order No.	Mfr. No.	Dia. In.
39154	90-154	1/4

HERCULES® Gaskets & Bolts Johni-Bolt - Bowl Setting



Solid brass closet bolt with snap-off slot and capitive washer. Packed in plastic bags. Includes 2 bolts, 2 washers and 2 brass cap nuts.

Order No.	Mfr. No.	Dia. In.
39104	90-104	1/4
39124	90-124	5/16

HERCULES® Closet Bolt Kits Johni-Bolt - w/Wax Ring



For double nut installation. Include (2) 1/4" bolts and hardware.

Order No.	Mfr. No.	Size Regular
39214	90-214	3/4" Horn
39224	90-234	3/4" Horn

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

W.H. HARVEY Wax Toilet Bowl Gaskets No-Seep® - Urethane - w/Polyethylene Flange



No. 004005. No. 2. Wall mount.

Wall Mount Gaskets

Order No.	Mfr. No.	Desc.	Pkg. Qty.
1727 00040	004005	Toilet Bowl Gasket	24



No. 004605. No. 4. For floor and some wall bowls. Fits 4" lines only. Extra thick.

Extra Thick Gaskets

Order No.	Mfr. No.	Desc.	Pkg. Qty.
1727 00080	004605	Toilet Bowl Gasket	24

W.H. HARVEY Wax Urinal Gaskets Bol-Wax® - No. 6 - Urethane




Fit 2" outlet.

Compliances. Conform to Federal Specification TT-P-1536A.

Order No.	Mfr. No.	For Outlet Size In.	Desc.
1727 00180	011305	24	Urinal Gasket

RADIATOR SPECIALTY® Bowl Rings Kantleak - Flanged



Polyethylene horn. Fit 3" and 4" soil pipe. For short horn bowls. Sleeve and ring are one piece.

Order No.	Mfr. No.	Desc.
1467-34237	G-237	Wax

RADIATOR SPECIALTY® Bowl Rings Anchor



Individually wrapped and boxed.

Order No.	Mfr. No.	Desc.
1467 34236	G-236	Std.

Plusco Supply Corp.

RADIATOR SPECIALTY®

Bowl Rings
Rubber



Sponge rubber. 3½" ID×5¼" OD×¾".

Order No.	Mfr. No.	Desc.
1467 34227	G-227	Rubber

W.H. HARVEY

Tank Bolt Kits
Tank-To-Bowl



Include (2) 5/16"×3" brass tank bolts, 4 cloth reinforced rubber washers, 4 heavy round washers, 2 brass hex nuts and 2 wing nuts.

Order No.	Mfr. No.	Desc.
1727 01972	068035	Tank-To-Bowl Bolt Kit

W.H. HARVEY

Tank Bolt Kits
w/Gasket



Fit most close-coupled toilets. Double thick sponge rubber gasket. Include bolt kit.

Order No.	Mfr. No.	ID In.	OD In.	Desc.
1727 01985	072035	3½	2⅞	Gasket & Bolt Kit

W.H. HARVEY

Tank Bolt Kits
w/Gasket



Fit most close-coupled toilets. Standard size sponge rubber gasket. Include bolt kit and fiber washer.

Order No.	Mfr. No.	OD In.	ID In.	Desc.
1727 01976	072025	3¼	2⅞	Gasket & Bolt Kit

**We Appreciate
Your Business!**

COAST FOUNDRY & MFG.

Toilet Tank Flappers
Coast Blue Vinyl Flapper




Stainless steel chain.

Order No.	Mfr. No.	Desc.
19376	53376	UHMB Coast Blue Vinyl

COAST FOUNDRY & MFG.

Toilet Tank Flappers
Certain Seal - Plastic



Pressure sensitive seal.
Hard plastic with stainless steel chain.

Order No.	Mfr. No.	Desc.
19336	53316	Certain Seal Flapper

COAST FOUNDRY & MFG.

Toilet Tank Flappers



Complete repair flapper. Vinyl pull strap.

Order No.	Mfr. No.
19176	53176

FLUIDMASTER®

Toilet Flappers
Bull's Eye®



Hinged to rigid frame. Resist rotting. Floating chain.

Order No.	Mfr. No.	Desc.
32500	500	Toilet Flapper

LAVELLE

Flapper Tank Balls
Korky®



Made of one-piece rubber. Fit most conventional flush valves to stop leaks.

Order No.	Mfr. No.	Desc.
50054	54BP	Flapper Tank Ball

LAVELLE

Red Flapper Tank Balls
Korky® Plus




Made of specially formulated compound to withstand purification chemicals in municipal water and toilet cleansers that deteriorate standard rubber parts used in the water closet. Fit most conventional flush valves to stop leaks. Blister pack.

Order No.	Mfr. No.	Desc.
50060	2001BP	Flapper Tank Ball

LAVELLE

Flapper Tank Balls
Korky® 1.6



Adjustable. Blister packaging.

Order No.	Mfr. No.	Desc.
50016	16BP	Flapper Tank Ball

LAVELLE

Flapper Valves
Crane® - Replacement



Replacement will fit Crane® tanks. Individually boxed with chain and hooks.

Order No.	Mfr. No.	Desc.
50057	57BP	Flapper Valve

Plusco Supply Corp.

LAVELLE Toilet Flappers Replacement



Replacement for Eljer® low boy closets. Fit Patricia, Windsor and Canterbury Aqualine models. Blister pack.

Order No. 50031	Mfr. No. 61BP	Desc. Toilet Flapper
--------------------	------------------	-------------------------

LAVELLE Flapper Tank Balls Korky® Low Pro



Designed for low boy toilets to allow for maximum flush. Fit most conventional flush valves.

Order No. 50092	Mfr. No. 92BP	Desc. Flapper Tank Ball
--------------------	------------------	----------------------------

LAVELLE Toilet Discs Dual Seat



Actuator units for American Standard®. Fit snap-type or adapt to screw-type assembly.

Order No. 50021	Mfr. No. 421	Trade Size Duo
--------------------	-----------------	----------------------

LAVELLE Toilet Tank Balls Eljer® - Replacement




Replacement for Eljer® touch flush assembly. Blister pack.

Order No. 1792 10010	Mfr. No. 425BP	Desc. Toilet Tank Ball
-------------------------	-------------------	---------------------------

PLUSCO REPLACEMENT PARTS

Green Silicone Toilet Flapper



Fit all conventional closets. 100% natural rubber. Silicone treated. Inhibit distortion and retain original shape. Positive seal.

Order No. 51092	Mfr. No. 51092	Desc. Premium Flapper
--------------------	-------------------	--------------------------

RADIATOR SPECIALTY® Tank Balls Triple Seal



Cross Section Under Pressure

Patented. Provide perfect seal at three vital points on valve seat. Light and buoyant. Allow complete flush. Will not stick to valve. Flexible neck permits perfect seat even if rod is not straight. Packed in individual carton.

Black Tank Balls

Order No. 1467 15020	Mfr. No. B-251	Desc. Standard Ball
1467 15030	B-252	3" Ball

Red Tank Balls

Order No. 1467 15251	Mfr. No. B-251R	Desc. Standard Ball
1467 15252	B-252R	3" Ball

RADIATOR SPECIALTY® Tank Balls Tite-Seal®



Fit curvature of all flush valves. Built-in flexibility provides perfect sealing. Standard size.

Order No. 1467 15050	Mfr. No. B-254	Desc. Black
1467 15254	B-254R	Red

**We are in touch with the
world's largest and best
manufacturers. Centralize
your purchases with us!**

RADIATOR SPECIALTY® Toilet Flappers



Order No. 1467 31263	Mfr. No. B-257B	Desc. Anchor w/Clips
1467 31257	B-257RV	Anchor w/Clips, Red - Heavy-Duty

RADIATOR SPECIALTY® Toilet Flappers



Order No. 1467 31266	Mfr. No. B-260B	Desc. Seal-O-Matic, Black
1467 31260	B-260RV	Seal-O-Matic, Red - Heavy-Duty

RADIATOR SPECIALTY® Toilet Flappers



Order No. 1467 31262	Mfr. No. B-262	Desc. Kohler Replacement
1467 31268	B-262RV	Kohler Replacement, Red

RADIATOR SPECIALTY® Toilet Flappers



The finest of the "flappers". Buoyant. Leaps off the valve instantly. Drops back into place for positive seal. Attaches to overflow tube. Eliminates guide arms. Molded in chain can not pull loose.

Order No. 1467 31269	Mfr. No. B-264B	Desc. Sealmaster, Black
1467 31264	B-264RV	Sealmaster, Red - Heavy-Duty

Plusco Supply Corp.

RADIATOR SPECIALTY®

Tank Balls Sealmaster® - Flapper



Buoyant. Comes off the valve instantly and drops back into place for positive seal. Attach to overflow tube. Eliminate guide arms. Molded-in chain that cannot be pulled loose. Blister-Pak.

Order No.	Mfr. No.	Desc.
1467 31265	B-264CV	Crane

RADIATOR SPECIALTY®

Tank Balls Triple Seal



Patented. Provide perfect seal at three vital points on valve seat. Light and buoyant. Allow complete flush. Will not stick to valve. Flexible neck permits perfect seat even if rod is not straight. Packed in individual carton.

Order No.	Mfr. No.	Desc.
1467 15070	B-274	Heavy-Duty Ball, Black
1467 15274	B-274R	Heavy-Duty Ball, Red

RADIATOR SPECIALTY®

Seat Discs



Fit American Standard tilt flush valves. Easy replacement.


Order No.	Mfr. No.	Desc.
1467 31272	B-295B	Screw-On
1467 31297	B-296B	Snap-On
1467 31298	B-295RV	Screw-On, Red - Heavy-Duty
1467 31296	B-296RV	Snap-On, Red - Heavy-Duty

RADIATOR SPECIALTY®

Lift Wire



W-951



W-952

Order No.	Mfr. No.	Desc.	Lgth. In.
1467 67716	W-951	Lower	5½
1467 67712	W-952	Upper	8½

RADIATOR SPECIALTY®

Float Rods



Order No.	Mfr. No.	Lgth. In.
1467 33312	F-312	8½
1467 33314	F-314	10
1467 33316	F-316	12

RADIATOR SPECIALTY®

Master Plumber Floats



Leakproof, seamless plastic.

Order No.	Mfr. No.	Desc.
1467 33305	F-305AC	Master Plumber Floats

RADIATOR SPECIALTY®

Washers



Golden State Washers

Order No.	Mfr. No.	Desc.	Mfr. No. Sizes	Pkg. Qty.
1467 10115	W-143	Assorted Beveled	...	100
1467 68140	W-144R	Master Assortment	23	375
1467 10120	W-157	Flat & Beveled	...	100
1467 68280	W-158R	Assorted Flat	10	300
1467 68290	W-159R	Assorted Flat	10	300
1467 10122	W-243	Flat & Beveled Mixture Beveled	7	25

RADIATOR SPECIALTY®

Precision Molded O-Rings Solder Seal



R-291


Packing rings for swing spout, slip-joints, pump and hydraulic applications. Rubber.

Compliances. Made to exceed specifications.

Order No.	Mfr. No.	Desc.	Mfr. No. Sizes
1467 64391	R-291	Assortment	14
1467 64395	R-1095R	All-Purpose	15
1467 64996	R-1096R	Master	30

RADIATOR SPECIALTY®

Top Bibb Gaskets




Assortment.

Order No.	Mfr. No.	Mfr. No. Sizes
1467 32730	C-3293R	12

RADIATOR SPECIALTY®

Ballcock Washers



Assortment.

Order No.	Mfr. No.	Mfr. No. Sizes
1467 31593	B-3293R	10

RADIATOR SPECIALTY®

Friction Rings Supply & Waste



Assortment.

Order No.	Mfr. No.	No. Sizes
1467 10105	R-592	12

RADIATOR SPECIALTY®

Faucet Seats



Assortment.

Order No.	Mfr. No.	No. Sizes
1437 10110	S-2098R	30

Plusco Supply Corp.

RADIATOR SPECIALTY®

Handle Screws
Chrome Plated



Assortment.

Order No.	Mfr. No.	No.
1467 10100	S-591R	Sizes 10

RADIATOR SPECIALTY®

Bibb Screws
Brass



Small heads.

Order No.	Mfr. No.	Desc.	No.
1467 10355	S-562R	Assortment	Sizes 10
1467 10361	S-563	Mixture w/1 Tap (10/24)	2

RADIATOR SPECIALTY®

Bibb Screws
Self-Locking



No. S1271. Two Monel bibb screws and (1) 10/24 tap.

No. S-1272R. Monel. Include 12 sizes.

No. S-1500. Include brass bibb screws, chrome plated handle screw and monel bibb screws. With 30 sizes.

Order No.	Mfr. No.	No.
1467 10581	S-1271	Sizes 2
1467 10591	S-1272R	12
1467 10595	S-1500	30

RADIATOR SPECIALTY®

Bibb Screw Repair Sets



Order No.	Mfr. No.	Desc.
1467 10370	S-575	5-Pc. Set

RADIATOR SPECIALTY®

Disposal Stoppers



Order No.	Mfr. No.	Desc.
1467 31703	D-103V	Disposal Stopper

RADIATOR SPECIALTY®

Disposal Shields



Order No.	Mfr. No.	Desc.
1467 31702	D-102V	Disposal Shield

RADIATOR SPECIALTY®

Connectors
For Dishwashers & Disposals



Order No.	Mfr. No.	Desc.
1467 31695	D-100B	Connector

RADIATOR SPECIALTY®

Bolt Gaskets
Closet Tank




1" tank-to-bowl bolt connecting washer.

Order No.	Mfr. No.	ID In.	OD In.	Thick. In.
1467 34195	G-206	5/16	1	1/8

RADIATOR SPECIALTY®

Basin Gaskets



Order No.	Mfr. No.	Desc.	Size In.
1467 34101	G-101	Standard	1 1/4
1467 34105	G-105	Standard	1 1/2
1467 34111	G-111	Wide Pattern	1 3/4

RADIATOR SPECIALTY®

Stem & Valve Packing
Sealmaster




P-3001V P-3002V
For dome and square stem bonnet.

Order No.	Mfr. No.	Desc.	Size In.	Lgth. In.
1467 70005	P-3001V	Graphite-Coated Self-Forming Packing	3/32	24
1467 70010	P-3002V	Graphited Asbestos Stem & Valve Packing	1/8	24
1467 70015	P-3003V	Teflon-Coated Asbestos Stem & Valve Packing	1/8	24

RADIATOR SPECIALTY®

Sheet Packing
Rubber - Red




Assortment. Include 6 of each size.

Order No.	Mfr. No.	Size In.
1467 39322	P-322A	6x6x1/16, 6x6x1/8

RADIATOR SPECIALTY®

Stem Packing Assortments



Order No.	Mfr. No.	No. Sizes
1467 10132	P-2896R	33

RADIATOR SPECIALTY®

Retainer Cups
Brass

Assortment.

Order No.	Mfr. No.	No. Sizes
1467 09865	R-3092	7

RADIATOR SPECIALTY®

Hose Washers



Order No.	Mfr. No.	Desc.	ID In.	OD In.	Thick. In.
50051	W-454	Bulk	1 1/16	1	1/8

Plusco Supply Corp.

RADIATOR SPECIALTY®

Faucet Washers Golden State Handi-Box




Made of SBR compound. Flexible enough to insure easy shut-off. Hot or cold water will not swell or distort washer shape.

Order No.	Mfr. No.	No. Sizes
1467 68265	W-257	7

RADIATOR SPECIALTY®

Spud Washers Series W



Reducing

Order No.	Mfr. No.	Desc.	Size In.
1467 68699	W-300	Urinal	3/4
1467 68701	W-301	Flanged	1 1/4
1467 68702	W-302	Flanged	1 1/2
1467 68703	W-303	Flanged	2
1467 68708	W-308	Beveled	2

SIoux CHIEF MFG.

Slip-Joint Washers Drip-Free™



Made from soft PVC. Tighten by hand.

Order No.	Mfr. No.	Size In.	Color
78082	290-20310	1 1/2	Black
78081	290-20301	1 1/4	White

SIoux CHIEF MFG.

Tailpiece Washers Drip-Free™




For basket strainer installations. Made from urethane. Tighten by hand.

Order No.	Mfr. No.	Size In.	Color
78083	290-20380	1 1/2	Root Beer
78083	290-20381	1 1/2	Root Beer

PASCO SPECIALTY & MFG.

Lavatory Hangers



For china lavatories.

Order No.	Mfr. No.	Width In.	Desc.
1460 15110	1222	8	China Lavatory Hanger

PASCO SPECIALTY & MFG.

Lavatory Hangers "Z" Hanger



For enameled iron or china lavatories. Cast iron.

Order No.	Mfr. No.	Adjust. In.	Desc.
1460 15105	1221	5-16	China/Iron Lavatory Hanger

PASCO SPECIALTY & MFG.

Lavatory Hangers



For china lavatories. Supplied in pairs.

Order No.	Mfr. No.	Desc.
1460 15100	1220	China Lavatory Hanger

PASCO SPECIALTY & MFG.

Lavatory Hangers



For iron lavatories. Extra heavy cast iron.

Order No.	Mfr. No.	Width In.	Desc.
1460 15060	1219	10 1/2	Iron Lavatory Hanger

PASCO SPECIALTY & MFG.

Basin Rosettes



1266




1268

Stamped steel.

Order No.	Mfr. No.	Desc.
1460 06182	1266	Deep Flat
1460 06142	1268	Flat

PLUSCO REPLACEMENT PARTS

Repair Kits For Delta Kitchen Faucets




Replace Delta Part No. RP3614.

Order No.	Mfr. No.	Desc.
23375	23375	Kitchen Faucet Repair Kit

PLUSCO REPLACEMENT PARTS

Repair Kits For Delta Lavatory Faucets



Replace Delta Part No. RP3616.


Order No.	Mfr. No.	Desc.
23378	23378	Crystal Handle Faucet Repair Kit

Please Phone or Fax Your Orders

Plusco Supply Corp.

PLUSCO REPLACEMENT PARTS

Brass Balls
For Delta Acrylic Handle Faucet




Replace Delta Part No. RP212.

Order No.	Mfr. No.	Desc.
23385	23385	Brass Replacement Ball

PLUSCO REPLACEMENT PARTS

Brass Balls
For Delta Lever Handle Faucet




Replace Delta Part No. RP70.

Order No.	Mfr. No.	Desc.
23395	23395	Brass Replacement Ball

PLUSCO REPLACEMENT PARTS

Replacement Cartridges
For Delta/Delex Two Handle Faucet




Replace Delta Part No. RP1740.

Order No.	Mfr. No.	Desc.
23740	23740	Replacement Cartridge

PLUSCO REPLACEMENT PARTS

Diverter Assemblies
For Delta Kitchen Faucet




Replace Delta Part No. RP320.

Order No.	Mfr. No.	Desc.
23320	23320	Plastic Sink Diverter

PLUSCO REPLACEMENT PARTS

Diverter Assemblies
For Delta T/S Valve




Replace Delta Part No. RP5649.

Order No.	Mfr. No.	Desc.
23649	23649	Bath Diverter

PLUSCO REPLACEMENT PARTS

Side Mount Tank Levers
For Eljer



Replace Eljer Part No. 495-2704-00.

Order No.	Mfr. No.	Desc.
26704	26704	Side Mount Tank Lever

PLUSCO REPLACEMENT PARTS

Plastic "Magnum" Cartridges
For Moen Single Lever Faucet



Replace Moen Part No. 1225.

Order No.	Mfr. No.	Desc.
58117	58117	"Magnum" Plastic Cartridge

PLUSCO REPLACEMENT PARTS

Brass Cartridges
For Moen Single Lever Faucet




Replace Moen Part No. 1200.

Order No.	Mfr. No.	Desc.
58110	58110	Brass Cartridge

PLUSCO REPLACEMENT PARTS

Acrylic Teardrop Handles
For Moen Single Handle Lavatory Faucet




Replace Moen Part No. 96791.

Order No.	Mfr. No.	Desc.
58950	58950	Acrylic Single Handle

PLUSCO REPLACEMENT PARTS

Acrylic Teardrop Handles
For Moen Single Handle T/S Valve




Replace Moen Part No. 96797.

Order No.	Mfr. No.	Desc.
58951	58951	Acrylic Single Handle

PLUSCO REPLACEMENT PARTS

Cartridges
For Price-Pfister "Avante" Faucet




Replace Price-Pfister Part No. 974-292.

Order No.	Mfr. No.	Desc.
65780	65780	Cartridge

Plusco Supply Corp.

PLUSCO REPLACEMENT PARTS

Cartridges
For Universal Rundle



Replacement for Universal Rundle, Indiana Brass, Milwaukee and Carefree single lever faucets.

Order No.	Mfr. No.	Desc.
94100	UR87000	Single Lever Faucet Replacement

PLUSCO REPLACEMENT PARTS

Cartridges For Valley Single Lever Kitchen Faucets
Without Spray



Replace Valley Part No. VP1964.

Order No.	Mfr. No.	Desc.
88764	88764	Single Lever Cartridge

PLUSCO REPLACEMENT PARTS

Cartridges For Valley Single Lever Kitchen Faucets
With Spray



Replace Valley Part No. VP1965.

Order No.	Mfr. No.	Desc.
88765	88765	Single Lever Cartridge

PLUSCO REPLACEMENT PARTS

Self Closing Shower Valves




Chrome-plated, 1/2" FIP connection.

Order No.	Mfr. No.	Desc.
15053	15053	Self Closing Shower Valve

PLUSCO REPLACEMENT PARTS


Fit-All Push Button Tank Levers
Front Mount - Chrome-Plated



Order No.	Mfr. No.	Desc.
33340	33340	Push Button Tank Lever

PLUSCO REPLACEMENT PARTS


Fit-All Push Button Tank Levers
Side Mount - Chrome-Plated



Order No.	Mfr. No.	Desc.
33341	33341	Push Button Tank Lever

PLUSCO REPLACEMENT PARTS

Fit-All Pop-Up Ball & Rod Assemblies




Three different sized balls. One horizontal arm connects to any vertical rod with 2-piece retainer. Lever end of ball can be trimmed to desired length.

Order No.	Mfr. No.	Desc.
94111	94111	Pop-Up Ball & Rod Assembly

PLUSCO REPLACEMENT PARTS

Fit-All Wing Blade Handles
For Lavatory & Kitchen Faucets




Include buttons, screws, handle adapters and wrench.

Order No.	Mfr. No.	Desc.
96400	96400	1 Pair Blade Handles

PLUSCO REPLACEMENT PARTS


Metal Showerheads
Chrome-Plated



Order No.	Mfr. No.	Desc.
18130	18130	Metal Showerhead

PLUSCO REPLACEMENT PARTS

Plastic Showerheads
Chrome-Plated



Order No.	Mfr. No.	Desc.
18124	18124	Plastic Showerhead

PLUSCO REPLACEMENT PARTS

Handle For Briggs/Sayco Lavatory Faucets
Handle, Button & Screw



Replace Briggs/Sayco Part No. P737.

Order No.	Mfr. No.	Desc.
45420	45420	Cold Handle
45421	45421	Hot Handle

Plusco Supply Corp.

PLUSCO REPLACEMENT PARTS


Handles For Briggs/Sayco T/S Valves
Handle, Button & Screw



Replace Briggs/Sayco Part No. P740.


Order No.	Mfr. No.	Desc.
45422	45422	Cold Handle
45423	45423	Hot Handle
45424	45424	Diverter

PLUSCO BATHWARE Tissue Holders Recessed




Order No.	Mfr. No.	Desc.
45000	45000	Box & Plate Combination
45011	45011	Face Plate Only

PLUSCO BATHWARE Clothes Lines Chrome - Retractable




Order No.	Mfr. No.	Desc.
45010	45010	Retractable Clothes Line

PLUSCO BATHWARE Toilet Paper Holders Chrome




45014



45012



45015



45016

Toilet Paper Holders

Order No.	Mfr. No.	Desc.
45014	45014	Recessed Extra Roll
45015	45015	Single Deluxe
45016	45016	Double Deluxe

Accessories

Order No.	Mfr. No.	Desc.
45012	45012	Wide Installation Clamp

PLUSCO BATHWARE Towel Shelves Chrome



45017

w/o Drop Down Bar

Order No.	Mfr. No.	Lgth. In.
45017	45017	18
45018	45018	24



45019


w/Drop Down Bar

Order No.	Mfr. No.	Lgth. In.
45019	45019	18
45020	45020	24


Accessories

Order No.	Mfr. No.	Desc.
45024	45024	Towel Shelf Support

PLUSCO BATHWARE Towel Holders Chrome



45021



45022

Order No.	Mfr. No.	Desc.
45021	45021	Two Guest Towel Holder
45022	45022	Three Guest Towel Holder


PLUSCO BATHWARE Towel Shelves



Order No.	Mfr. No.	Desc.	Lgth. In.
45026	45026	Chrome	24
45027	45027	Solid Brass w/Bar	24


**Our order desk is always
ready to assist you.**

PLUSCO BATHWARE Vanity Mirrors Chrome - w/Extendable Arm




Order No.	Mfr. No.	Desc.
45023	45023	Reversible Wall Extension Mirror

PLUSCO BATHWARE Soap Dispensers




Order No.	Mfr. No.	Desc.
45025	45025	Liquid Soap Dispenser

PLUSCO BATHWARE Robe Hooks Sea Breeze Collection - Chrome




Order No.	Mfr. No.	Desc.
45902	45902	Double Robe Hook

PLUSCO BATHWARE Toothbrush/Tumbler Holders Sea Breeze Collection - Chrome



Order No.	Mfr. No.	Desc.
45903	45903	Toothbrush/Tumbler Holder

PLUSCO BATHWARE Soap Dishes Sea Breeze Collection - Chrome




Order No.	Mfr. No.	Desc.
45904	45904	Soap Dish

Plusco Supply Corp.

PLUSCO BATHWARE


Toilet Paper Holders Sea Breeze Collection - Chrome

Concealed screw.



Surface Holders

Order No.	Mfr. No.	Desc.
45912	45912	White Roller
45913	45913	Chrome Roller



Recessed Holders

Order No.	Mfr. No.	Desc.
45960	45960	White Roller
45961	45961	Chrome Roller
45962	45962	White Roller Deep




Accessories

Order No.	Mfr. No.	Desc.
45966	45966	Installation Clamp

PLUSCO BATHWARE


Towel Rings Sea Breeze Collection - Chrome

Concealed screw.



Metal Towel Rings

Order No.	Mfr. No.	Desc.
45910	45910	Metal Towel Ring



Lucite Towel Rings


Order No.	Mfr. No.	Desc.
45911	45911	Lucite Towel Ring

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

PLUSCO BATHWARE


Towel Bars Sea Breeze Collection - Chrome

Concealed screw. Stainless steel bar. Diameter 3/4".



Towel Bar Sets


Order No.	Mfr. No.	Lgth. In.
45929	45929	18
45920	45920	24
45921	45921	30



Towel Bars. Visible seam .012" thick.

Towel Bars

Order No.	Mfr. No.	Lgth. In.
45930	45930	18
45931	45931	24
45932	45932	30



Towel Bar Posts. Concealed screw.

Towel Bar Posts

Order No.	Mfr. No.	Desc.	Size In.
45914	45914	1 Pr.	3/4

PLUSCO BATHWARE

Handicap Grab Bars Type 304 Stainless Steel

18 Ga. tubing. 1 1/2" wall clearance. Heliarc welded flanges. Tested to withstand 1000 lbs. pull. Include (6) 2"x#10 screws.

Compliances. ADA Compliant. Meet Handicap Safety Code.



Exposed Screws

Order No.	Mfr. No.	Lgth. In.	Wt. Lbs.
45730	45730	12	2
45731	45731	18	2
45732	45732	24	2
45735	45735	36	3
45737	45737	48	4



Concealed Screws

Order No.	Mfr. No.	Lgth. In.	Wt. Lbs.
45760	45760	12	2
45761	45761	18	2
45762	45762	24	2
45765	45765	36	3
45767	45767	48	4


No. 45716. Stainless steel screws for grab bars. 6/bag.

Accessories

Order No.	Mfr. No.	Size
45716	45716	2"x#10


PLUSCO BATHWARE

Safety Bars Type 304 Stainless Steel



Safety Bar Set


Order No.	Mfr. No.	Desc.
45206	45206	Safety Bar w/Posts



No. 45203. Meets 300 lbs. pull test. Exposed screw installation.

Safety Bars

Order No.	Mfr. No.	Dia. In.	Lgth. In.
45203	45203	7/8	24



No. 45207. Chrome-plated. Comes with 6 stainless steel screws and 2 set screws.

Posts

Order No.	Mfr. No.	Desc.
45207	45207	Chrome-Plated Posts (Pair)


No. 45215. SS screws for posts. Six screws and 2 set screws.

Accessories

No.	Desc.
45215	6 SS Screws for Posts 2 Set Screws

PLUSCO REPLACEMENT PARTS


Sliding Glass Patio Door Locks No Key



Order No.	Mfr. No.	Desc.
45444	45444	Patio Door Lock - No Key

PLUSCO REPLACEMENT PARTS

Chrome Patio Door Handles



Order No.	Mfr. No.	Desc.
45448	45448	Chrome Patio Door Handle

Plusco Supply Corp.

PLUSCO REPLACEMENT PARTS

Sliding Window/Door Locks



Order No.	Mfr. No.	Desc.
45215	45215	Sliding Window/Door Lock

PLUSCO REPLACEMENT PARTS


Sliding Window/Door Pins



Order No.	Mfr. No.	Desc.
45030	45030	Sliding Window/Door Pin

PLUSCO REPLACEMENT PARTS


Door Stops



Order No.	Mfr. No.	Desc.	Size In.
45647	45647	Chrome-Plated	3 1/8
45645	45645	Polished Brass	3 1/8
45646	45646	Antique Brass	3 1/8

PLUSCO REPLACEMENT PARTS


Chain Door Guards



Order No.	Mfr. No.	Desc.
45089	45089	Chrome-Plated
45088	45088	Polished Brass


PLUSCO REPLACEMENT PARTS

Loop Door Guards



Order No.	Mfr. No.	Desc.
45101	45101	Chrome-Plated
45103	45103	Polished Brass
45105	45105	Antique Brass

PLUSCO Door Viewers 180°



Solid Brass w/Plastic Lens

Order No.	Mfr. No.	Desc.	Hole Size In.	Door Thick. In.
45830	45830	Polished Brass	7/16	1 3/8-2 1/8
45831	45831	Antique Brass	7/16	1 3/8-2 1/8
45832	45832	Chrome	7/16	1 3/8-2 1/8

Solid Brass w/Glass Lens


Order No.	Mfr. No.	Desc.	Hole Size In.	Door Thick. In.
45870	45870*	Polished Brass	1/2	1 3/8-2 1/4
45871	45871*	Antique Brass	1/2	1 3/8-2 1/4
45872	45872*	Chrome	1/2	1 3/8-2 1/4

*UL Listed.

Econo - Zinc w/Plastic Lens

Order No.	Mfr. No.	Desc.	Hole Size In.	Door Thick. In.
45837	45837	Polished Brass	7/16	2

PLUSCO Door Viewers 160°



Solid Brass w/Plastic Lens

Order No.	Mfr. No.	Desc.	Hole Size In.	Door Thick. In.
45801	45801	Polished Brass	1/2	2 1/4
45802	45802	Antique Brass	1/2	2 1/4
45803	45803	Chrome	1/2	2 1/4

Solid Brass w/Glass Lens

Order No.	Mfr. No.	Desc.	Hole Size In.	Door Thick. In.
45850	45850*	Polished Brass	1/2	1 5/16-2 3/8
45851	45851*	Antique Brass	1/2	1 5/16-2 3/8
45852	45852*	Chrome	1/2	1 5/16-2 3/8

*UL Listed.

Econo - Zinc w/Plastic Lens

Order No.	Mfr. No.	Desc.	Hole Size In.	Door Thick. In.
45804	45804	Polished Brass	1/2	2

RADIATOR SPECIALTY®

Tie-Down Straps Hold-Zit®



Use as tie down. Made of weather-resistant rubber for long life.

Order No.	Mfr. No.	Strap Lgth. In.
1467 64010	R7-9B	9
1467 64016	R7-15B	15
1467 64023	R7-22B	22
1467 64032	R7-31B	31
1467 64041	R7-41B	41

RADIATOR SPECIALTY®

Hose Clamps Worm Drive - CRP



Stainless steel. Band-cadmium plated screw.

Order No.	Mfr. No.	Min. Dia. In.	Max. Dia. In.
1467 43000	M5	1/4	5/8
1467 43001	M8	1/4	7/8
1467 43002	6H	7/16	2 5/32
1467 43003	8H	1/2	2 9/32
1467 43004	10H	9/16	1 1/16
1467 43005	12H	1 1/16	1 1/4
1467 43006	16H	1 3/16	1 1/2
1467 43007	20H	1 3/16	1 3/4
1467 43008	24H	1 1/16	2
1467 43009	28H	1 5/16	2 1/4

MANUFACTURERS' CATALOGS

We shall be glad to send manufacturers' catalogs and other available publications and data on request.

Plusco Supply Corp.

RADIATOR SPECIALTY®

Tubing
Vinyl - Clear




For general use. Nontoxic.

Order No.	Mfr. No.	ID In.	OD In.	Thick. In.	Lgth. Ft.
1467 17350	308T	1/8	1/4	1/16	100
1467 17360	309	3/18	5/16	1/16	100
1467 17365	310	1/4	3/8	1/16	100
1467 17370	3105	5/16	7/16	1/16	100
1467 17375	311	3/8	1/2	1/16	100
1467 17380	312T	1/2	1 1/16	3/32	100
1467 17373	3126	1/2	3/4	1/8	100
1467 17385	313	5/8	7/8	1/8	100
1467 17390	314	3/4	1	1/8	100
1467 17395	315	1	1 1/4	1/8	100
1467 17396	316	1 1/4	1 5/8	3/16	50
1467 17397	317	1 1/2	2	1/4	50
1467 17398	318	2	2 1/2	1/4	50

RADIATOR SPECIALTY®

Filler Hoses
Washing Machine



Nongrounded, 2 female. Rubber. Bagged.

Order No.	Mfr. No.	Lgth. Ft.
1467 17138	215-4	4
1467 17140	215-5	5
1467 17148	215-6	6
1467 17150	215-8	8
1467 17152	215-10	10

RADIATOR SPECIALTY®

Drain Tubing



For dishwashers and drains. Reinforced. Boxed. Black.

Order No.	Mfr. No.	ID In.	Lgth. Ft.
1467 17330	58R-50	5/8	50

RADIATOR SPECIALTY®

Garden Hoses
Specialty Series - CRP



For hot water. Coupled. Red.

Order No.	Mfr. No.	Dia. In.	Lgth. Ft.
1467 17260	590-25	5/8	25
1467 17270	590-50	5/8	50
1467 17280	590-75	5/8	75

RADIATOR SPECIALTY®

Garden Hoses
Vinyl



For garden use. Virgin vinyl sheath. Reinforced with truck tire cord. For use at low temperatures. Coupled. Highly kink-resistant, pliable and easy to handle. Solid brass full-flow couplings. High pressure, reinforced. Burst pressure 400 lbs.

Order No.	Mfr. No.	Dia. In.	Lgth. Ft.
1467 17170	2657-50	5/8	50
1467 17166	2657-75	5/8	75
1467 17172	2657-C	5/8	100

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

RADIATOR SPECIALTY®

Garden Hose Nozzles



Gold Label Spray Nozzles

Order No.	Mfr. No.	Desc.
1467 17208	155C	Brass



Lever Type Spray Nozzles

Order No.	Mfr. No.	Desc.
1467 17200	571-TFR	Hot Water
1467 17204	573C	Zinc

RADIATOR SPECIALTY®

Tank Sprayers



Order No.	Mfr. No.	Desc.	Size Gal.
1467 17362	2000P	Tank Sprayer	2
1467 17363	3000P	Tank Sprayer	3

RADIATOR SPECIALTY®

Hose Menders
Posi-Clamp®



01F-C



05M-C

For replacing damaged coupling and mending ruptures and breaks in plastic or rubber hoses. Will repair all standard garden hoses. Individually cared.

Order No.	Mfr. No.	Desc.	Size In.
1467 17214	01F-C	Female	5/8x3/4
1467 17219	05M-C	Male	7/16-1/2x3/16

Plusco Supply Corp.

RADIATOR SPECIALTY®

Hose Menders
Posi-Clamp® - Plastic



Order No.	Mfr. No.	Size In.
1467 17210	01HM-C	5/8x3/4
1467 17212	05HM-C	7/16-1/2x9/16

RADIATOR SPECIALTY®

Hose Nipples
Brass



Standard Hose Nipples. Male to male.
Standard Hose Nipples

Order No.	Mfr. No.	IPT In.
1467 17106	19A	1/2 IPTx3/4 HT
1467 17107	19B	3/4 IPTx3/4 HT
1467 17114	19C	3/4 HTx3/4 HT



Swivel Hose Nipples. Female to female.
Swivel Hose Nipples

Order No.	Mfr. No.	Size In.
1467 00091	91A	1/2 IPTx3/4 HT
1467 00092	91B	3/4 IPTx3/4 HT
1467 00093	91C	3/4 HTx3/4 HT

RADIATOR SPECIALTY®

Y-Connectors
Garden Hose - w/Shut-Off



Order No.	Mfr. No.	Desc.
1467 17120	15C	Zinc
1467 17121	17C	Plastic

RADIATOR SPECIALTY®

End Caps
Garden Hose



Order No.	Mfr. No.	Desc.
1451 08164	215Z	Brass

WATER WHIZ®

Sprinkler Heads



Plastic flush head. Solid brass insert nozzle.

Order No.	Mfr. No.	Desc.
99030	8030	Full Circle
99031	8031	1/2 Circle
99032	8032	1/4 Circle
99033	8033	3/4 Circle
99034	8034	Center Strip

WATER WHIZ®

Sprinkler Heads



Plastic stem. Solid brass insert nozzle. Brass weight helps assure retraction.

Order No.	Mfr. No.	Desc.
99001	8001	Full Circle
99002	8002	1/2 Circle
99003	8003	1/4 Circle

WATER WHIZ®

Impulse Sprinklers
Lego Delrin®



Blue 7/64" water saver nozzle. Full/part circle. Anti-splash arm. MPT connection 1/2". Adjustable to 45' radius. Dial distant control, diffuser pin. Stainless steel springs.

Order No.	Mfr. No.	Desc.
99425	7220	Impulse Sprinklers

WATER WHIZ®

Hose Nipples
Riser - Polyethylene



Series 9000

Molded polyethylene. Male iron pipe thread.

Order No.	Mfr. No.	Size In.
99091	9001	1/2
99092	9002	1/2x2
99093	9003	1/2x3
99094	9004	1/2x4
99095	9005	1/2x5
99096	9006	1/2x6
99097	9008	1/2x8

WATER WHIZ®

Pop-Up Impulse Heads
ABS Plastic - Shatter Proof




Include 2 nozzles. Stainless steel springs. Brass weights for accurate watering.

Order No.	Mfr. No.	Cov. Rad. Ft.	Rge. gpm
99329	7329	40	2.5 - 3.7

WATER WHIZ®

Marking Flags
Vinyl



PVC shaft for flexibility. 4"x5". 18" longx1/8" dia.

Order No.	Mfr. No.	Color
99148	8148	Red

WATER WHIZ®

Curb Keys
Heavy-Duty



Steel construction. Use to turn water supply on, off at curb.

Order No.	Mfr. No.	Lgth. In.
99113	8113	28

Plusco Supply Corp.

WATER WHIZ® PVC Pipe Cutters



Use to cut PVC pipe 1/2" to 1". Heavy-duty steel construction. Cut through pipe, will not leave burrs. Feature built in ratchet assembly.

Order No.	Mfr. No.	Desc.
99111	8215	PVC Pipe Cutter

POLYSEAMSEAL® Tub & Tile Adhesive Caulk Cartridges



Water-based, water-resistant. Paintable. Mildew-resistant. Flexible. Resist cracking. For bathroom, kitchen.

Order No.	Mfr. No.	Size Oz.	Color
9009 41000	M435042	10	Pure White
9009 41010	M436042	10	Almond
9009 41020	M437042	10	Clear

POLYSEAMSEAL® Adhesive Caulk



All-purpose. Flexible. Mildew-resistant. For inside or outside. Accepts all paints. Dries quickly. Forms lasting seal. Available in white, clear and colors.

Order No.	Mfr. No.	Size Oz.	Color
9009 40200	71020	10.30	White
9009 40210	70520	10.30	Clear
9009 40205	71220	10.30	Bone

CHATHAM BRASS Construction Caulkers Silicone Rubber Sealants



For indoor or outdoor use. Permanently flexible. Temperature range -60°F to 450°F. Waterproof. Weatherproof. Insulate electrically and thermally. Room temperature vulcanizing.

Compliances. Meet Federal Specification TT-S-00230C/ASTMC-920 and TT-S-001543A. FDA Listed. NSF Listed. USDA Listed.

No. 12W. Mildew-resistant. Nonyellowing.
No. 12ALD. Mildew-resistant. Matches Dupont's Corian™.

Order No.	Mfr. No.	Color	Wt. Fl. Oz.
1430 00992	12W	White	10.3
1430 00993	12C	Clear	10.3
1430 00994	12ALD	Almond	10.3

CHATHAM BRASS Construction Caulkers Silicone Sealants



For indoor or outdoor use. Permanently flexible. Temperature range -60°F to 450°F. Waterproof. Weatherproof. Insulate electrically and thermally. Room temperature vulcanizing.

Compliances. Meet Federal Specification TT-S-00230C/ASTMC-920 and TT-S-001543A. USDA Listed. FDA Listed. NSF Listed.

No. 3W. Mildew-resistant.

Order No.	Mfr. No.	Color
1430 00997	3W	White
1430 00998	3C	Clear


RADIATOR SPECIALTY® Abrasive Cloth Rolls



Order No.	Mfr. No.	Width In.	Length Yds.
1467 21652	AC-310	1 1/2	10
1467 21654	AC-325	1 1/2	25

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

RADIATOR SPECIALTY® Duct Tape All Purpose



Fast sticking duct tape that secures insulation and seals sheet metal, fiberglass, composition and other types of ductwork.

Order No.	Mfr. No.	Width In.	Length Yds.
1467 41555	T76-10B	2	10
1467 41560	T76-60	2	60

RADIATOR SPECIALTY® Hand Cleaners Solder Seal® - Lan-Lin



Removes grease, paint, grime and dirt from hands. Can be used with or without water. Gets into crevices. Leaves hands soft, prevents chapping.

Order No.	Mfr. No.	Size Lbs.
1467 38174	M10-74*	4 1/2

*For Lan-Lin Dispenser.

Dispensers

Order No.	Mfr. No.	Desc.
1467 38100	M10-D	Dispenser

RADIATOR SPECIALTY® Hand Cleaners Lan-Lin



Order No.	Mfr. No.	Desc.	Size Oz.
1467 38170	M10-28	Tub	28
1467 38166	M10-66-1/2	Tub	14

RADIATOR SPECIALTY® Thread Sealers White Bakerseal - w/Teflon®



Order No.	Mfr. No.	Desc.	Size
1467 41608	T40-08	Jar	8 Oz.
1467 41610	T40-16	Jar	1 Pt.

Plusco Supply Corp.

HERCULES® Plumbers' Putty Sta Put® - Plastic



Will not harden, crumble, crack, shrink or stick to hands. For setting bowls, fixtures, faucets, basin cocks, strainers, plugs, sink frames and other sealing and caulking applications.

Compliances. Meet Federal Specification TT-P-1536. Meet Federal Specification HHC-536A.

Order No.	Mfr. No.	Size
39101	25-101	14 Oz.
39103	25-103	3 Lbs.
39105	25-105	5 Lbs.

HERCULES® Root Destroyers R-D



Clears and prevents root-blocked sewer lines. No caustics or acids. Harmless to skin or clothing. Safe to use in lines leading to septic tanks. Will not harm trees or shrubs.

Compliances. EPA Reg. No. 7687-1.

Order No.	Mfr. No.	Size
39602	20-602	Lbs. 2

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

HERCULES® Drain Openers Double Agent®



Nonacid liquid. Melts grease and dissolves hair. Include packet of thermalum nuggets.

Order No.	Mfr. No.	Size
39310	21-310	Oz. 16

HERCULES® Drain Openers Glug™



Nonacid. Clear drains of organic matter and prevent clogging. No after odor. Harmless to metal and plastic pipe.

Order No.	Mfr. No.	Size
39411	20-410	Oz. 20

HERCULES® Drain Cleaners Liquid Glug™



Formulated to attack common clogs. Maximum strength. Nonacid.

Bathroom Drain Cleaner. Open stoppages from hair and soap deposit-type clogs. Act as bathroom drain clog preventer.

Kitchen Drain Cleaner. Open stoppages from build-up of fats, grease and foodstuffs. Splash-resistant. Act as kitchen drain clog preventer.

Order No.	Mfr. No.	Desc.	Size
39450	20-450	Bathroom	1 Qt.
39455	20-455	Bathroom	1/2 Gal.
39470	20-470	Kitchen	1 Qt.
39475	20-475	Kitchen	1/2 Gal.

HERCULES® Waste System Cleaners Wham®



Clear and condition drains, septic tanks, cesspools, grease traps and drain fields. Dissolve and control grease, slime, soap, detergents and odors in waste systems. Non-caustic. Nonacid. Harmless to digestive bacteria. Regular use keeps drains and waste systems functioning properly.

Cures grease-clogged soil. Restores porosity and maximum drainage.

Compliances. CT Dept. of Environmental Protection, sec. 22a-462-3 Registered. R.C.S.A. Compliant.

Order No.	Mfr. No.	Size
39110	20-110	Qt. 1

HERCULES® Water System Cleaners Sizzle®



Clean lime, rust, scale, concrete, hard mineral deposits and soluble salts. Use in water systems, waste lines, humidifiers, fixtures, heating, processing and air conditioning equipment. Dissolve urinary salts. High concentration hydrochloric acid. Anti-corrosion inhibitor. Anti-foam agent. Safe for iron, steel, copper, brass, bronze, lead and plastic. Include pH test kit.

Compliances. DOT Approved packaging. USDA Listed.

Order No.	Mfr. No.	Size	Pkg.
39305	20-305	Qt. 1	Qty. 12

HERCULES® Waste System Cleaners Clobber®



For cleaning emergency waste line stoppages. Highly concentrated sulfuric acid. No mechanical equipment needed. Dissolves organic matter. Melt ice. Special inhibitors prevent corrosion. Safe for use in cast iron, copper and steel piping.

Compliances. DOT Approved packaging.

No. 20-211. SAF-T-POR spout.

Order No.	Mfr. No.	Size	Pkg.
39205	20-205	1 Qt.	12
39211	20-211	1/2 Gal.	6

Plusco Supply Corp.

J.C. WHITLAM

Drain Openers Green Blaster



Clear grease, hair and other organic matter. Dry granular grain. Will not harm chrome, polished brass or plastic. Safe for septic tanks.

Order No.	Mfr. No.	Size Lbs.	Desc.
38001	GB1	1	Plastic Container
38002	GB2	2	Plastic Container
38006	GB6	6	Plastic Container

HERCULES®

Pipe Joint Lubricants Compound



For water, steam, natural gas, air, mild acids and alkalis. Nonsettling.
Compliances. NSF Compliant.

Order No.	Mfr. No.	Size Pt.	Desc.
39311	15-311	1/4	Pipe Joint Lubricant
39312	15-325	1/2	Pipe Joint Lubricant

HERCULES®

Pipe Joint Compounds Pro Dope®



For metal pipe and valves transporting water, air, steam, ammonia, natural gas, dilute acids and alkalis. Non-toxic. No mixing. Will not harden. Lubricate and form tight pressure seal. Inhibit corrosion and rust.
Compliances. ANSI/NSF Standard 61 Certified, safe for drinking water. Meet Fed. Spec. TT-S-1732. Approved for natural gas.

Order No.	Mfr. No.	Size
39420	15-420	1/2 Pt.

Telephone Your Orders.

HERCULES®

Thread Sealants Real Tuff™



Heavy-duty, multi-purpose PTFE teflon paste. Nontoxic, lead-free. Nonseparating. Temperature tolerance: -200° to 500° F. Withstand pressures of 12,000 psi (hydraulic) and 2600 psi (gas). Leak-proof seal on all piping material and for all liquids and gases except oxygen. Safe for drinking water lines.
Compliances. ANSI/NSF Standard 61 Certified. Meet Fed. Spec. TT-S-1732.

Order No.	Mfr. No.	Size
39620	15-620	1/2 Pt.

HERCULES®

Thread Sealants Megaloc™



Griffree. Blue. Non-hazardous. Nonstaining. Nonflammable. Odorfree. For use on plastic and metal pipe. Applied by brush at temperatures as low as -25°F. Performs between -50°F to 400°F. Resistant to 12000 psi of hydraulic and 2600 psi of gas pressure. Wipes clean. Resists hardening, cracking and becoming brittle.


Does not contain lead, heavy metal or volatile solvents.

Compliances. OSHA Classified. NSF Compliant. UPC Compliant. AGA Compliant.

Order No.	Mfr. No.	Size Oz.
39802	15-802	1.1
39804	15-804	4.0
39806	15-806	8.0

HERCULES®

Pipe Thread Sealants SWIF 95®



Use on potable water lines. Lead-free 95/5 tin-antimony solder and flux. Paste form.

Order No.	Mfr. No.	Size Lbs.	Desc.
39210	10-210	1/2	Pipe Thread Sealant

HERCULES®


Solder Brushes Flux & Acid



Order No.	Mfr. No.	Size In.	Desc.
39400	50-400	5 3/4	Metal

HERCULES®

Epoxy Putty ProPoxy™ 20



Single stick steel-reinforced epoxy putty. Makes steel hard repairs in 20 minutes. Works under water, withstands up to 300°F. Compression strength 18,000 psi. Tensile strength 6000 psi. Electrically nonconductive. May be drilled, sanded or painted after curing.

Compliances. NSF Standard 61 Certified.

Order No.	Mfr. No.	Size Oz.
39515	25-515	4

HERCULES®

Sealing Compounds Plastic Poxy™




For repairs on ABS, PVC, CPVC and other plastics. Withstand temperatures to 250°F. Compression strength to 12,000 psi, tensile strength to 800 psi.

Order No.	Mfr. No.	Size Oz.
39531	25-531	4

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

Plusco Supply Corp.

PLUSCO Solid Wire Solders



Order No.
0251-00200
0251-00300
0251-00465

Alloy
Type
50/50
95/5 Antimony
Lead Free

Spool
Size
Lbs.
1
1
1

HERCULES® Hand Cleaners Lotion - Nonscented



Remove plastic pipe cement, grease, grime, adhesives, sealants and paint. Work without water. Contain skin-conditioning aloe vera, lanolin, Vitamin E and fine-grain pumice. No harsh solvents or chemicals. Nonscented.

Order No.
39325

Mfr. No.
45-325

Size
Fl. Oz.
15

HERCULES® Lube Oil Multi-Purpose



Use on motors, bearings and wherever metal lubrication is desired. Telescopic Extenda-Spout for hard to reach areas. Nongumming. Nontoxic. Will not foam during use. Nondetergent. Contains rust and corrosion preventatives. Not for use on internal combustion engines or extreme heat producing operations.

Order No.
39404

Mfr. No.
40-404

Size
Oz.
4

HERCULES® Sealing Caulk Plumbers Caulk™



Siliconized acrylic. Flexible, mildew-resistant, waterproof. Interior and exterior applications. Clean up with soap and water.

Order No.	Mfr. No.	Size Fl. Oz.	Color
39615	25-615	11.0	White
39625	25-625	10.3	Clear
39636	25-636	10.3	Almond

RADIATOR SPECIALTY® PVC Cement TiteSeal® - Med-Bodied



Order No.	Mfr. No.	Size
1467 40904	T60-04	4 Oz.
1467 40908	T60-08	8 Oz.
1467 40916	T60-16	16 Oz.
1467 40932	T60-32	32 Oz.
1467 40934	T60-34	1 Gal.

RADIATOR SPECIALTY® Cement ABS



Order No.	Mfr. No.	Size Oz.
1467 40001	T63-04	4
1467 40002	T63-08	8
1467 40003	T63-16	16
1467 40004	T63-32	32

RADIATOR SPECIALTY® Cement CPVC



Order No.
1467 40010
1467 40020

Mfr. No.
T61-04
T61-08

Size
Oz.
4
8

HERCULES® PVC Cements Gray Label



Heavy-duty. High viscosity. For Schedule 40 and 80 pipe and fittings to 12" dia. For PVC Types I and II potable water, DWV and SW pipe and fittings to 15" dia. Gray.

Compliances. NSF Compliant. UPC Compliant.

Order No.
39200
39201
39202

Mfr. No.
60-210
60-215
60-220

Size
1/2 Pt.
1 Pt.
1 Qt.

RADIATOR SPECIALTY® Cement PVC



For pool and turf. Blue.

Order No.
1467 39255
1467 39256

Mfr. No.
T69-16
T69-32

Size
Oz.
16
32

RADIATOR SPECIALTY® Pipe Cleaners Plastic



Order No.
1467 41404
1467 41408
1467 41416
1467 41417

Mfr. No.
T65-04
T65-08
T65-16
T65-32

Size
Oz.
4
8
16
32

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

Plusco Supply Corp.

J.C. WHITLAM Dauber Screw Caps



Standard cap and dauber. For use on empty screw top cans.

Order No.	Mfr. No.	Size Pt.	Desc.
38100	DPA	1	Boxed

J.C. WHITLAM Screw Top Cans



Empty. Without cap.

Order No.	Mfr. No.	Size Pt.	Desc.
38200	CPP	1	Boxed

RADIATOR SPECIALTY®

Grease Heat-Pruf



Lubricate faucet stem threads, O-ring packings, gaskets and ballcock cup leathers.

Order No.	Mfr. No.	Size Oz.
1467 34001	GR-1	2½

RADIATOR SPECIALTY®

Lubricants Liquid Wrench® - Super - w/Teflon®



Nonflammable with Dupont Teflon®. Loosen rusted nuts and bolts; release frozen and corroded parts; free seized joints and mechanisms; stop squeaks and squeals; lubricate locks, hinges and casters.

Order No.	Mfr. No.	Desc.	Size Oz.
1467 36300	L3-12	Aerosol	11.0

RADIATOR SPECIALTY®

Silicone Lubricants Gunk® - Spray



Heavy-duty. Stop squeaking and sticking. Prevent rust and corrosion. Lubricate locks, drawers, doors and windows. Brighten rubber, vinyl and leather.

Order No.	Mfr. No.	Desc.	Size Oz.
1467 38014	M9-14	Aerosol	14

RADIATOR SPECIALTY®

Penetrants Liquid Wrench® - Super



Protect and penetrate. Loosen rusted bolts, nuts, and parts quickly. Free parts frozen by corrosion, varnish, paint and scale. For use in homes, garages, factories, workshops, farms and shipyards.

Order No.	Mfr. No.	Desc.	Size Oz.
1467 36104	L1-04	Spout	4
1467 36112	L1-12	Aerosol	11

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

RADIATOR SPECIALTY®

Lubricants Liquid Wrench® - Super



Lubricate metal parts. Protect tools and engines against rust and corrosion. Dry wet ignition systems. Penetrate and free rusted screws, bolts, and nuts.

Order No.	Mfr. No.	Desc.	Size Oz.
1467 36204	L2-04	Spout	4
1467 36212	L2-12	Aerosol	11

RADIATOR SPECIALTY®

Household Oil Gunk® - Super



Lubricate and protect all metal parts against wear, rust, corrosion and tarnish.

Order No.	Mfr. No.	Desc.	Size Oz.
1467 37003	L10-04	Squeeze Can	4

PASCO SPECIALTY & MFG.

Plumbers' Sealants Plumber's Goop



For use in sealing dry porcelain, urinal spud washers, tank-to-bowl bolts, drain gaskets, ceramic tile, bath overflow washers and gaps around exposed hose bibbs.

Order No.	Mfr. No.	Tube Size Oz.
63711	1711	3.7

Plusco Supply Corp.

NOKORODE Paste Fluxes Original Formula



For plumbing and general use. Provide fast, safe method of fluxing all metals except aluminum. Almost chemically inert upon application of soldering heat. Solder will not turn dark after using paste. Lead free.

Compliances. Meet Specification O.F. 506, A.A. 51145.

Order No.	Mfr. No.	Size	Pkg. Qty.
1710 00120	14000	1.7 Oz.	12
1710 00140	14030	1 Lb.	12


WD-40® Lubricants



Free sticky mechanisms and penetrate deep to free up frozen or rusted metal parts and fasteners. Keep controls and linkages working freely. Get under water, drive it off and keep it off. Non-conductor. Can be used to dry out electrical and electronic equipment. Find and lubricate squeaks in hard-to-get-at mechanisms. Silicone-free. No messy, gummy residue. Lubricate and protect against moisture and corrosive elements. Remove tar, grease and adhesives. Do not contain chlorofluorocarbons (CFC's), chlorinated solvents, Halon's or 1.1.1. Trichlorethane (Methyl Chloroform). Contain recycled steel.

Order No.	Mfr. No.	Size Oz.	Pkg. Qty.	Wt. Lbs.
1760 80240	42150	12	12	12.5

CDC PRODUCTS CORP. Drain Pans Anti-Clog®



Control slime build-up, growth of bacteria and musty odors. Sealed tamperproof housing prevents skin contact with biocide. Filter pad meters biocide for consistent release. Flotation prevented by water saturated filter pad. Designed not to clog drain hole. For vertical or horizontal placement. Low profile fits most cooling equipment.

Compliances. EPA Registered.

Order No.	Mfr. No.	Desc.
18100	18100	Drain Pan

W.H. HARVEY Pipe Thread Sealants TFE - String Form



Bagged



Cup Dispensed

For gaskets and packing valves. Use on plastic, stainless steel, aluminum, ceramic, synthetic rubber, nylon, monel, carbon pipe, chemicals, corrosives, freon 22, hydraulic fluids and aromatic fuels. Pure Teflon®. Withstand vibration and high pressure.

Order No.	Mfr. No.	Wdth. In.	Lgth. Ft.	Desc.
1727 02700	020050	3/32	20	Bagged
1727 02880	020095	5/32	2	Bagged
1727 02680	020065	3/32	20	Cup Dispensed

W.H. HARVEY Pipe Joint Lubricants Grease - Faucet & Valve - Heatproof



Apply to stem of faucets, valves, ballcocks, plungers, packings or washers. Waterproof. Resist high temperatures. Free sticky faucets. Prevent rust. Use on hot water or steam to 350°F. Tube.

Order No.	Mfr. No.	Size Fl. Oz.
1727 02086	050050-48	1


W.H. HARVEY Pipe Thread Sticks



Use on metal pipe carrying water, steam, air, ammonia, gasoline, natural gas, butane, propane, freon or petroleum oil. Lubricate seals. Prevent rust and corrosion. Rated for pressures to 2000 psi. Rated for temperatures to 350°F.

Order No.	Mfr. No.	Size Oz.
1727 03502	030005-48	1 1/4


W.H. HARVEY Pipe Thread Sealants TFE - Tape



Use on oxygen systems. Provide tight seal for any threaded joint. Permit disassembly. White Teflon®. Density .4. Thickness .003". Elongation 50%. Chemically inert. Temp. range -400°F to 500°F. Nontoxic. Nonflammable. **Compliances.** Meet Federal Specification T-27730A.

Order No.	Mfr. No.	Wdth. In.	Lgth. In.	Desc.
1727 02265	017117-24	1/2	520	Spool

W.H. HARVEY Pipe Thread Sealants TFE



Order No.	Mfr. No.	Wdth. In.	Lgth. In.	Desc.
1727 02375	017209-24	3/4	260	Spool

CHICAGO SPECIALTY Plungers



Wood Handle



Plastic Handle

Wood Handle Plungers


Order No.	Mfr. No.	Dia. In.	Hndl. Lgth. In.
1429 11550	7503	4	9

No. 7505. Force Cup-Samson® force cup provides high capacity against toilet and drain stoppages. High grade rubber construction. Powerful thrust. Flexible. Ribbed inside and outside for extra strength.

Plastic Handle Plungers

Order No.	Mfr. No.	Desc.	Hndl. Lgth. In.
1429 11570	7505	Force Cup-Samson®	18

G.T. WATER Plungers Master



For 1.6 toilets.

Order No.	Mfr. No.	Color
18520	MP1600	Dark Green

Plusco Supply Corp.

G.T. WATER Plungers Mini Master



Order No. 18525	Mfr. No. MM3	Color Teal
--------------------	-----------------	---------------

G.T. WATER Master Plungers Drain King®



Colors subject to change without notice.

Order No. 18515	Mfr. No. MP100-1	Color Dark Blue
--------------------	---------------------	--------------------


RADIATOR SPECIALTY® Force Cups w/Handle



Utility Force Cups. Diameter 4 1/2".

Order No. 1467 41701	Mfr. No. C-101	Hndl. Lgth. In. 21
-------------------------	-------------------	--------------------------

RADIATOR SPECIALTY® Force Cups Sealmaster® - w/Handle



For general household use. Cup size 6".

Order No. 1467 41703	Mfr. No. C-103	Hndl. Lgth. In. 21
-------------------------	-------------------	--------------------------

RADIATOR SPECIALTY® Force Cups w/Handle



Heavy-duty force cups. Diameter 6".

Order No. 1467 41706	Mfr. No. C-106F	Hndl. Lgth. In. 21
-------------------------	--------------------	--------------------------

RADIATOR SPECIALTY® Force Cups Free Flo - w/Handle



For all types of sinks, bowls and drains. Cup size 6".

Order No. 1467 41707	Mfr. No. C-107	Hndl. Lgth. In. 21
-------------------------	-------------------	--------------------------


RIDGID® Drain Cleaners Hand Spinner



No. 59807. Light duty. For drains up to 1 1/2". Hollow core cable held by steel collar and coated thumb screw. Size 1/4"x25'.

Order No.	Mfr. No.	Model No.	Desc.	Wt. Lbs.
R59807	59807	K-Spin	K-Spin Hand Spinner	5

RIDGID® Drain Cleaners Model K-39



Capacity 3/4" to 2 1/2". Rated 115V. For small line cleaning. Lightweight. Variable speed 1/2" ball bearing. Cable rotation 0-500 rpm. Two piece twist lock canister with interchangeable inner drum.

Compliances. CSA Approved.

No. K-39. Machine with C-11C, 5/16"x25' inner core cable with inner drum.

No. K-39-5. Machine with C-11C, 5/16"x25' inner core cable with inner drum; C-6, 3/8"x35' cable with inner drum; T-250, five-piece tool set for 3/8" cable; C-6429 carrying case.

Order No.	Mfr. No.	Desc.	Wt. Lbs.
R68057	K-39	Slide Action Chuck	11
R68067	K-39-5	Slide Action Chuck	33

RIDGID® Drain Cleaners Model K-39



Capacity 3/4" to 2 1/2". Rated 115V. For small line cleaning. Lightweight. Variable speed 1/2" ball bearing. Cable rotation 0-500 rpm. Two piece twist lock canister with interchangeable inner drum.

Compliances. CSA Approved.

No. K-39PF. Machine with C-11C, 5/16"x25' inner core cable with inner drum.


No. K-39PF-1. Machine with C-11C, 5/16"x25' inner core cable with inner drum. C-6429 carrying case.

No. K-39PF-5. Machine with C-11C, 5/16"x25' inner core cable with inner drum. C-6, 3/8"x35' cable with inner drum. T-250, five-piece tool set for 3/8" cable. C-6429 carrying case.

No. K-39PF-7. Machine with C-11C, 5/16"x25' inner core cable with inner drum; C-6, 3/8"x35' cable with inner drum; C-21, 5/16"x50' cable with inner drum; T-250, five-piece tool set for 3/8" cable; C-6429 carrying case.

Order No.	Mfr. No.	Desc.	Wt. Lbs.
R68082	K-39PF	Powerfeed & Slide Action Chuck	12
R68087	K-39PF-1	Powerfeed & Slide Action Chuck	27
R68092	K-39PF-5	Powerfeed & Slide Action Chuck	34
R68187	K-39PF-7	Powerfeed & Slide Action Chuck	42

RIDGID® Drain Cleaners Model K-50



Capable of running 5/16", 3/8" and 1/2" cables. Use on sinks, showers and floor drains. Instant-acting cable clutch for operator control. Cable spins at 400 rpm. Use sections of 5/8" cable, clean 1 1/4" to 4" lines up to 100'. C-8 for 1 1/4"-3" drains. C-9 for 2"-4"

drains. A-17 adapter runs up to 50' of 5/16" cable or 35' of 3/8" continuous length cable. 5/16" for 3/4"-1 1/2" lines. 3/8" for 1 1/4"-2" lines. 1/2 HP motor.

Compliances. CSA Approved.

No. 58920. Machine.

No. 58960. Machine, A-30 cable kit.

No. 59000. Machine, A-17-A adapter, A-17-B adapter, A-30 cable kit.

Drain Cleaners

Order No.	Mfr. No.	Model No.	Desc.	Wt. Lbs.
115V				
R58920	58920	K-50	Drain Cleaner	37
R58960	58960	K-50-4	Drain Cleaner	61
R59000	59000	K-50-8	Drain Cleaner	77

Accessory Cable Kits

No.	Model No.	Wt. Lbs.
59365	A-30	20
59370	A-30TW	30
52962	A-40	37

Plusco Supply Corp.

RIDGID®

Drain Cleaner Adapters



Use with No. K-50 drain cleaner.

Order No.	Mfr. No.	Model No.	Size In.	Desc.
R59250	59250	A-17-A	5/16	w/25' Cable & Bulb Auger
R59255	59255	A-17-B	3/8	w/35' Cable & Bulb Auger
R59265	59265	A-17-C	3/8	w/35' Cable & 5/8" Male Coupling
R92095	92095	A-17-D	5/16	w/50' Cable & Bulb Auger
R92100	92100	A-17-E	5/16	w/50' Cable & Drop Head

RIDGID®

Drain Cleaner Accessories For Model K-50



Use with drain cleaner machines.

No. 59365. Contain six sections of C-8, 5/8"×7 1/2' cable, T-201 straight auger, T-22 bulb auger, T-205 "C" cutter, T-211 spade cutter, A-13 coupling pin key, A-10 cable carrier, A-14-6 rear guide hose, and A-1 left-hand mitt.

Order No.	Mfr. No.	Model No.	Desc.
R59365	59365	A-30	Cable Kit

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

RIDGID®

Drain Cleaner Accessories For Models K38, K39, K50 & K375

Fit cable models C-4, C-6, C-7, C-8 and C-9.



Straight Augers

Order No.	Mfr. No.	Model No.	Lgth. In.
R62990	62990	T-201	5



Bulb Augers

Order No.	Mfr. No.	Model No.	Lgth. In.
R62995	62995	T-202	1 1/8
R63000	63000	T-203	7/8



Drop Head Augers

Order No.	Mfr. No.	Model No.	Lgth. In.
R63065	63065	T-217	4



"C" Cutters

Order No.	Mfr. No.	Model No.	Lgth. In.
R54837	54837	T-204	1
R63005	63005	T-205	1 3/8



Funnel Augers

Order No.	Mfr. No.	Model No.	Lgth. In.
R63010	63010	T-206	3



Spiral Bar Cutters

Order No.	Mfr. No.	Model No.	Desc.
R63015	63015	T-207	1 1/4" Spiral Cutter
R63020	63020	T-208	1 1/2" Spiral Cutter
R63025	63025	T-209	2" Spiral Cutter



Spade Cutters

Order No.	Mfr. No.	Model No.	Desc.
R63030	63030	T-210	1" Spade Cutter
R63035	63035	T-211	1 3/8" Spade Cutter
R63040	63040	T-212	1 3/4" Spade Cutter




4-Blade Cutters

Order No.	Mfr. No.	Model No.	Desc.
R63045	63045	T-213	1" 4-Blade Cutter
R63050	63050	T-214	1 3/8" 4-Blade Cutter
R63055	63055	T-215	1 3/4" 4-Blade Cutter

RIDGID®

Drain Cleaners Model K-60SP



For institutional, commercial or residential cleaning. Ideal for septic tank and vacuum truck operators. Small enough for cramped spaces, powerful enough to clear tough blockages.

Rear handle provides easy transporting up ladders and onto roof tops. Instant-acting cable clutch maximizes operator control. Adjustment knob allows unit to spin 7/8" and 5/8" diameter cable. Rated 115V. Equipped with 1/2 hp motor.

Compliances. CSA Approved.

No. K-60SP. Machine with A-1 operator's mit, A-12 pin key and A-60-12 rear guide hose.

No. K-60SP-SE. Machine with A-1 operator's mit, A-12 pin key, A-60-12 rear guide hose, A-61 tool kit and A-62 cable kit.

Order No.	Mfr. No.	Desc.	Wt. Lbs.
R66492	K-60SP	Drain Cleaner	41
R66497	K-60SP-SE	Drain Cleaner	92

IF YOU CAN'T FIND IT HERE


Let us know!
Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

MATERIALS NOT LISTED

All the goods we can furnish are not listed in this catalog. If you do not find everything you need, please advise us and we will promptly send manufacturers' catalogs.

Plusco Supply Corp.

RIDGID® Drain Cleaners Model K-75



½ hp, 115V 60 Hz. Lightweight design. Instant-acting cable clutch. Cable spins at 640 rpm. Spins 15' sections of 7/8" cable to clean 2" to 4" lines through 175'. Clutch jaw change runs 7½' sections of 5/8" cable to clean 1¼" to 4" lines up to 125'. ½ hp motor, 115V, 60 Hz. Available in "A" frame (upright) and "B" frame (low-profile).

Compliances. CSA Approved.

No. 23752. B-Frame machine, A-1 mitt, A-12 pin key, A-34-12 rear guide hose, A-61 tool kit which includes T-101 straight auger, T-102 funnel auger, T-107 spade cutter, T-125 retrieving auger, T-150-1 3" sharktooth cutter, A-3 tool box and A-12 pin key, A-62 cable kit which includes five sections of 7/8" (C-10) cable (75') and A-8 cable carrier.

Drain Cleaners

Order No.	Mfr. No.	Model No.	Desc.	Wt. Lbs.
R23752	23752	K-75B-SE	Drain Cleaner	149

Cables & Leaders


No.	Model No.	Desc.	Size	Wt. Lbs.
62275	C-10	15'	All Purpose Wind	9½
30007	T-127	7/8"	Trap Leader	2
62270*	C-8	7½'	All Purpose Wind	3
62265*	C-7	7½'	Tight Wind	4
51317*	C-9	10'	Heavy Duty	5

*Requires A-376X jawset to adapt to 5/8" cable.

Misc. Accessories


No.	Model No.	Desc.	Wt. Lbs.
59360	A-3	Tool Box	5
59205	A-1	Left-Hand Mitt	½
59295	A-2	Right-Hand Mitt	½
59225	A-12	7/8" Cable Pin Key	1/8
59230	A-13	5/8" Cable Pin Key	1/8
59470	A-8	Cable Carrier	5½
59210	A-10	Cable Carrier	3¼
59425	A-36	Cable Caddy	15
59330	A-376X	Jawset Adapts K-75 To 5/8" Cable	1
59325	A-368X	7/8" Repl. Jawset	1
59395	A-34-12	12' Rear Guide Hose	20

RIDGID® Drain Cleaner Accessories



Front Guide Hose Assemblies

Order No.	Mfr. No.	Model No.	Desc.
R59270	59270	A-18	Front Guide Hose Assembly



Cable Carriers

Order No.	Mfr. No.	Model No.	Desc.
R59210	59210	A-10	For 90' C-8, C9



Mitts

Order No.	Mfr. No.	Model No.	Desc.
R59205	59205	A-1	Left-Hand Mitt
R59295	59295	A-2	Right-Hand Mitt




Pin Keys

Order No.	Mfr. No.	Model No.	Desc.
R59230	59230	A-13	For 5/8" Cable

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

RIDGID® Drain Cleaners Model K-375SE



For 1¼" to 4" drain lines. Clean drain lines, floor drains, roof vents and sink drains. Easy to transport. Quick-disconnect cable drum. Corrosion-resistant polyethylene drum. Will not dent. Drum capacity 100' of 3/8" or 75' of ½" continuous length cable 3/8" cable best for 1½" to 3" lines up to 75' ½" cable best for 2" to 4" lines up to 100' ½ hp motor, 115V, 190 rpm. Tools snap connect to cable quickly.

Compliances. CSA approved.

No. 37792. Machine with gloves and standard equipment.. C-31 3/8"x50' cable, T-260 tool set which includes T-202 bulb auger, T-205 "C" cutter, T-211 spade cutter, A-13 coupling pin.

No. 37797. Machine with gloves and standard equipment.. C-32 3/8"x75' cable, T-260 tool set which includes T-102 funnelauger, T-107 spade cutter, T-211 spade cutter, A-13 coupling pin.

No. 40982. Machine with gloves and standard equipment.. C-45 ½"x75' cable, T-270 tool set which includes T-102 funnelauger, T-107 spade cutter, T-142 knife cutter, A-12 coupling pin.

Drain Cleaners

Order No.	Mfr. No.	Model No.	Desc.	Wt. Lbs.
R37792	37792	K-375SE w/C-31	Drain Cleaner	65
R37797	37797	K-375SE w/C-32	Drain Cleaner	71
R40982	40982	K-375SE w/C-45	Drain Cleaner	83

Accessories

No.	Model No.	Desc.	Lgth. Ft.	Wt. Lbs.
3/8" Cables				
37842	C-31	I. C. Cable	50	18.0
37847	C-32	I. C. Cable	75	26.0
37852	C-33	I. C. Cable	100	34.0
51752	T-122	Repair End	...	1.0
½" Cables				
37857	C-44	I. C. Cable	50	27.0
37862	C-45	I. C. Cable	75	39.0
51757	T-121	Repair End006

We are in touch with the world's largest and best manufacturers. Centralize your purchases with us!

Plusco Supply Corp.

RIDGID®

Drain Cleaner Accessories Cables



Bulb Auger

Cables w/Bulb Augers

Order No.	Mfr. No.	Model No.	Dia. In.	Lgth. Ft.
R62225	62225	C-1	5/16	25
R56782	56782*	C-11C	5/16	25
R89400	89400	C-21	5/16	50
R62250	62250	C-5	3/8	35

*w/Inner core.



Drop Head Auger

Cables w/Drop Head Augers

Order No.	Mfr. No.	Model No.	Dia. In.	Lgth. Ft.
R62235	62235	C-2	5/16	25
R56787	56787†	C-21C	5/16	25
R89405	89405	C-22	5/16	50

†w/Inner core.



Male Coupling

Cables with Male Couplings

Order No.	Mfr. No.	Model No.	Dia. In.	Lgth. Ft.
R62245	62245	C-4	3/8	25
R62260	62260	C-6	3/8	35




Straight Cables

Order No.	Mfr. No.	Model No.	Dia. In.	Lgth. Ft.	Wind Tight
R62265	62265	C-7	5/8	7 1/2	
R62270	62270	C-8	5/8	7 1/2	All-Purpose
R51317	51317	C-9	5/8	10	Heavy-Duty
R62275	62275	C-10	7/8	15	All-Purpose

RIDGID®

Drain Cleaners Model K-750



For 3" to 10" drain and sewer lines. Self-contained. Use for lateral lines. Transport wheel facilitates loading into service vehicle. Power-feed adjusts for 5/8" or 3/4" cable. Automatic cable retrieves up to 20' per minute. Corrosion resistant cable drum holds 100' of 3/4" cable or 125' of 5/8" cable. Motor 1/2 hp, 115V, 60 Hz.

No. 42002. Includes 1 pair gloves, powerfeed, standard 3/4" tool set and 75'x3/4" cable. CSA Approved.

No. 42007. Includes 1 pair gloves, powerfeed, standard 3/4" tool set and 100'x3/4" cable. CSA Approved.

No. 42012. Includes 1 pair gloves, powerfeed, standard 5/8" tool set and 75'x5/8" cable. CSA Approved.

No. 47047. Includes 1 pair gloves, powerfeed, standard 5/8" tool set and 100'x5/8" cable. CSA Approved.

Standard 3/4" Tool Set Contents

Model No.	Desc.
T-406	Spear Blade Cutter
T-407	Retrieving Auger
T-411	2" Cutter
T-413	3" Cutter
T-414	4" Cutter

Standard 5/8" Tool Set Contents

Model No.	Desc.
T-403	P-Trap Cutter
T-406	Spear Blade Cutter
T-413	3" Cutter
T-407	Retrieving Auger
T-411	2" Cutter

Drain Cleaners

Order No.	Mfr. No.	Desc.	Wt. Lbs.
Powerfeed			
R42002	42002	K750 w/C-75	206
R42007	42007	K750 w/C100	234
R42012	42012	K750 w/C27	182
R47047	47047	K750 w/C24	182

Note: Recommended cable 5/8" for 3" to 6" drain lines up to 250'. Recommended cable 3/4" for 4" to 10" drain lines up to 250'.

Accessories

No.	Model No.	Desc.
92555	T-458	5/8"x2" Leader
92560	T-468	3/4"x2" Leader
44122	...	5/8" Pigtail
44117	...	3/4" Pigtail
43637	A-7558	Drum Assy. w/5/8" Pigtail
41982	A-7534	Drum Assy. w/3/4" Pigtail
43642	A-75	Powerfeed Assy.
46015	E-453	Allen Wrench
31487	A-7570	5/8" Repair Splicer
92805	A-6582	5/8" Male Coupling
92810	A-6583	5/8" Female Coupling
31492	A-7571	3/4" Repair Splicer
92880	B-6840	3/4" Male Coupling
92885	B-6841	3/4" Female Coupling
49137	...	1 Pr. Work Gloves
59360	A-3	Tool Box
92485	T-403	3" P-Trap Cutter
92490	T-404	3 1/2" P-Trap Cutter
92495	T-406	Spear Blade
92500	T-407	Retrieving Auger
92505	T-408	Sawtooth Cutter
51762	T-409	H-D Bulb Auger
92510	T-411	2" Double Cutter
92515	T-412	2 1/2" Double Cutter
92520	T-413	3" Double Cutter
92525	T-414	4" Double Cutter
92530	T-416	6" Double Cutter
92535	T-432	2" 3 Blade Cutter
92540	T-433	3" 3 Blade Cutter
92545	T-434	4" 3 Blade Cutter
92550	T-436	6" 3 Blade Cutter

RIDGID®


Drain Cleaner Accessories I.C. Cables For Model K-750



Order No.	Mfr. No.	Model No.	Dia. In.	Lgth. Ft.
R92460	92460	C-25	5/8	25
R92465	92465	C-26	5/8	50
R92470	92470	C-27	5/8	75
R43647	43647	C-24	5/8	100
R92475	92475	C-28	3/4	25
R92480	92480	C-29	3/4	50
R41212	41212	C-75	3/4	75
R41697	41697	C-100	3/4	100

RIDGID®

Drain Cleaners Model K-1500SP



43507

Clean 2" to 10" lines. Clean distances up to 300'. 1 hp TEFC motor and heavy-duty rotary switch. Instant-acting cable clutch. Cable spins at 600 rpm. Low-profile "B" frame fits most crawl spaces. 10" semi-pneumatic ball bearing wheels. Clutch jaw change-out adapts K-1500 SP to use 7/8" cable to clean 2" to 4" lines through 175'. Nine-piece tool package includes: T-1 straight auger, T-3 funnel auger, T-6 retrieving auger, T-8 2 1/2" grease cutter, T-13 2 1/2" sawtooth cutter, T-50 sharktooth cutter with 3", 4" and 5" blades, A-2864 hex key (3/16"), A-316 hex key (1/4"), and A-3 tool box.

No. 43507. Machine, A-1 operator's mitt, A-12 pin key and A-34-12 rear guide hose.

No. 46907. Machine, A-1 operator's mitt, A-12 pin key, A-34-12 rear guide hose, 10 sections of C-11 1 1/4" cable (150'), three A-8 cable carriers, A-3 tool box and a nine-piece 1 1/4" tool package.

Order No.	Mfr. No.	Desc.	Wt. Lbs.
120V, 60 Hz			
R43507	43507	Drain Cleaner	141
R46907	46907	Drain Cleaner	141

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

Plusco Supply Corp.

RIDGID®

Tools

Straight Augers



Order No.
R62840
R61800
R62850

Mfr. No.
62840
61800
62850

Model
No.
T-1
T-2
T-101

Desc.
Straight
Heavy Duty Straight
Straight

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-75, K-375
K-3800, K-60SP

Retrieving Augers



Order No.
R63190
R63195
R27642

Mfr. No.
63190
63195
27642

Model
No.
T-5
T-6
T-125

Desc.
Straight Retrieving
Funnel Retrieving
Retrieving

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-60SP, K-75

Funnel Augers



Order No.
R63105
R61790
R62855

Mfr. No.
63105
61790
62855

Model
No.
T-3
T-4
T-102

Desc.
Funnel
Heavy Duty Funnel
Funnel

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-75, K-375
K-3800, K-60SP

Hook Augers

Order No.
R63200

Mfr. No.
63200

Model
No.
T-7

Desc.
Hook

For
No.
K-1500, K-1500SP, K-1500G

Chain Knockers



Order No.
R63110
R63115
R63120
R62940
R63060

Mfr. No.
63110
63115
63120
62940
63060

Model
No.
T-31
T-32
T-33
T-114
T-216

For
Pipe
In.
3/4
6
8
...
2

Repl.
Blade
No.
97985
97990
97995
97985
98000

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-375, K-60SP, K-3800, K-75
K-39, K-375, K-50, K-3800

Expanding Cutters

Order No.
R61770
R61825

Mfr. No.
61770
61825

Model
No.
T-15A
T-15B

Size
In.
4-6
6-8

Repl.
Blade
No.
62970
62980

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G

Four-Blade Cutters



Order No.
R59765
R59770
R59775
R59780
R62930
R62935

Mfr. No.
59765
59770
59775
59780
62930
62935

Model
No.
T-24
T-25
T-26
T-26A
T-112
T-113

Size
In.
2 1/2
3 1/2
3 1/2
4 1/2
5 1/2
1 3/4
3

Repl.
Blade
No.
97940
97975
97975
97805
97980
97915
97940

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-375, K-60SP, K-3800, K-75
K-375, K-60SP
K-3800, K-75

Grease Cutters



Order No.
R63205
R63210
R62845
R62870
R62875

Mfr. No.
63205
63210
62845
62870
62875

Model
No.
T-8
T-9
T-10
T-105
T-106

Size
In.
2 1/2
3 1/2
4 1/2
2 1/2
3 1/2

Repl.
Blade
No.
97920
97925
97865
97920
97925

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-375, K-60SP, K-3800, K-75
K-375, K-60SP, K-3800, K-75

"H" Cutters



Order No.
R59480
R59485
R62865

Mfr. No.
59480
59485
62865

Model
No.
T-11
T-12
T-104

Size
In.
2 1/2
3 1/2
2 1/2

Repl.
Blade
No.
97800
97945
97800

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-375, K-60SP
K-3800, K-75

Sawtooth Cutters



Order No.
R61970
R61975
R62860

Mfr. No.
61970
61975
62860

Model
No.
T-13
T-14
T-103

Size
In.
2 1/2
3 1/2
2 1/2

Repl.
Blade
No.
98070
98075
98070

For
No.
K-1500, K-1500SP, K-1500G
K-1500, K-1500SP, K-1500G
K-75, K-60SP

Spade Cutters



Order No.
R62880

Mfr. No.
62880

Model
No.
T-107


Size
In.
1 3/4

Repl.
Blade
No.
92850

For
No.
K-75, K-375, K-60SP, K-3800


Plusco Supply Corp.

Sharktooth Cutters


	Order No.	Mfr. No.	Model No.	Size In.	Repl. Blade No.	For No.
	R98030	98030*	T-50	3, 4 & 5	...	K-1500, K-1500SP, K-1500G
	R98035	98035	T-50-1	3	98005	K-1500, K-1500SP, K-1500G
	R98040	98040	T-50-2	4	98010	K-1500, K-1500SP, K-1500G
	R98045	98045	T-50-3	6	98015	K-1500, K-1500SP, K-1500G
	R98050	98050	T-150	3, 4	...	K-75, K-60SP
	R98055	98055	T-150-1	3	98005	K-75, K-60SP
	R98060	98060	T-150-2	4	98010	K-75, K-60SP

*Three Blades.

Spiral Bar Cutters

	Order No.	Mfr. No.	Model No.	Size In.	Repl. Blade No.	For No.
	R61960	61960	T-16	4	97855	K-1500, K-1500SP, K-1500G
	R61850	61850	T-17	6	97955	K-1500, K-1500SP, K-1500G
	R61855	61855	T-18	8	97960	K-1500, K-1500SP, K-1500G

Spiral Sawtooth Cutters

	Order No.	Mfr. No.	Model No.	Size In.	Repl. Blade No.	For No.
	R59625	59625	T-21	3 1/2	97965	K-1500, K-1500SP, K-1500G
	R63075	63075	T-22	3	97970	K-1500, K-1500SP, K-1500G
	R63085	63085	T-23	4	97850	K-1500, K-1500SP, K-1500G
	R62915	62915	T-109	1 3/4	97930	K-60SP, K-75
	R62920	62920	T-110	2 1/4	97935	K-60SP, K-75
	R62925	62925	T-111	3	92890	K-60SP, K-75

No. 48482. Tool set. Contains bulb auger, "C" cutter, 1" spade cutter, pin key for 5/8" cable and 4" drop head.

No. 49002. Tool set. Contains bulb auger, "C" cutter, spade cutter, pin key.

No. 54992. Tool set. 1/2" Contain funnel auger, spade cutter, 2 1/2 knife blade cutter and pin key.


Tool Sets

Order No.	Mfr. No.	Model No.	Desc.	For No.
R48482	48482	T-250		K-39, K-50
R49002	49002	T-260	3/8"	K-375, K-3800
R54992	54992	T-270	1/2 "	K-375, K-3800

RIDGID®


Drain Cleaner Accessories

Cable Carriers

	Order No.	Mfr. No.	Model No.	Desc.	For No.(s)	Wt. Lbs.
	R59470	59470	A-8	75' Cap. 7/8"	K-1500, K-60SP, K75, K-1500SP, K-1500G	5 1/2

RIDGID®

Drain Cleaners Model K-1500



For 2"-8" lines. Drain and sewer line cleaner. Instant-acting cable clutch. Cable spins at 70 rpm. Wheeled carrier. Low-profile. "B" frame design. Fit into most crawl spaces. Upright "A" frame has cable carrier storage. Run 15' sections of 1 1/4" cable to clean 3" to 8" lines up to 200'. Easy clutch jaw change-out adapts K-1500 to run 15' sections of 7/8" cable through 2" to 4" lines up to 175'. 3/4 HP motor, 115V.

Compliances. CSA approved.

No. 23712. Machine, A-1 mitt, A-12 pin key, A-34-12 rear guide hose, seven sections 1 1/4" C-11 cable (105'), two A-8 cable carriers and a nine-piece 1 1/4" tool set.

Order No.	Mfr. No.	Model No.	Wt. Lbs.
R23712	23712	K-1500A	256

Cables, Leaders & Cable Kits

No.	Model No.	Desc.	Size	Wt. Lbs.
62280	C-11	Std. All-Purp. Wind	15'	16
62285	C-12	Ext.-HD Wind	15'	19
62295	C-14	HD Wind	15'	16
62300	C-15	Ext.-Flex. Wind	15'	12
63090	T-27	Leader	1 1/4"x25"	2 3/4
62275	C-10	Std. All-Purp. Wind	15'	9 1/2
59325	A-368X	Jaw Set	7/8"	...
59320	A-369-X	Jaw Set	1 1/4"	...
61630	A-62"	Cable Kit	7/8"	43

*Includes: Five sections C-10 7/8"x15' cable and A-8 cable carrier.

Tools

Fits C-11, C-12, C-14 and C-15.

No.	Model No.	Desc.	Size In.	Repl. Blade No.
		240V, 50 Hz		
61625†	T-61	Tool Kit	7/8"	...
62840	T-1	Str. Auger
61800	T-2	HD Str. Auger
63105	T-3	Funnel Auger
61790	T-4	HD Funnel Auger
63190	T-5	Str. Retrieving Auger
63195	T-6	Funnel Retrieving Auger
63200	T-7	Hook Auger
63205	T-8	Grease Cutter	2 1/2	97920
63210	T-9	Grease Cutter	3 1/2	97925
62845	T-10	Grease Cutter	4 1/2	97865
59480	T-11	"H" Cutter	2 1/2	97800
59485	T-12	"H" Cutter	3 1/2	97945
61970	T-13	Sawtooth Cutter	2 1/2	98070
61975	T-14	Sawtooth Cutter	3 1/2	98075
61770	T-15A	Expanding Cutter	4"-6"	62970

No.	Model No.	Desc.	Size In.	Repl. Blade No.
61825	T-15B	Expanding Cutter	6"-8"	62980
61960	T-16	Spiral Bar Cutter	4	97855
61850	T-17	Spiral Bar Cutter	6	97955
61855	T-18	Spiral Bar Cutter	8	97960
59625	T-21	Spiral Sawtooth Cutter	3 1/2	97965
63075	T-22	Spiral Sawtooth Cutter	3	97970
63085	T-23	Spiral Sawtooth Cutter	4	97850
59765	T-24	4-Blade Cutter	2 1/2	97940
59770	T-25	4-Blade Cutter	3 1/2	97975
59775	T-26	4-Blade Cutter	4 1/2	97805
59780	T-26A	4-Blade Cutter	5 1/2	97980
98030	T-50	3-Blade	3, 4 & 5	...
98035	T-50-1	Sharktooth Cutter	3	98005
98040	T-50-2	Sharktooth Cutter	4	98010
98045	T-50-3	Sharktooth Cutter	6	98015
63110	T-31	Chain Knocker (For 3/4" Pipe)	...	97985
63115	T-32	Chain Knocker (For 6" Pipe)	...	97990
63120	T-33	Chain Knocker (For 8" Pipe)	...	97995
63145	T-38	Flue Brush	1 1/2	...
63150	T-39	Flue Brush	2	...
63155	T-40	Flue Brush	2 1/2	...
63160	T-41	Flue Brush	3	...
63165	T-42	Flue Brush	3 1/2	...
63170	T-43	Flue Brush	4	...
63175	T-44	Flue Brush	4 1/2	...
63240	T-45	Flue Brush	5	...
63180	T-46	Flue Brush	5 1/2	...
63185	T-47	Flue Brush	6	...

†Includes: T-101 straight auger, T-102 funnel auger, T-107 spade cutter, T-125 retrieving auger, T-150-1 sharktooth cutter, A-3 tool box and A-12 pin key.

Plusco Supply Corp.

RIDGID® Tools



Chain Knocker

Ridgid drain cleaning tools for models K60, K75.



Flue Brush



H-D "C" Cutter

Augers

Order No.	Mfr. No.	Model No.	Desc.	For No.(s)
R62840	62840	T-1	Straight	K-1500, K-1500SP, K-1500G
R61800	61800	T-2	Heavy Duty Straight	K-1500, K-1500SP, K-1500G
R63105	63105	T-3	Funnel	K-1500, K-1500SP, K-1500G
R61790	61790	T-4	Heavy Duty Funnel	K-1500, K-1500SP, K-1500G
R63190	63190	T-5	Straight Retrieving	K-1500, K-1500SP, K-1500G
R63195	63195	T-6	Funnel Retrieving	K-1500, K-1500SP, K-1500G
R63200	63200	T-7	Hook	K-1500, K-1500SP, K-1500G
R62850	62850	T-101	Straight	K-75, K-375, K-3800, K-60SP
R62855	62855	T-102	Funnel	K-75, K-375, K-3800, K-60SP
R27642	27642	T-125	Retrieving	K-60SP, K-75

Chain Knockers

Order No.	Mfr. No.	Model No.	For Pipe In.	Replace. Blade No.	For No.(s)
R63110	63110	T-31	3/4	97985	K-1500, K-1500SP, K-1500G
R63115	63115	T-32	6	97990	K-1500, K-1500SP, K-1500G
R63120	63120	T-33	8	97995	K-1500, K-1500SP, K-1500G
R62940	62940	T-114	...	97985	K-375, K-60SP, K-3800, K-75
R63060	63060	T-216	2	98000	K-39, K-375, K-50, K-3800

Cutters

Order No.	Mfr. No.	Model No.	Size In.	Replace. Blade No.	For No.(s)
Expanding					
R61770	61770	T-15A	4-6	62970	K-1500, K-1500SP, K-1500G
R61825	61825	T-15B	6-8	62980	K-1500, K-1500SP, K-1500G
Four-Blade					
R59765	59765	T-24	2 1/2	97940	K-1500, K-1500SP, K-1500G
R59770	59770	T-25	3 1/2	97975	K-1500, K-1500SP, K-1500G
R59775	59775	T-26	4 1/2	97805	K-1500, K-1500SP, K-1500G
R59780	59780	T-26A	5 1/2	97980	K-1500, K-1500SP, K-1500G
R62930	62930	T-112	1 3/4	97915	K-375, K-60SP, K-3800, K-75
R62935	62935	T-113	3	97940	K-375, K-60SP, K-3800, K-75
Grease					
R63205	63205	T-8	2 1/2	97920	K-1500, K-1500SP, K-1500G
R63210	63210	T-9	3 1/2	97925	K-1500, K-1500SP, K-1500G
R62845	62845	T-10	4 1/2	97865	K-1500, K-1500SP, K-1500G
R62870	62870	T-105	2 1/2	97920	K-375, K-60SP, K-3800, K-75
R62875	62875	T-106	3 1/2	97925	K-375, K-60SP, K-3800, K-75
"H"					
R59480	59480	T-11	2 1/2	97800	K-1500, K-1500SP, K-1500G
R59485	59485	T-12	3 1/2	97945	K-1500, K-1500SP, K-1500G
R62865	62865	T-104	2 1/2	97800	K-375, K-60SP, K-3800, K-75
Sawtooth					
R61970	61970	T-13	2 1/2	98070	K-1500, K-1500SP, K-1500G
R61975	61975	T-14	3 1/2	98075	K-1500, K-1500SP, K-1500G
R62860	62860	T-103	2 1/2	98070	K-75, K-60SP
Sharktooth					
R98030	98030*	T-50	3, 4 & 5	...	K-1500, K-1500SP, K-1500G
R98035	98035	T-50-1	3	98005	K-1500, K-1500SP, K-1500G
R98040	98040	T-50-2	4	98010	K-1500, K-1500SP, K-1500G
R98045	98045	T-50-3	6	98015	K-1500, K-1500SP, K-1500G
R98050	98050	T-150	3, 4	...	K-75, K-60SP
R98055	98055	T-150-1	3	98005	K-75, K-60SP
R98060	98060	T-150-2	4	98010	K-75, K-60SP
Spade					
R62880	62880	T-107	1 3/4	92850	K-75, K-375, K-60SP, K-3800
Spiral Bar					
R61960	61960	T-16	4	97855	K-1500, K-1500SP, K-1500G
R61850	61850	T-17	6	97955	K-1500, K-1500SP, K-1500G
R61855	61855	T-18	8	97960	K-1500, K-1500SP, K-1500G
Spiral Sawtooth					
R59625	59625	T-21	3 1/2	97965	K-1500, K-1500SP, K-1500G
R63075	63075	T-22	3	97970	K-1500, K-1500SP, K-1500G
R63085	63085	T-23	4	97850	K-1500, K-1500SP, K-1500G
R62915	62915	T-109	1 3/4	97930	K-60SP, K-75
R62920	62920	T-110	2 1/4	97935	K-60SP, K-75
R62925	62925	T-111	3	92890	K-60SP, K-75

*Three Blades.

Plusco Supply Corp.

No. 48482. Tool set. Contains bulb auger, "C" cutter, 1" spade cutter, pin key for 5/8" cable and 4" drop head.

No. 54992. Tool set. 1/2" Contain funnel auger, spade cutter, 2 1/2 knife blade cutter and pin key.

No. 49002. Tool set. Contains bulb auger, "C" cutter, spade cutter, pin key.

Order No.	Mfr. No.	Tool Sets Model No.	Desc.	For No.(s)
R48482	48482	T-250		K-39, K-50
R49002	49002	T-260	3/8"	K-375, K-3800
R54992	54992	T-270	1/2 "	K-375, K-3800

RIDGID® Drain Cleaner Accessories



62280



62285



62295



62300

No. 62280. Standard. Multi-purpose. Open wind with 3/8" pitch. Flexible but rigid enough for fast, tough root cutting. Easily negotiates 4" traps. For 3" to 8" drain lines and drain cleaner Models K-1500A, K-1500B, K-1500SP.

No. 62285. Extra-heavy duty open wind with 3/8" pitch. For 4" to 10" long runs. For for 4" "P" traps. For 4"-10" drain lines and drain cleaner Models K-1500A, K-1500B, K-1500SP.

No. 62295. Heavy duty open wind with 1/2" pitch. Good for 4" cleanout or 8" elbow entering in 4" to 10" line. Not for 4" "P" traps. For 3" to 10" drain lines and drain cleaner Models K-1500A, K-1500B, K-1500SP.

No. 62300. Extra flexible. Open wind with 1/2" pitch. Excellent for 4" traps. For 3" to 6" drain lines and drain cleaner Models K-1500A and K-1500B.

Wound Cable

Order No.	Mfr. No.	Desc.	Size In.	Lgth. Ft.
R62280	62280	Multi-Purpose C-11	1 1/4	15
R62285	62285	Extra Heavy-Duty C-12	1 1/4	15
R62295	62295	Heavy-Duty C-14	1 1/4	15
R62300	62300	Extra Flexible C-15	1 1/4	15

No. 61630. Includes five sections C-10, 7/8x15', cable lgth. 75', cable carrier.

No. 61625. Includes straight auger, funnel auger, spade cutter, retrieving auger, sharktooth cutter, tool box and pin key.


Standard Equipment Kits

Order No.	Mfr. No.	Desc.
R61630	61630	Cable Kit
R61625	61625	Tool Kit

Jawsets

Order No.	Mfr. No.	Size In.	For No.
R59325	59325	7/8	K-1500
R59320	59320	3/4	K-60
R59330	59330	5/8	K-1500

RIDGID® Pipe Cleaners Ridgid®/Kollman KJ-1350 Water Jetters



Working pressure 1350 psi. Flow 1.4 gpm. Thrust propels hose down line. Pulse action to negotiate bends and traps. Portable, compact. Duplex pump with corrosion-resistant, forged brass head. Pressure control valve. 1.5 hp motor draws 14A maximum, runs on 115V circuit. Require garden hose and water supply.

No. 62597. Includes water jetter with pulse, H-10 cart, 100'x1/4" trap hose, three nozzles, 25'x1/8" sink trap hose, nylon storage bag and nozzle cleaning tool.

No. 63112. Includes water jetter with dual pulse, H-10 cart, 100'x1/4" trap hose, three nozzles, 50'x1/8" sink trap hose, nylon storage bag and nozzle cleaning tool.

Pipe Cleaners

Order No.	Mfr. No.	Desc.
R62597	62597	Jetter w/Pulse & Cart
R63112	63112	Jetter w/Dual Pulse & Cart

Accessories

No.	Desc.
64707	KJ-1350 Propulsion Nozzle - 1/8" NPT
64712	KJ-1350 Penetrating Nozzle - Fits 1/8" & 1/4" Hose
64717	KJ-1350 Drop Head Nozzle
64722	KJ-1350 Propulsion Nozzle - 1/4" NPT
64727	KJ-1350 Penetrating Nozzle - Fits 1/2" Hose
64742	KJ- 1750 Propulsion Nozzle - 1/8" NPT
64747	KJ-1750 Penetrating Nozzle - Fits 1/8" & 1/4" Hose
64752	KJ-1750 Drop Head Nozzle
64757	KJ-1750 Propulsion Nozzle - 1/4" NPT
64762	KJ-1750 Penetrating Nozzle - Fits 1/2" Hose
52957	1/8"x25' Sink Trap Hose
53037	1/8"x50' Sink Trap Hose
47592	1/4"x25' Trap Hose
47597	1/4"x35' Trap Hose
47602	1/4"x50' Trap Hose
49272	1/4"x75' Trap Hose
49277	1/4"x100' Trap Hose
64732	1/4"x150' Trap Hose
50002	Flexible Leader - 1/4"
50007	Flexible Leader - 1/2"
47607	1/2"x50' Jet Hose
47612	1/2"x75' Jet Hose
47617	1/2"x100' Jet Hose
51587	1/2"x110' Jet Hose
49487	1/2"x150' Jet Hose
51597	1/2"x200' Jet Hose
64697	H-10 Cart w/Hose Reel
62592	H-10 Cart w/Hose Reel & 100'x1/4" Trap Hose
62882	Mini Hose Reel (Fits H-10 Cart)
64737	H-30 Cart w/Hose Reel
62877	H-30 Cart w/Hose Reel & 110'x1/2" Jet Hose
62887	Pressure Wash Package - Electric Jetters
64702	Wash Wand - Electric Jetters
62897	KJ-1750 Adapter to Fit H-10 Cart
62892	KJ-1350 Adapter to Fit H-30 Cart
48367	Winterizing Kit
47532	12-Gal. Wet/Dry Vacuum

RIDGID® Pipe Cleaners Ridgid®/Kollmann KJ-1750 Water Jetters



Working pressure 1750 psi. Flow 1.4 gpm. Thrust propels hose down line. Two pulse levels for negotiation of difficult bends and traps. Portable. Duplex pump with corrosion-resistant, forged brass head. Pressure control valve. 2.0 hp motor draws 17A maximum. Require 20A/115V circuit, garden hose and water supply.

No. 62697. Includes jetter with dual pulse, H-30 cart, 110'x1/2" jet hose, five nozzles, 50'x1/8" sink trap hose, nylon storage bag and nozzle cleaning tool.

Pipe Cleaners


Order No.	Mfr. No.	Desc.
R62697	62697	w/Dual Pulse & Cart

Accessories

No.	Desc.
64707	KJ-1350 Propulsion Nozzle - 1/8" NPT
64712	KJ-1350 Penetrating Nozzle - Fits 1/8" & 1/4" Hose
64717	KJ-1350 Drop Head Nozzle
64722	KJ-1350 Propulsion Nozzle - 1/4" NPT
64727	KJ-1350 Penetrating Nozzle - Fits 1/2" Hose
64742	KJ- 1750 Propulsion Nozzle - 1/8" NPT
64747	KJ-1750 Penetrating Nozzle - Fits 1/8" & 1/4" Hose
64752	KJ-1750 Drop Head Nozzle
64757	KJ-1750 Propulsion Nozzle - 1/4" NPT
64762	KJ-1750 Penetrating Nozzle - Fits 1/2" Hose
52957	1/8"x25' Sink Trap Hose
53037	1/8"x50' Sink Trap Hose
47592	1/4"x25' Trap Hose
47597	1/4"x35' Trap Hose
47602	1/4"x50' Trap Hose
49272	1/4"x75' Trap Hose
49277	1/4"x100' Trap Hose
64732	1/4"x150' Trap Hose
50002	Flexible Leader - 1/4"
50007	Flexible Leader - 1/2"
47607	1/2"x50' Jet Hose
47612	1/2"x75' Jet Hose
47617	1/2"x100' Jet Hose
51587	1/2"x110' Jet Hose
49487	1/2"x150' Jet Hose
51597	1/2"x200' Jet Hose
64697	H-10 Cart w/Hose Reel
62592	H-10 Cart w/Hose Reel & 100'x1/4" Trap Hose
62882	Mini Hose Reel (Fits H-10 Cart)
64737	H-30 Cart w/Hose Reel
62877	H-30 Cart w/Hose Reel & 110'x1/2" Jet Hose
62887	Pressure Wash Package - Electric Jetters
64702	Wash Wand - Electric Jetters
62897	KJ-1750 Adapter to Fit H-10 Cart
62892	KJ-1350 Adapter to Fit H-30 Cart
48367	Winterizing Kit
47532	12-Gal. Wet/Dry Vacuum

Plusco Supply Corp.

GENERAL WIRE SPRING Drain Augers



Ready to operate. Clear 1 1/4" lines to 3" lines and most 4" lines. Include basic Mini-Rooter unit, cable and MRCS cutter set.

Drain Augers

Order No.	Mfr. No.	Cable Lgth. Ft.	Cable Dia. In.	Cable No.
5133 30200	MR-A	50	3/8	50EM2
5133 30205	MR-B	75	3/8	75EM2
5133 30210	MR-C	50	1/2	50EM3
5133 30215	MR-D	75	1/2	75EM3

Accessories

Order No.	No.	Desc.
5133-41001	MRCS	Mini-Rooter Cutter Set
5133-25030	AH	Arrow Head
5133-25020	1-1/2UC	1 1/2" U-Cutter
5133-25010	2SCB	2" Side Cutter Blade
5133-25040	BG	Boring Gimlet

GENERAL WIRE SPRING Closet Augers Flexicore




Downhead



Regular Head

Order No.	Mfr. No.	Desc.	Wt. Lbs.
Downhead			
5133 06465	3FL-DH	3' Flexicore	4 3/8
5133 10812	T6FL-DH	6' Teletube Flexicore	5 3/4
5133 107100	RS-3FL-DH	3' Spring Only For 3FL-DH	1 1/8
5133 10814	RS-T6FL-DH	6' Spring Only For T6FL-DH	2 1/4
5133 10720	FL-DH	Head Only For FL-DH	...
Regular Head			
5133 06475	3FL	3' Flexicore	4 3/8
5133 10816	T6FL	6' Teletube Flexicore	5 3/4
5133 10700	RS-3FL	3' Spring Only For 3FL	1 1/8
5133 21000	RS-T6FL	6' Spring Only For T6FL	2 1/4
5133 21100	FL-H	Head Only For FL	...

GENERAL WIRE SPRING Urinal Augers Manually Operated




Order No.
5133-0004

Mfr. No.
TU4

Desc.
Telescoping

GENERAL WIRE SPRING Drain Flushers



Reinforced nylon unit attaches to garden hose. Features back-flow preventer and internal flat spring to work around bends.

Order No.	Mfr. No.	Dia. In.
5133 20010	15DF	1 1/2
5133 20020	25DF	2
5133 20030	3DF	3
5133 20040	4DF	4

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

GENERAL WIRE SPRING Water Rams Kinetic



Compact, light-weight tool for quickly opening clogged sinks, closets and pipes. Handles rust, corrosion, grease, sediment and scale in lines up through 4" in diameter. Uses a burst of compressed air that drives a shock wave through water to break up a stoppage. Particularly useful when a stoppage is on the far side of a drum trap or a series of tight bends, since the shock wave can travel around bends without losing its force.

Has a self-contained pump. A gauge indicates when the tool has reached the desired amount of pressure. The

instant impact of kinetic force protects pipes and joints because there is no build up of pressure in the plumbing system.

16 chrome plated brass cylinder tested for 600 Lbs. pressure. 160 Lbs. get pressure gauge. Self-contained air compressor. Standard 1/2" pipe thread on nozzle for attachments. Schraeder tire valve for use with air compressor. Weight 11 Lbs.

Standard fitting include caulking hose, 5 tapered rubber cones for sealing openings from 1/2" through 3" and instruction manual.

Optional accessories include metal carrying case, 6" tapered rubber cone, 1 1/2", 2", 3" and 4" expansion plugs.

No. KR-A. Includes caulking hose, 4" rubber cone and 5 rubber rings.

No. KR-A-WC. Includes caulking hose, 4" rubber cone, 5 rubber rings and carrying case.

No. KR-C-WC. Includes caulking hose, 4" rubber cone, 5 rubber rings, carrying case and KR-CA closet attachment.

No. KR-D-WC. Includes 4" rubber cone, 5 rubber rings, carrying case, KR-CA closet attachment, 6" rubber cone, 4 expansion plugs, check valve, water supply hose, universal faucet adapter and 22" extension hose.

Water Rams

Order No.	Mfr. No.	Desc.	Wt. Lbs.
5133 04950	KR-A	w/Caulking Hose	11
5133 04960	KR-A-WC	w/Caulking Hose & Carrying Case	20
5133 04970	KR-C-WC	w/Caulking Hose	21
5133 04980	KR-D-WC	w/Extension Hose	27

Accessories

No.	Desc.
KR-CC	Carrying Case
KR-RK	Ram Repair Kit
KR-CA	Closet Attachment
G-30	Pressure Gauge
G-43-3	4" Rubber Cone
G-43-6	6" Rubber Cone
G-55	Check Valve Assembly
G-CVK	Check Valve Assembly Kit
G-45	Water Supply Hose
G-46	Universal Faucet Adapter
G-48	Set of 5 Rubber Rings
G-52	22" Extension Hose
1-1/2EX	1 1/2" Expansion Plug
2EX	2" Expansion Plug
3EX	3" Expansion Plug
4EX	4" Expansion Plug

Plusco Supply Corp.

GENERAL WIRE SPRING

Drain Auger Accessories Kinetic Water Ram

Order No.	Mfr. No.	Desc.
5133 30301	KR-CC	Carrying Case
5133 30302	KR-RK	Ram Repair Kit
5133 30303	KR-CA	Closet Attachment
5133 30410	G-30	Pressure Gauge
5133 30420	G-43-3	4" Rubber Cone
5133 30430	G-43-6	6" Rubber Cone
5133 30440	G-55	Check Valve Assembly
5133 30450	G-CVK	Check Valve Assembly Kit
5133 30460	G-45	Water Supply Hose
5133 30470	G-46	Universal Faucet Adapter
5133 30480	G-48	Set of 5 Rubber Rings
5133 30490	G-52	22" Extension Hose
5133 31001	1-1/2EX	1 1/2" Expansion Plug
5133 31002	2EX	2" Expansion Plug
5133 31003	3EX	3" Expansion Plug
5133 31004	4EX	4" Expansion Plug

GENERAL WIRE SPRING

Drain Augers



Spin through economy drain cleaner. Economy grade cable.

Augers

Order No.	Mfr. No.	Cable Lgth. Ft.	Cable Dia. In.
5133 10290	R-15SM	15	1/4
5133 10295	R-25SM	25	1/4

Replacement Cable

No.	Lgth. Ft.
LR15POH	15
LR25POH	25

IF YOU CAN'T FIND IT HERE

Let us know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

GENERAL WIRE SPRING

Drain Augers Flexicore Cable Unit - Series 25



Downhead Drain Augers

Order No.	Mfr. No.	Cable Lgth. Ft.	Cable Dia. In.
5133 09160	25-2	25	1/4
5133 09170	25-2-A	25	5/16
5133 09200	25-3	25	3/8
5133 09205	25-3A	35	3/8

Regular Head Drain Augers

Order No.	Mfr. No.	Cable Lgth. Ft.	Cable Dia. In.
5133 09210	25-8	25	1/4
5133 09215	25-8-A	25	5/16
5133 09220	25-9	25	3/8
5133 09225	25-9-A	35	3/8

Accessories

No.	Desc.
25-0	Auger Only
25-CG	Collet Gripper

GENERAL WIRE SPRING

Drain Auger Accessories Series 25

Order No.	Mfr. No.	Desc.
5133 09230	25-0	Auger Only
5133 09235	25-CG	Collet Gripper

GENERAL WIRE SPRING

Replacement Cable SPIN-THRU - Drain Auger

Order No.	Mfr. No.	Lgth. Ft.	Dia. In.
5133 30100	LR15POH	15	1/4
5133 30105	LR25POH	25	1/4

G.T. WATER

Drain Uncloggers Drain King®



Fit 1" to 2" drains. Use in bathtubs, showers, sinks and swimming pool lines.

Order No.	Mfr. No.	Size In.
18501	501	1-2

G.T. WATER

Drain Uncloggers Drain King®

Fit 1 1/2"-3" drains. Use in kitchen sinks, bathtubs, showers and washing machine drains.

Order No.	Mfr. No.	Size In.
18506	186	1 1/2-3

G.T. WATER

Drain Uncloggers Drain King®



Use in outside sewers, basements, outside decks and main drains.

Order No.	Mfr. No.	Size In.
18510	750	3-6

MARCO®

Drain Augers POWERPLUS® - Series H500



Operate with standard hand drill 3/8" or 1/2" at variable speeds to 1300 rpm maximum. Chuck drill motor to drum and operate. Include cable, head and hand crank for use when power not available.

Order No.	Mfr. No.	Cable Size In.	Cable Lgth. Ft.	Line/Trap Size In.
5290 20000	1337	1/4	25	1 1/2
5290 20200	1338	3/8	25	1 1/2-2
5290 20300	1339	1/4	35	1 1/2
5290 20400	1340	3/8	35	1 1/2-2

MARCO®

Drain Blasters HOOTNANY® II




Unblock drains in basins, bathtubs, showers, toilets and bidets with blast of air. Pump 10 cycles to 15 cycles to blast away stoppage. Include stoppers for basin drain, 2" outlet, toilets and vent seal.

Order No.	Mfr. No.	Desc.
5290 20500	1388	Drain Air Blaster

Plusco Supply Corp.


RIDGID® Pipe Wrenches Straight Pattern



I-beam malleable iron housing and handle. Strong alloy steel jaws will not slip or lock on pipe. Replaceable heel jaws, full-floating hook jaw with handy pipe scale. Adjusting nut spins easily in open housing in all sizes. 6" to 24" inclusive. Larger sizes individually wrapped; 6/pkg.

Order No.	Mfr. No.	Model No.	Size In.	Cap In.	Wt. Lbs.
R31000	31000	6	6	3/4	1/2
R31005	31005	8	8	1	3/4
R31010	31010	10	10	1 1/2	1 3/4
R31015	31015	12	12	2	2 3/4
R31020	31020	14	14	2	3 1/2
R31025	31025	18	18	2 1/2	5 3/4
R31030	31030	24	24	3	9 3/4
R31035	31035	36	36	5	19
R31040	31040	48	48	6	34 1/4
R31045	31045	60	60	8	51 1/4


RIDGID® Pipe Wrenches Offset - End Pattern



Heavy duty, offset. For work where pipe is close to wall or in tight places. Malleable iron housing and handle. Strong alloy steel jaws will not slip or lock on pipe. Replaceable heel jaw, full-floating hook jaw with handy pipe scale. Adjusting nut spins easily in open housing in all sizes. Larger sizes individually wrapped. 6/pkg.

Order No.	Mfr. No.	Model No.	Size In.	Cap In.	Wt. Lbs.
R31050	31050	E-6	6	3/4	1/2
R31055	31055	E-8	8	1	3/4
R31060	31060	E-10	10	1 1/2	1 3/4
R31065	31065	E-12	12	2	2 3/4
R31070	31070	E-14	14	2	3 1/2
R31075	31075	E-18	18	2 1/2	5 3/4
R31080	31080	E-24	24	3	9 3/4


RIDGID® Pipe Wrenches Straight



Lightweight, yet strong enough for heavy duty work. Hook and heel jaws are made of strong alloy steel and hardened. Aluminum handle.

Order No.	Mfr. No.	Model No.	Size In.	Cap In.	Wt. Lbs.
R31090	31090	810	10	1 1/2	1
R31095	31095	814	14	2	2 1/2
R31100	31100	818	18	2 1/2	3 3/4
R31105	31105	824	24	3	6
R31110	31110	836	36	5	11

RIDGID® Chain Wrenches Heavy-Duty



Give action-grip in extra close quarters on round, square and irregular shapes. Fast, ratchet-like action. Work from either side. Replaceable hardened alloy steel jaws. Tempered steel chain locks securely, releases quickly. Hang-up hole.

No. 31310. One-piece forged alloy steel handle and jaw. Grab ring provides quick and easy locking and releasing.

Order No.	Mfr. No.	Model No.	Pipe Cap. In.	Actual Cap. In.	Chain Lgth. In.	Wt. Lbs.
R31310	31310*	C-12	2	4	15 3/4	1 3/4
R31315	31315	C-14	2	5	18 1/2	2 3/4
R31320	31320	C-18	2 1/2	5	20 1/4	6
R31325	31325	C-24	3	5	20 1/4	8 1/4

*Light duty model.

RIDGID® Strap Wrenches




For use on polished pipe and tubing. I-beam handle and solid head, one piece. Hang-up hole. Easy to attach and use; protect finish of nickel or chrome pipe or tubing. Straps easily replaced.

Order No.	Mfr. No.	Model No.	Pipe Cap. In.	Tube OD In.	Strap Size In.
R31335	31335	1	2	3 1/2	1/2x17
R31340	31340	2	2	3 1/2	1 1/8x17
R31345	31345	2	2	5 1/2	1 1/8x30
R31350	31350	2	2	5 1/2	1 1/8x24
R31360	31360	5	5	7	1 3/4x29 1/4
R31365	31365	5	5	12	1 3/4x48

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

RIDGID® Hex Wrenches



Offset Hex Wrench




Straight Hex Wrench

Provide positive multi-sided grip on hex nuts, square nuts, valve packing nuts, unions, gas cocks, etc. Smooth jaws for plated finish nuts. Extra-wide opening offset model ideal for securing drain nuts on sinks and tubs.

Order No.	Mfr. No.	Model No.	Lgth. In.	Cap. In.	Pkg. Qty.	Wt. Lbs.
R31305	31305*	E-110	9 1/2	1 1/8-2 5/8	6	1 1/2
R31275	31275	17	14 1/2	5/8-1 1/4	1	4 1/2
R31280	31280	25	20	1-2	1	8 3/4

*Offset hex wrench.

RIDGID® Spud Wrenches



Narrow jaws for easier use in close quarters. Replaceable drop forged heat-treated hook jaw. Malleable I-beam handle, hang-up hole. 6/pkg.

Order No.	Mfr. No.	Lgth. In.	Cap. In.	Pkg. Qty.	Wt. Lbs.
R31400	31400	12	2 5/8	6	2 1/2

RIDGID® Adjustable Wrenches




Made of special alloy steel. Forged I-beam handles with hang-up holes. Stainless steel springs. High-polish nickel-chrome plated or industrial black. Packed individually.

Order No.	Mfr. No.	Size In.	Cap. In.
R31185	704	4	1/2
R31190	706	6	3/4
R31195	708	8	7/8
R31200	710	10	1 1/8
R31205	712	12	1 5/16
R31210	715	15	1 11/16
R31215	718	18	2 1/16
R31220	724	24	2 7/16

Plusco Supply Corp.

RIDGID® Internal Wrenches




For internal holding on hollow work, holding closet spuds and bath, basin and sink strainers through 2". Can also be used for installing and extracting 1 through 2" nipples and tubing—without damaging thread.


Twin multi-size jaws have knurled gripping faces that expand by eccentric action. Jaws are quickly reversed for various sizes. Sliding reversible handle.

Order No.	Mfr. No.	Model No.	Wt. Lbs.
R31405	31405	342	1 3/8

RIDGID® Basin Wrenches



31170



31175



66807

Black finish, forged alloy jaws are spring-loaded for one-hand ratcheting. Chrome-plated shanks and handles. Tension plug holds head in any desired position up to 90° angle. Comfort grip handle with rounded knobs cannot loosen.

No. 31170. Solid 10" shank.

No. 31175. Four-position telescopic shank, 3/8"-1 1/4" jaw capacity.

No. 31180. Four-position telescopic shank, 1 1/4"-2 1/2" jaw capacity.

No. 66807. Plastic nut basin wrench. Designed to reach and turn plastic mounting nuts on faucets, sprayers and ballcocks. Notched ends are designed to self-center on two, three, four, and six-tab nuts and to fit metal hex nuts. Made of 16-gauge cold rolled steel. One-piece 11" tubular steel body. Suited for tight-clearance pedestal sinks.

Order No.	Mfr. No.	Model No.	Lgth. In.	Cap. In.	Wt. Lbs.
R31170	31170	1010	10	3/8-1 1/4	1 3/4
R31175	31175	1017	10-17	3/8-1 1/4	2
R31180	31180	1019	10-17	1 1/4-2 1/2	2
R66807	66807	2001	11	...	1

RIDGID® Pipe Cutters Heavy-Duty



w/1 Handle



w/2 Handles

Cut pipe fast, clean by hand or power. Extra-long shank protects adjustment threads. Extra-large handle gives quick, easy adjustment. Convertible to 3-wheel cutter.

Model No. 2-A. Available as 3-wheel model.

Model No. 4-S. Available as 3-wheel model.

Order No.	Mfr. No.	Model No.	Pipe Cap. In.	No. Hndls.	Wt. Lbs.
R32810	32810	1-A	1/8-1 1/4	1	6 1/2
R32820	32820	2-A	1/8-2	1	7
R32830	32830	3-S	1-3	2	15
R32840	32840	4-S	2-4	2	18
R32850	32850	6-S	4-6	2	22

RIDGID® Pipe Cutters




For work in areas where complete turn is not possible. Four heavy duty wheels.

No. 32870. Short handle. Use where only 130° turn can be made.

Order No.	Mfr. No.	Model No.	Pipe Cap. In.	Wt. Lbs.
R32870	32870	42-A	3/4-2	6 3/4


RIDGID® Torque Wrenches For Cast Iron No-Hub® Soil Pipe



Torque preset at 60 In. lbs. to assure proper tightness and leak free joints. Drive tightens with fast ratchet action until wrench clicks.

Order No.	Mfr. No.	Model No.	Size In.
R31410	31410	902	5/16


RIDGID® Soil Pipe Cutters



One-stroke cutting of 2"-6" service weight, No Hub® soil pipe, clay, asbestos and cement pipe. Repeated cuts made quickly. Expand capacity up to 8" service weight soil pipe with No. 34570 chain extension assembly.

Order No.	Mfr. No.	Model No.	Wt. Lbs.
R43547	43547	266	23


RIDGID® Soil Pipe Cutters



Lightweight. 200 to 1 mechanical ratio permits easy cuts of all 2" to 6" clay cast iron, asbestos or cement pipe and 4" water main. Heat-treated alloy steel; all parts are chrome plated or painted for corrosion protection. With specially treated tool steel chain for 6" pipe.

Order No.	Mfr. No.	Model No.	Desc.	Wt. Lbs.
R32900	32900	246	Pipe Cutter	25
R68650	68650	206	Pipe Cutter For No Hub®	18

RIDGID® Yoke Visers Tri-Stand



Portable work bench with built-in folding steel tray and fold-in legs for carrying. Vise base overhangs front legs, threader handles swing clear. For dope pot, oil can, slots for hanging tools; pipe rest, three pipe benders and ceiling brace screw. Hardened alloy steel jaws.

Order No.	Mfr. No.	Model No.	Cap. In.	Wt. Lbs.
R40130	40130	40-A	1/8-2 1/2	48 1/2

Plusco Supply Corp.


RIDGID® Pipe Extractor Sets



No. 35685. Includes sizes In.: 1/8, 1/4, 3/8, 1/2, 3/4, 1.

Order No.	Mfr. No.	Model No.	Pipe Cap. In.	Wt. Oz.
R35685	35685	883	1/8-1	28

RIDGID® Tubing Cutters Plastic Pipe



Lightweight aluminum housing. Compound-leverage ratchet mechanism holds blade in place. Spring-loaded hardened steel blade retracts into guard when return latch depressed. One hand operation. Do not use to cut plastic-coated tubing or pipe.

Order No.	Mfr. No.	Model No.	OD Cap. In.	Lgth. In.	Wt. Lbs.
R91125	91125	138	1/8-1 1/2	9 3/4	1 1/4


RIDGID® Tubing Cutters Plastic Pipe



Compound leverage ratchet mechanism and hardened steel blade for quick, clean cuts with one-hand operation. Red housing.

Order No.	Mfr. No.	Model No.	OD Cap. In.	Wt. Lbs.
R12831	12831	1493	1/8-2 3/8	2 1/2


RIDGID® Conduit & Pipe Threaders Manual - Ratchet



Exposed threaders. Die head locks into ratchet assembly and is removed by pulling out ratchet knob. Include die heads, ratchet assembly and ratchet handle.

Order No.	Mfr. No.	Model No.	Cap. In.	Thread Type
R36475	36475	12-R	1/2-2	NPT

RIDGID® Tubing Cutters Midget - Copper, Brass, Aluminum & Plastic




For use in very close quarters on copper, brass, aluminum and plastic tubing. Strong, lightweight slide and wheel housing. Large knurled feed screw knob permits easy control of cutting pressure for clean cuts. 6/pkg.

Order No.	Mfr. No.	Model No.	Cap. In.	Std. Wheel	Wt. Lbs.
R40617	40617*	101	1/4-1 1/8	E-3469	1/4
R32975	32975	103	1/8-5/8	E-3649	1/6
R32985	32985	104	3/16-1 5/16	E-3649	1/4

*With spare wheel.

RIDGID® Tubing Feed Cutters



Enclosed feed screw eliminates clogging and jamming. Grooved rolls for close-to-flare cuts. Fold-away reamer. High-strength aluminum alloy. Spare cutter wheel in handle. Cut copper, brass tubing, aluminum tubing and thin-wall conduit. 1/pkg.


No. 33055. Quick-acting mechanism.

Order No.	Mfr. No.	Model No.	Desc.	Cap. In.	Wt. Lbs.
R31622	31622	150	Enclosed	1/8-1 1/8	7/8
R31642	31642	152	Quick-Acting	1/4-2 5/8	1 7/8
R33055	33055	205	Cutter Ratcheting Enclosed	1/4-2 3/8	1 3/4

RIDGID® Tubing Cutters



Standard



Quick-Acting



152



138



1493

Standard. Clean, square cuts on copper, brass, aluminum and thin-wall conduit. 1/pkg.

Quick-Acting. For plastic pipe or metallic tubing. Quick-acting design, I-beam construction, hardened wear surfaces and thrust bearing slide assemblies for smooth operation. 1/pkg.

Standard Cutters

Order No.	Mfr. No.	Model No.	Desc.	Cap. In.	Wt. Lbs.
Standard					
R32910	32910	10	w/Fold-Away Reamer	1/8-1	7/8
R32915	32915*	10	w/Fold-Away Reamer	1/8-1	7/8
R32920	32920	15	w/Fold-Away Reamer	3/16-1 1/8	1 1/4
R32925	32925*	15	w/Fold-Away Reamer	3/16-1 1/8	1 1/4
R32930	32930	20	w/Fold-Away Reamer	5/8-2 1/8	1 3/4
R32935	32935*	20	w/Fold-Away Reamer	5/8-2 1/8	1 3/4
R32940	32940	30	For Lg. Dia. Steel & Stainless Steel	1-3 1/8	3 1/2

*With H-D wheel.


Quick-Acting Cutters

Order No.	Mfr. No.	Model No.	Cap. In.	Wt. Lbs.
R31632	31632	151	1/4-1 5/8	7/8

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

Plusco Supply Corp.

RIDGID® Flaring Tools



Precision designed. Produce 45° SAE flares in soft copper, brass, aluminum and mild steel. Hardened, smooth cone. Single or double lap flares. Single clamp tool.

No. 23332. 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" flares.

Order No.	Mfr. No.	Model No.	Desc.	Wt. Lbs.
Fractional				
R23332	23332	345	SAE Flares	2 3/4

RIDGID® Screwdrivers General Purpose

Large, easy-grip handle. Forged, hardened steel blades bolstered to prevent shaft from being driven back into handle. Blades have precision ground tip, shoulders and flats.

Round Shank Screwdrivers. Include hex wrench location for added torque.



Phillips - Round Shank

Phillips Tip Round Shank Screwdrivers

Order No.	Mfr. No.	Model No.	Point Size	Lgth. In.	Blade Dia. In.	Blade Lgth. In.
R35727	35727	1900	2	3 1/2	1/4	1 1/2
R35732	35732	1901	1	6 3/4	3/16	3
R35737	35737	1902	2	8 3/4	1/4	4
R35742	35742	1903	3	11	5/16	6



Phillips - Cushion Grip

Phillips Tip Round Shank Cushioned Grip Screwdrivers

Order No.	Mfr. No.	Model No.	Point Size	Lgth. In.	Blade Dia. In.	Blade Lgth. In.
R35812	35812	1970	2	3 1/2	1/4	1 1/2
R35817	35817	1971	1	6 3/4	3/16	3
R35822	35822	1972	2	8 3/4	1/4	4
R35827	35827	1973	3	11	5/16	6



Standard - Round Shank

Standard Tip Round Shank Screwdrivers

Order No.	Mfr. No.	Model No.	Lgth. In.	Blade Dia. In.	Blade Lgth. In.
R35747	35747	1946	8 1/4	1/4	4
R35752	35752	1947	11	1/4	6
R35757	35757	1948	13 1/4	3/8	8
R35762	35762	1949	15 1/4	3/8	10
R35767	35767	1950	17 1/4	3/8	12



Standard - Cushion Grip

Standard Tip Round Shank Cushioned Grip Screwdrivers

Order No.	Mfr. No.	Model No.	Lgth. In.	Blade Dia. In.	Blade Lgth. In.
R35832	35832	1980	3 1/2	1/4	1 1/2
R35837	35837	1981	8 1/4	1/4	4
R35842	35842	1982	11	5/16	6
R35847	35847	1983	13 3/8	3/8	8



Standard - Square Shank

Standard Tip Square Shank Screwdrivers

Order No.	Mfr. No.	Model No.	Lgth. In.	Blade Dia. In.	Blade Lgth. In.
R35782	35782	1940	3 1/2	1/4	1 1/4
R35787	35787	1941	8 1/4	1/4	4
R35792	35792	1942	11	5/16	6
R35797	35797	1943	13 1/4	3/8	8
R35802	35802	1944	15 1/4	3/8	10
R35807	35807	1945	17 1/4	3/8	12



Standard - Square Shank - Cushion

Standard Tip Square Shank Cushioned Grip Screwdrivers

Order No.	Mfr. No.	Model No.	Lgth. In.	Blade Dia. In.	Blade Lgth. In.
R35852	35852	1991	8 1/4	1/4	4
R35857	35857	1992	11	5/16	6
R35862	35862	1993	13 3/8	3/8	8

RIDGID® Magnetic Tip Screwdrivers



Interchangeable bits provide five screwdrivers in one. Large easy-grip handle stores all five bits. Bits included: 3/16" and 9/32" slotted; #1 and #2 point Phillips; T-15 Torx overall length, 8 5/8".

Order No.	Mfr. No.	Desc.
R40902	1996	Magnetic Screwdrivers

RIDGID® Levels



Use in tight places. Vials for plumb, level, and 45° miter. Plastic insert.


Levels

Order No.	Mfr. No.	Lgth. In.	Body Size In.	Desc.	No. Vials
R36130	390M	9	5/8x1 1/4	Magnetic Torpedo	3

Accessories

No.	Desc.
390H	Armor Nylon Holster

RIDGID® Bolt Cutters



Slim head design permits cutting close to surface. Adjustment through cam/bolt mechanism. Jaws are hardened alloy steel. Two cover plates straddle cutting head, keeping jaws in positive alignment. Heat-treated for maximum strength and wear resistance. Forged steel cams at main leverage joint eliminate sliding friction and wear. Rolling cam action. Serrated cutting edges hold stock at base of jaws for maximum cutting efficiency. 24" and 26" cutters also available with a cable lock assembly to prevent cable from flattening and reduce cutting effort.

Order No.	Mfr. No.	Lgth. In.	Soft Cap. In.*	Med. Cutting Cap. In.†	Hard Cutting Cap. In.‡	Wt. Lbs.
Center Cut						
R98920	N14S	15	5/16	1/4	3/16	1 1/4
R98935	N18S	19	3/8	5/16	1/4	3 3/8

Klipper Cut


R99025	N14KC	15	5/16	1/4	...	1 1/4
R99040	N18KC	19	3/8	5/16	...	3 3/8

*Soft steel and nonferrous metals, bolts, screws, rivets and wire.

†Iron and steel.

‡Stainless steel, spring wire, heat-treated rod and reinforcing rod.

RIDGID® Pipe & Bolt Threading Machines



Thread black and galvanized pipe, IMC, PVC, stainless steel, heavy wall conduit. Induction motor delivers constant rpm of 45 or 16 as needed. Quiet 81 dB. Constant and proper lubrication of workpieces and dies insured with through-head oiling. Triple filtration allows longer oil life and clean threads.

High-impact resistant covers. Insert provides for easy replacement of jaws. Motor: 1 1/2 hp, single-phase, 60 or 50 Hz. Motor control: Open/Off/Close, heavy-duty rotary type switch and integral safety foot switch. Spindle speed: 45 and 16 rpm, right-hand, can be adapted to left-hand operation.

Transmission: two-speed (45 rpm for standard pipe and 16 rpm for low-voltage and special materials). Front chuck: Automatic gripping/centering. Rear centering device: Automatic, centering only. Cutter: Model 364, 1/8"-2" full-floating, self-centering 1/8"-2" with E-1032 cutter wheel. Reamer: Model 344, 1/8"-2" right-hand only. Clutch: Shiftable cone type.

Order No.	Mfr. No.	Model No.	Desc.	Volts	Hertz
R20000	20000	1822-I	1/2"-2" NPT	120	60

Plusco Supply Corp.


RIDGID® Hole Saw Kits



No. 1248. Includes $\frac{7}{8}$, $1\frac{1}{8}$, $1\frac{1}{2}$, $1\frac{3}{4}$, $2\frac{1}{4}$ and $2\frac{5}{8}$ " hole saws, R-1, R-2 arbors, & carrying case.

Order No.	Mfr. No.	Desc.	Wt. Lbs.
R81490	1248	Plumbers' Hole Saw Kit	3 $\frac{3}{8}$

RIDGID® Screw Extractor Sets



No. 35580. Include Nos. 1, 2, 3, 4 and 5 for extraction of threaded ends of diameters $\frac{1}{4}$ " to $\frac{9}{16}$ ". For use in garages, tool rooms, etc. Compact pocket leatherette case.

No. 35585. Include Nos. 1 to 5 inclusive, Drills Nos. 1 to 5 inclusive and Drill Guides Nos. 921 to 1821 inclusive. For screws of $\frac{1}{4}$ " to $\frac{1}{2}$ " diameter. Contains 20 precision tools. Packed in pre-formed plastic box.

Order No.	Mfr. No.	Model Mfr. No.
R35580	35580	5
R35585	35585	10

GENERAL WIRE SPRING Pick-Ups Easy Reach™



Order No.	Mfr. No.	Lgth. In.
5133 00032	32RE	32
5133 00040	40RE	40
5133 00060	60RE	60
5133 00072	72REF*	72
5133 00096	96REF*	96
5133 00120	120REF*	120

*Folding model.


G.T. WATER Water Pump Kits



Kits include: water pump which uses water from a garden hose to create suction; drain water from pools, spas, tubs, ponds, and other flooded areas; and discharge hose 8'x1 $\frac{1}{4}$ ". Pumps approx. 800 gal. of water per hour.

Order No.	Mfr. No.	Desc.
18530	WP25	Water Pump Kit

CHICAGO SPECIALTY Socket Wrench Sets



Include cross pin handle and holding pin.

Set Contents

No.	Size In.
3060	2 $\frac{1}{32}$ X2 $\frac{7}{32}$
3061	2 $\frac{9}{32}$ X3 $\frac{1}{32}$
3062	1 $\frac{1}{2}$ X1 $\frac{3}{32}$
3063	1 $\frac{5}{32}$ X1 $\frac{9}{32}$
3064	1 $\frac{11}{32}$ X1 $\frac{7}{16}$

Wrench Sets

Order No.	Mfr. No.	Desc.
1429 05240	3068	5-Pc. Socket Wrench Set

CHICAGO SPECIALTY Faucet Tools



Tapered

Tapered Angle Seat Wrenches

Order No.	Mfr. No.	Desc.
1429 05420	3141H	Tapered 1 End
1429 05430	3142	Tapered Both Ends



Six-Step

Six-Step Angle Seat Wrenches


Order No.	Mfr. No.	Desc.
1429 05450	3143	3 Hex Sizes, 3 Square Sizes

No. 3113H. Standard grade cutter sizes $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ " and $\frac{7}{8}$ ".

Faucet Seat Dressers

Order No.	Mfr. No.	Desc.
1429 05350	3113H	Faucet Seat Dresser

CHICAGO SPECIALTY Ratcheting Faucet Seat Wrench Sets



Four piece wrench set with one zinc plated, square ends; one zinc plated, hexagon ends; one reversible box wrench $\frac{3}{4}$ X $\frac{7}{16}$ "; one zinc plated, rounded square ends for Eljer long or short seats. Clear vinyl pouch.

Order No.	Mfr. No.	Desc.
1429 09647	5000W	4 Pc. Set

CHICAGO SPECIALTY Hack Saws



Close Quarter

No. 3300. Lightweight. Extra strong. Die-cast handle. Blade extends to 4" for bulk cutting.

Close Quarter Hack Saws

Order No.	Mfr. No.	Desc.	Blade Lgth. In.
1429 07020	3300	Close Quarter	10



Long Nose

No. 3305A. Nose length 9 $\frac{3}{4}$ ". Blade 32-tooth with pegs.

Long Nose Hack Saws


Order No.	Mfr. No.	Desc.	Blade Lgth. In.
1429 07045	3305A	Long Nose	6

New items are being added to our stock daily. If you fail to find in this catalog the item you want, please send us your order or inquiries.

It is our constant aim to carry a full and complete stock. We are prepared to furnish many articles not shown in this catalog and solicit your inquiries.

Plusco Supply Corp.

CHICAGO SPECIALTY Wrenches



Basin Wrenches w/Heavy-Duty Handles

Order No.	Mfr. No.	Desc.	Hndl. Lgth. In.
1429 04855	3000C	Basin w/Heavy-Duty Handle	11



No. 3001. For spuds, strainers and slip joints. Malleable iron.
No. 3017. For spuds, strainers and slip joint nuts. Steel.

Combination Wrenches

Order No.	Mfr. No.	Desc.
1429 04825	3001	3-In-1 Combination
1429 05037	3017	4-In-1 Combination



Strainer Lock Nut Wrenches

Order No.	Mfr. No.	Desc.
1429 04875	3003	Strainer Lock Nut w/Hinged Jaw



No. 3010. Large jaw. Capacity to 2".
No. 3013. Interchangeable jaws. Includes large and standard jaws.

Basin Wrenches

Order No.	Mfr. No.	Desc.	Hndl. Lgth. In.
1429 04980	3013	Basin Wrench	15
1429 04945	3010	Basin Wrench	15



No. 3014. For drum tap plugs, drain covers and line plugs. Four sizes. Square sockets.

Drum Tap Plug Wrenches

Order No.	Mfr. No.	Desc.	Size In.
1429 04990	3014	Drum Tap Plug Wrench	3/4, 1, 1 1/8, 1 3/8



No. 3002C. Frees jammed disposal blades.

Garbage Disposal Wrenches


Order No.	Mfr. No.	Desc.
1429 04872	3002C	Garbage Disposal Wrench



No. 3011C. Adjustable for slip nuts and strainer lock nuts. Capacity 1" to 3". Malleable iron.

All-Purpose Wrenches


Order No.	Mfr. No.	Desc.
1429 04960	3011C	All-Purpose Wrench



No. 3030. For removal or installation of closet spuds, sink strainers, P.O. plugs, waste and overflow. Capacity 1" to 4". Hardened steel.

Spud Wrenches

Order No.	Mfr. No.	Desc.
1429 05050	3030	Spud Wrench



No. 3004. NPT capacity 3". Heavy-duty malleable iron body. Prevents marring.

Strap Wrenches

Order No.	Mfr. No.	Desc.	Hndl. Lgth. In.
1429 04885	3004	Strap Wrench	11 1/2

Seat Hinge Nut Wrenches

Order No.	Mfr. No.	Desc.
1429 05260	3071	Seat Hinge Nut Wrench

MILBAR® Soft Jaw Pliers



For AN electrical connections, plated pipe and fittings and camera lenses. Will not mar or damage surface. Heat treated high carbon steel. Four position pivot allows full range capacity. Cushioned grips. **Warning:** Wear eye protection when using pliers.


Pliers

Order No.	Mfr. No.	Cap. In.
79035	35Z	3/4-2 1/2

Accessories

No.	Desc.
35Z16	Repl. Jaw Sleeves

CHANNELLOCK® Tongue & Groove Pliers



410



415



421



422



424



426



430



440



442

No. 410. Nutbuster™. SAFE-T-STOP™ prevents handles from touching. Double channels prevent slippage.

No. 415. Smooth jaws. Undercut channels prevent slippage.

No. 420. Undercut channels prevent slippage.

No. 421. SAFE-T-STOP™ prevents handles from touching. Undercut channels prevent slippage.

No. 422. Curved jaw. Undercut channels prevent slippage.

No. 424. Undercut channels prevent slippage.

No. 426. Undercut channels prevent slippage.

No. 430. Undercut channels prevent slippage.

No. 440. Undercut channels prevent slippage.


No. 442. Curved-jaw. Undercut channels prevent slippage.

No. 460. Undercut channels prevent slippage.

Order No.	Mfr. No.	Lgth. In.	Jaw Cap. In.	No. Adjust.
5189 07410	410	9 1/2	1 1/8	4
5189 04153	415	10	2	7
5189 04203	420	9 1/2	1 1/2	5
5189 07421	421	9 1/2	1 1/2	5
5189 07422	422	9 1/2	1 1/2	5
5189 07424	424	4 1/2	1/2	3
5189 04263	426	6 1/2	7/8	5
5189 04303	430	10	2	7
5189 04403	440	12	2 1/4	7
5189 04423	442	12	2 1/4	7
5189 04603	460	16	4 1/4	8

Plusco Supply Corp.

CHANNELLOCK® Long Nose Pliers



317

No side wobble. Jaws provide firm grip on fine work in tight places. Hand-honed side cutters on some styles. High polished finish. CHANNELLOCK BLUE® dipped plastic comfort grips.

Order No.	Mfr. No.	Lgth. In.	Desc.
5189 03176	317	7½	w/Side Cutter
5189 03263	326	6	w/Cutter

CHANNELLOCK® End Cutters



Polished, high carbon, drop forged steel. CHANNELLOCK BLUE® dipped plastic grips. Mated, heat treated cutter.

Order No.	Mfr. No.	Lgth. In.
5189 04307	356	6
5189 03573	357	7

CHANNELLOCK® Diagonal-Cutting Pliers Lap Joint



Polished, high carbon, drop forged steel. CHANNELLOCK BLUE® dipped plastic grips. Mated, heat treated cutter.

Order No.	Mfr. No.	Lgth. In.
5189 03373	337	7

CHANNELLOCK® Linemen's Pliers Side Cutter




Forged from high grade steel and heat-treated. Cutters are hand-honed to hold edge. Polished finish. CHANNELLOCK BLUE® plastic comfort grips.

Compliances. Built to Western Electric Spec. B8.

Order No.	Mfr. No.	Lgth. In.	Pkg. Qty.
5189 07346	346	6	5
5189 07348	347	7	5
5189 03486	348	8½	5

PLUSCO REPLACEMENT PARTS Universal Valve Handle Wrenches



Designed to move sillcock handles and supply stop handles.

Order No.	Mfr. No.	Desc.
79333	79333	Universal Valve Handle Wrench


AMERICAN TRADE Strap Wrenches Gripzit - Information



For use on water filters, tub spouts, shower arms and oil filters. Nylon reinforced rubber strap. Slip-resistant. Will not scratch delicate surfaces. Adapt to any shape. Adjustable down to ½".

Order No.	Mfr. No.	Desc.
79111	ST-111	Strap Wrench

AMERICAN TRADE PVC Cable Saws




Cuts up to 4" electrical or plumbing PVC. Made of rustproof stainless steel cable. 26" long; contain recloseable zip top bag for storage. Applications include: irrigation, plumbing PVC installation or repair, and electrical PVC installation or repair.

Order No.	Mfr. No.	Desc.
79500	PS500	PVC Cable Saw

In addition to the items shown, we are continually adding new items.

ASP Pipe Cutters Pipe Shooter™



For PVC and ABS inside pipe cutter. Inserts in drill for cut-off for closet flange, shower drain and hard to reach applications.


Pipe Shooters

Order No.	Mfr. No.	Desc.
0247 87914	PS-100	Pipe Shooter

Replacement Parts

Order No.	Mfr. No.	Desc.
0247 88100	PS-101	Arbor
0247 88110	PS-102	Blade
0247 88120	PS-103	Washer
0247 88130	PS-104	Screw

ASP Pipe Freezing Systems Arctic-Freeze™




Utilize liquid CO₂ technology of -109° F to form durable ice blockage without long waiting period. Removal of freezing jacket allows ice to melt after job is completed.

Kit #1. Includes three jackets ranging in size from ⅜"-3" pipe (one jacket each size) and two CO₂ tanks.

Kit #2. Includes four jackets ranging in size from ⅜"-1½" pipe (two jackets each size) and one CO₂ tank.

Order No.	Mfr. No.	Desc.
79760	7000	Kit #1
79761	7001	Kit #2

ASP Pipe Plugging Kits Plumber's Bread



Set of rubber plugs. Stops flow of water for repair. Complete with storage tube. Pipe plug (plumber's bread) solder with water in line.

No. 5000. Include: 1 each (In.) - ½, ¾, 1, 1¼, 1½, 2, 2½ plugs, short rod for ½" plug, long rod for ¾"-2½" plugs, tightening handle, storage tube, instructions.

No. 5001. Include: 1 each (In.) - ½, ¾, 1 plugs, rod, tightening handle, storage tube, instructions.

Order No.	Mfr. No.	No. Plugs	No. Rods
79750	5000	7	2
79751	5001	3	1

Plusco Supply Corp.

ASP

Heat Stoppers Plumbers Hot Dam




Stops heat transfer down ferrous, non-ferrous pipe. Molds to any shape. Reuseable. Easy removal, clean up. No drip, mess, residue. Ideal for preventing ice plugs from melting.

Order No.	Mfr. No.	Desc.
79800	9000	Hot Dam

ASP

Blankets Flame-Gard™




Protects wood, painted or metal surfaces from heat during soldering, brazing.

Order No.	Mfr. No.	Desc.	Size In.
79900	2400	Flame-Gard™	9x12
79911	2450	Flame-Gard™ Ultra	11x11
79901	2500	Large Flame-Gard™	24x24
79921	2600	X-Large Flame-Gard™	24x50

ASP

Blankets Flame-Blanket™



Non-asbestos. Protects wood and other flammables from heat in tight places. Withstands heat to 2300°F with minimum smoke, odor, burn through.

Order No.	Mfr. No.	Desc.	Size In.
79925	2475	Flame-Blanket™	10x12

ASP

Soldering Rings SoldOmat



Available in 3 dia.: 1/2", 3/4", 1". Lead-free tin/silver alloy. Approved for all potable water lines. Withstand temperature to 347°F.

Order No.	Mfr. No.	Dia. In.	Pkg. Qty.
79930	85006	1/2	6
79931	85100	1/2	100
79932	87503	3/4	3
79933	87550	3/4	50
79934	81002	1	2
79935	81010	1	10

ASP

Torch Igniters Ever-Spark™ - Electronic



Ignites propane, MAPP® gas, acetylene without flint, batteries, combustible fuel. Fits in hand. Includes nylon cord for belt attachment. Use for welding, cutting, brazing, soldering.

Order No.	Mfr. No.	Lgth. In.
79940	3000	7

ASP

Torch Igniters Ever-Spark II™ - Gas



Safe. Easy. Ignites propane, natural gas, bottled gas without flints, batteries, combustible fuel. Use for pilots, boilers, heaters, appliances, gas grills.

Order No.	Mfr. No.	Lgth. In.
79941	3100	12 3/4

ASP

Pipe Freezing System Accessories Arctic-Freeze™

Order No.	Mfr. No.	Desc.
79675	7002	Freeze Jacket #1 For 3/8"-3/4" Pipe
79676	7003	Freeze Jacket #2 For 3/4"-1 1/2" Pipe
79677	7004	Freeze Jacket #3 For 1 1/2"-3" Pipe
79678	7005	Freeze Jacket #4 For 3"-4" Pipe
79679	7018	Freeze Jacket #5 For 5"-6" Pipe
79680	7006	8' Hose w/Fittings
79681	7007	Tee Connector
79682	7008	Carrying Bag
79683	7010*	20 Lb. CO ₂ Cylinder
79684	7011*	50 Lb. CO ₂ Cylinder
79685	7012	Valve & Siphon Tube Kit
79686	7013	Leather Gloves
79687	7014	Instruction Manual
79688	7019	Rubber Mallet

*w/Siphon Dip Tub

ASP

Ballcock Changer Plugs Plug-A-Tank™



Hold remaining water secure in tank during repair work.

Order No.	Mfr. No.	Desc.
79699	9200	Plug-A-Tank™ Ballcock Changer

BERNZOMATIC® Self-Igniting Torches Surefire®



Cast aluminum construction. Heavy-duty instant on/instant off ignition. Interchangeable burn tips convert to swirl, pencil, or general purpose flame without changing orifice. Pressure regulated. Burns either Propane or MAPP® gas.

No. T111. General purpose for variety of commercial applications.

Order No.	Mfr. No.	Desc.
79110	T111	General Purpose
79112	T655	Adjustable Flame

BERNZOMATIC® Jet Torch Accessories



TX405B



TX406B

Order No.	Mfr. No.	Desc.
0247 03241	TX405B	Spark & Lighter Flints
0247 03242	TX406B	Replacement Flints

LUTZ FILE & TOOL Screwdrivers Multi-Bit



Bits create several different screwdrivers in one handle. Bits are heat treated and tempered. Chrome/Nickel plated tube reverses in handle.

No. 26000. 6-In-1. Include 1/4" and 3/16" slotted bits, 1/4" hex nut driver, 3/16" nut driver and #2 and #1 Phillips bits.

Order No.	Mfr. No.	Desc.
5138 00010	26000	Green

PASCO SPECIALTY & MFG. Tape Measures "Sure Lock"



Cyclac case. Power return. Belt clip. Yellow tape.

Order No.	Mfr. No.	Lgth. Ft.	Wdth. In.
1451 40300	3933	16	3/4
1451 40310	3945	25	1

Plusco Supply Corp.

PASCO SPECIALTY & MFG.

Hex Key Sets Tool Caddy



Chrome nickel alloy steel keys. Close tolerance assures precise fit into hex socket. Hardened and tempered for maximum durability. Keys free of burrs and distortion. Contain key sizes (In.): $\frac{5}{64}$, $\frac{3}{32}$, $\frac{1}{8}$, $\frac{9}{64}$, $\frac{5}{32}$, $\frac{3}{16}$, $\frac{7}{32}$ and $\frac{1}{4}$.

Order No.	Mfr. No.	Desc.	Key Lgth. In.	Case Lgth. In.
1451 10610	3040	9-Pc. Set	2- $\frac{3}{8}$	4 $\frac{1}{4}$

PASCO SPECIALTY & MFG.

Nipple Extractors Internal



Remove or insert nipples. Heat treated. Cadmium-plated.

Order No.	Mfr. No.	Nipple Size In.
1451 40200	4530	$\frac{3}{8}$
1451 40201	4531	$\frac{1}{2}$
1451 40202	4532	$\frac{3}{4}$
1451 40203	4533	1

PASCO SPECIALTY & MFG.

Utility Knives Retractable Blade



Box opener.

Utility Knives

Order No.	Mfr. No.	Desc.	Pkg. Qty.
1451 11930	4323	w/2 Blades	1

Replacement Parts

Order No.	Mfr. No.	Desc.	Pkg. Qty.
1451 11931	4325	Utility Knife Blades	5

PASCO SPECIALTY & MFG.

Slip Joint Pliers Combination



Drop forged. Chrome-plated. Knurled handles.

Order No.	Mfr. No.	Size In.
1451 11155	4057	8

PASCO SPECIALTY & MFG.

Pipe Wrench Pliers



Satin chrome finish. Jaw angle 90°. Machined tongue and groove eliminates wear and strain on bolt. Vinyl grip handles.

Order No.	Mfr. No.	Lgth. In.
1451 12787	4073	10

PASCO SPECIALTY & MFG.

Nail Hammers Straight Claw



Forged head. Tubular shaft.

Order No.	Mfr. No.	Head Wt. Oz.
1451 10600	4000	16

PASCO SPECIALTY & MFG.

Faucet Handle Pullers "Big Yank"



Remove large and small handles. One-piece forged drive bracket. Long, adjustable grip fingers.

Order No.	Mfr. No.	Brkt. Wdth. In.	Finger Lgth. In.
1451 13450	4659	4	5

PASCO SPECIALTY & MFG.

Sleeve Pullers



For $\frac{1}{2}$ " copper tubing. Remove compressed brass sleeves and $\frac{1}{2}$ " copper compression sleeves and nuts.

Order No.	Mfr. No.	Desc.
1451 14539	4655	Sleeve Puller

PASCO SPECIALTY & MFG.

Drain Wrenches

"Smart" Dumbell - For Drains & Spuds



Install and remove tub drains and closet spuds without crossbars. Fit 95% of tub drains. Fit $1\frac{1}{2}$ " and 2" closet spuds. Prevent scratching of decorative finishes. Crescent wrench or large phillips screwdriver can be used to turn.

Order No.	Mfr. No.	Desc.	Lgth. In.
1451 12845	4554	Heavy-Duty, Die-Cast Aluminum	6

PASCO SPECIALTY & MFG.

Faucet Shank Wrenches "Quick Nutcracker"



Remove corroded $\frac{1}{2}$ " zinc lock-nuts from faucet shanks. Use on $\frac{1}{2}$ " shank single basin faucets, centersets and kitchen faucets. Heat-treated cutter blades. Ball thrust bearings. Black oxide finish. Will work on faucet shanks with only 3 threads showing.

Order No.	Mfr. No.	Desc.
1451 98500	7000	Nutcracker Only
1451 98505	7010	Nutcracker, Ratchet & Extension

PASCO SPECIALTY & MFG.

Torque Wrenches No-Hub




Measure torque when turned clockwise and ratchets when turned counterclockwise. 60" lbs. When band screw is tightened to correct torque, wrench ratchets so handle will continue to turn but drive socket will not. Retractable reversing lever. Chrome vanadium socket.

Order No.	Mfr. No.	Size In.	Lgth. In.
1467 21560	7020	$\frac{5}{16}$	6

Plusco Supply Corp.

PASCO SPECIALTY & MFG.

Strainer Wrenches 4-In-1



Fit 3 3/8" strainer locknut. Lexan plastic. Slotted inserts fit in standard slotted sink basket strainer locknuts. Allow installation of tailpiece nut. Tightens most 2" brass shower drains. Tighten nut on double cup basket strainer.

Order No.	Mfr. No.	Lgth. In.
1451 40100	4948	5 1/2

PASCO SPECIALTY & MFG.

Adjustable Wrenches



Triple chrome-plated. Thin pattern forging.

Compliances. Meet U.S. Government Specifications.

Order No.	Mfr. No.	Size In.
1451 12775	4535	6
1451 12780	4536	8
1451 12785	4537	10
1451 12787	4538	12

PASCO SPECIALTY & MFG.

Needle Nose Pliers



Vinyl grip handles. Polished head. Fine scored jaws. Forged.

Order No.	Mfr. No.	Lgth. In.
1451 12774	4092	8

PASCO SPECIALTY & MFG.

Plastic Pipe Saws "The Journeyman"



Cut PVC, ABS, fiber, pipe, wood and drywall. Aluminum die-cast handle. Flame-hardened, replaceable blade.

Order No.	Mfr. No.	Blade Lgth. In.	tpi
1451 11990	4333	18	10

PASCO SPECIALTY & MFG.

Pipe Cutters PVC



Pipe Cutters

Order No.	Mfr. No.	Cutting Cap. In.
1451 13435	4657	1

Replacement Parts

Order No.	Mfr. No.	Desc.
1451 11995	4657-B	Pipe Cutter Blade

PASCO SPECIALTY & MFG.

Stem & Cartridge Wrenches



Remove brass and plastic stems and cartridges. Precision made. Steel.

Order No.	Mfr. No.	Desc.
1451 16332	7040	1-Pc. Construction

PASCO SPECIALTY & MFG.

Plug Wrenches PO



Remove PO plugs and tub drains.

Order No.	Mfr. No.	Desc.
1429 05040	4555	PO Plug Wrench

Manufacturer's data sheets, catalogs and other detailed information will be supplied upon request.

PASCO SPECIALTY & MFG.

Anchor Sets Plastic



No-slip collar. Include anchors, phillips hex head screws, carbide-tipped 1/4" masonry drill (optional) and transparent box.

Order No.	Mfr. No.	Screw Size	Anchor Size
1451 07610	1600	1"x#10	8-10

PASCO SPECIALTY & MFG.

Valve Keys 4-Way



Fit stopcocks, sillcocks and valves.

Order No.	Mfr. No.	Desc.	Size In.
1451 06345	1701	Plated Steel	1/4-9/32 & 5/16-11/32

PASCO SPECIALTY & MFG.

Caulking Guns "Drop-In" - Half Barrel



Order No.	Mfr. No.	Desc.
1451 16050	5100	"Drop-In" Half Barrel Caulking Gun

PASCO SPECIALTY & MFG.

Spring Tube Bender Sets




For copper, aluminum and soft thin wall tubing. Contain 1 bender in each size (In.): 1/4, 5/16, 3/8, 7/16, 1/2 and 5/8.

Order No.	Mfr. No.	Lgth. In.
1451 40010	5168	10

Plusco Supply Corp.

PLASTIC ODDITIES

Hanger Straps Plasti-Pro




Flexible polypropylene strap. Nonconductive and nonabrasive. Load tested to 120 lbs. Width $\frac{3}{4}$ ". Thickness .050. Holes sized $\frac{1}{8}$ " spaced $\frac{3}{4}$ " apart. Cut with scissors or utility knife. For pipe hanger, duct hanger or tubing strap.

Order No.	Mfr. No.	Lgth.
0247 90500	PHK-100	100

SIoux CHIEF MFG.

Faucet Seat Wrench Sets Ratchet



Include 2 square and 1 hex tool plus ratchet.

Order No.	Mfr. No.	Desc.
78125	390-50130	Faucet Seat Wrench Set

PASCO SPECIALTY & MFG.

Spud Wrenches Internal




Install or remove urinal and closet spuds, waste and overflows. Cushioned grip.

Order No.	Mfr. No.	Cap.
1429-05050	4562	In. 4

RADIATOR SPECIALTY®


Faucet Seat Wrenches



Order No.	Mfr. No.	Desc.
1467 02030	T-2030	Square, Tapered Hex

RADIATOR SPECIALTY®


Basin Wrenches



Order No.	Mfr. No.	Desc.	Size
1467 21405	T-1000	Standard	In. $\frac{3}{8}$ -1 $\frac{1}{4}$
1467 21406	T-1002	Telescopic	$\frac{3}{8}$ -1 $\frac{1}{4}$

RADIATOR SPECIALTY®


Thread Gauges



Order No.	Mfr. No.	Desc.
1467 21401	T-2001	Leaf-Type

RADIATOR SPECIALTY®


Faucet Handle Pullers



Order No.	Mfr. No.	Desc.
1467 21410	T-2010	Faucet Handle Puller

RADIATOR SPECIALTY®

Seat Gauges



Order No.	Mfr. No.	Desc.
1467 20020	T-2020	Seat Gauge

RADIATOR SPECIALTY®


Faucet Seat Grinders



Order No.	Mfr. No.	Desc.
1467 21455	G4-V	Faucet Seat Grinder

RADIATOR SPECIALTY®

Hacksaw Frames Douglas



Steel and aluminum frame, bakelite grips. Blade cuts sideways, flush. Uses 12" blade.

Order No.	Mfr. No.	Desc.
1467 20120	90	Hacksaw Frames

RADIATOR SPECIALTY®

Levels Douglas® - Aluminum



510



524P

No. 510. Plumb and 45°. Includes strong magnet to hold in position.


No. 518P. Includes grade screw adjustment.

No. 524P. Six lightweight frames. Include grade screw adjustment. Stainless steel ruler on top. Replaceable vial assembly.

Order No.	Mfr. No.	Desc.	Lgth.
1467 20080	510	Magnetic Torpedo	In. 9
1467 20090	518P	Six Feature	18
1467 20100	524P	Six Feature	24

RADIATOR SPECIALTY®


Copper Cleaning Tools Douglas



Order No.	Mfr. No.	Desc.
1467 21550	50	Copper Cleaning Tool

RADIATOR SPECIALTY®

Torque Wrenches Douglas - No-Hub



Order No.	Mfr. No.	Desc.
1467 21560	60V	Torque Wrench

RADIATOR SPECIALTY®

Hacksaw Blades Douglas - Teeny Weeny - Replacement



Fit Douglas Teeny Weeny hacksaw frame No. 6. For cutting wood, steel, plastic, and brass.

Order No.	Mfr. No.	Lgth.
1467 20226	6-32-P	In. 6

Plusco Supply Corp.

RADIATOR SPECIALTY®

Hacksaw Frames
Douglas - Teeny Weeny




Nickel-plated steel.
For wood, steel,
plastic, brass. For 6"
blades.

Order No.	Mfr. No.	Desc.
1467 20220	6	Hacksaw Frames

RADIATOR SPECIALTY®

Hacksaw Blades
Douglas



Order No.	Mfr. No.	Blade Lgth. In.	tpi
	Standard		
1467 20130	DC-1218	12	18
1467 20135	DC-1224	12	24
1467 20140	DC-1232	12	32
	Bi-Metal		
1467 20195	DH-1218	12	18
1467 20200	DH-1224	12	24
1467 20205	DH-1232	12	32

SIoux CHIEF MFG.

Work Gloves



No. 961-20. Brown jersey. Made from 100% cotton with knit wrist. Medium weight. 9 oz.

Order No.	Mfr. No.	Desc.
1461 21500	961-20	Brown Jersey Gloves



No. 961-22. Gripper dot. Seamless. Made from 100% cotton. Reversible. Light weight.

Order No.	Mfr. No.	Desc.
1461 21502	961-22	Gripper Dot Gloves



No. 961-30. Leather palm. Gunn cut. Seamless. Waterproof safety cuff. Elastic band and knuckle strap. Ideal for handling sewer cable.

Order No.	Mfr. No.	Desc.
1461 21504	961-30	Heavy-Duty Leather Gloves

SIoux CHIEF MFG.

Water Heater Element Wrenches
Heavy-Duty



Heavy-duty plated steel. Wall thickness 1/8".

Order No.	Mfr. No.	Desc.	Size In.	Lgth. In.
1451 13792	390-50185	Water Heater Element Wrench	1 1/2	3 3/4

SIoux CHIEF MFG.

Tailpiece Wrenches



Made of tool steel. Use with crescent wrench to remove Sloan tailpieces.

Order No.	Mfr. No.	Desc.
78110	390-50165	Tailpiece Wrench

SIoux CHIEF MFG.

Inspection Mirrors
w/Magnetic Tip




Size 1"x2" oval. Copper backed. Clear view with angle ball joint. Long life magnet. Pocket clasp. Extend 5 5/8" to 18 3/4".

Order No.	Mfr. No.	Desc.
78100	390-50115	Inspection Mirror

SIoux CHIEF MFG.

Flexible Grabbers



Order No.	Mfr. No.	Size In.
1429 08876	390-50117	23

SIoux CHIEF MFG.


O-Ring Picks



Order No.	Mfr. No.	Desc.
1451 16192	390-50139	w/Loop Handle

RICHARD SPECIALTY

Valve Removal Kits
"Jet Swet"™



Case

Valve Removal Kits w/Carrying Case

Order No.	Mfr. No.	Size Rge. In.
1472 31000	R498500	1/2-2
1472 32000	R498505	1 1/4-2
1472 33000	R498510	1 1/2-1

Valve Removal Kits w/o Carrying Case

Order No.	Mfr. No.	Size Rge. In.
1472 34000	R498515	1/2-1

RICHARD SPECIALTY

Valve Removal Tools
"Jet Swet"™



Valve Removal Tools

Order No.	Mfr. No.	Size In.
1472 30010	R498400	1/2
1472 30020	R498405	3/4
1472 30030	R498410	1
1472 30040	R498415	1 1/4
1472 30050	R498420	1 1/2
1472 30060	R498425	2
1472 30070	R498430	2 1/2
1472 30080	R498435	3
1472 30090	R498440	4

Valve Removal Kits

No.	Desc.
R498500	1/2"-2" w/Carrying Case
R498505	1 1/4"-2" w/Carrying Case
R498510	1 1/2"-1" w/Carrying Case
R498515	1 1/2"-1" w/o Carrying Case

**We are in touch with the
world's largest and best
manufacturers. Centralize
your purchases with us!**

Plusco Supply Corp.

RICHARD SPECIALTY Tube Cutters Imperial Eastman - Ratch-Cut



Tube Cutters - No. R343800

Order No.
79348

Mfr. No.
R343800

Cut.
Cap.
In.
1/8-3/8



Tube Cutters - No. R343810

Order No.
79343

Mfr. No.
R343810

Cut.
Cap.
In.
5/16-1 1/8

Accessories

No.
R343805
R343820

Desc.
Wheels for No. R343800
Wheels For No. R343810

RICHARD SPECIALTY Closet Seat Wrenches Van Houtte - 14-In-1



Wrench

Closet Nuts


Small. Completely enclosed. Rigid jaw with both ends adaptable for use with leverage pin, wrench or ratchet wrench. Fit 99% of plastic and metal closet nuts.

Order No.
79124

Mfr. No.
R124700

Desc.
14-In-1

RICHARD SPECIALTY Inside Pipe Wrenches



For gripping inside of pipe and fittings.

Order No.
79120

Mfr. No.
R126125

Dia.
Rge.
In.
1/2-3 1/2

RICHARD SPECIALTY Tubing Brushes El-Cheapo



Order No.
1460 22382
1460 22383
1460 22384
1460 22385
1460 22386
1460 22387
1460 22388
1460 22389
1460 22390

Mfr. No.
R162400
R162405
R162410
R162415
R162420
R162425
R162430
R162435
R162440

Nom.
ID
In.
1/8
1/4
3/8
1/2
3/4
1
1 1/4
1 1/2
2

A number of items in this catalog are listed in condensed form. Complete catalogs and specifications will be sent to you on request. Please call us.

RICHARD SPECIALTY Pocket Thermometers 1" Dial



Order No.
1472 07700

Mfr. No.
R247700

Temp.
Rge.
°F
0-220

RICHARD SPECIALTY Drill Kits



Sizes 5/16" and larger 1/4" shank. Include plastic case.

Order No.
1472 07800

Mfr. No.
R274600

Size
Rge.
In.
1/16-1/2

Desc.
14-Pc. Kit

RICHARD SPECIALTY Nutdriver Sets

Mr. Ratchet - Ratcheting Action - Power Grip




Nutdriver Sets - No. R453200

Order No.
1472 20010

Mfr. No.
R453200

Desc.
6 Tips



Nutdriver Sets - No. R453210

Order No.
1472 20020

Mfr. No.
R453210

Desc.
6 Tips & 7 Nut Driver Sockets

IF YOU CAN'T FIND
IT HERE

Let us know!

Many of the goods and services we can offer are not listed in this catalog. Don't give up looking for the hard-to-find. We are ready to serve you at all times.

Plusco Supply Corp.

TURBOTORCH® Torch Kits Acetylene - Swirl Air

Include instruction manual.
Compliances. UL Listed Components.



X-5B

No. X-5B. Flexible. Light-duty. Soft solders to 1½" (40 mm). Silver brazes to ¾" (20 mm). "B" tank connection.

Kit Contents - X-5B

No.	Desc.
AR-B	Regulator
G-4	Handle
AH-12	Hose
A-5	Tip

Acetylene Torch Kits - X-5B

Order No.	Mfr. No.	Desc.
5317 00025	X-5	Swirl Air Kit



X-6MC

No. X-6MC. All-purpose. Soft solders to 2" (50 mm). Silver brazes to 1" (30 mm). "MC" tank connection.

Kit Contents - X-6MC

No.	Desc.
AR-MC	Regulator
G-4	Handle
AH-12	Hose
A-3	Tip
A-8	Tip

Acetylene Torch Kits - X-6MC

Order No.	Mfr. No.	Desc.
5317 00026	X-6MC	Swirl Air Kit

**We Appreciate
Your Business!**

TURBOTORCH® Torch Kits



Soft solder to 3"; silver braze to 1½". For "B" tank connection. Kits include AR-B adjustable regulator CGA-520, G-4 handle, AH-12 hose, A-3 and A-11 tips, and instruction manual.

Order No.	Mfr. No.	Desc.
5317 00015	X-3B	Fitting B

TURBOTORCH® Torch Kits



Soft solder to 3½". Silver braze to 2". For "B" tank connection. Include AR-B adjustable regulator CGA-520, G-4 handle, AH-12 hose, A-5 and A-14 tips and instruction manual.

Order No.	Mfr. No.	Desc.
5317 00020	X-4B	B

TURBOTORCH® Torch Tips



Swirl tips for use with acetylene gas.

Order No.	Mfr. No.	Tip Size In.	Gas Flow @ 14 psi*	Repl. Orifice Model No.
5317 00030	A-2	3/16	2.0	OR-A2
5317 00035	A-3	1/4	3.6	OR-A3
5317 00040	A-5	5/16	5.7	OR-A5
5317 00045	A-8	3/8	8.3	OR-A8
5317 00050	A-11	7/16	11.0	OR-A11
5317 00055	A-14	1/2	14.5	OR-A14
5317 00060	A-32	3/4	33.2	OR-A32

*3/hr.

TURBOTORCH® Acetylene Hoses



Fit No. G-4 handles and No. AR-B (CGA-520) and No. AR-MC (CGA-200) adjustable regulators. 3/16" ID with 3/8" 24-thread LH nuts.

Order No.	Mfr. No.	Lgth. Ft.
5317 00085	AH-12	12
5317 00090	AH-24	24

TURBOTORCH® Rear Control Valves For Swirl Air Acetylene Torches



Handle with valve and quick disconnect. Fit all TurboTorch® and Proline tips. Use "OH" replacement O-rings. 3/8"-24 "A" size 3/8"-24 hose connection.

Order No.	Mfr. No.	Desc.
5317 00027	G-4	Rear Control Valve

TURBOTORCH® Rear Control Valves For Swirl Air Propane Torches



Handle with valve and quick disconnect. Fit all No. T2 thru No. T-6 LPG tips. Use "OH" replacement O-rings. "B" size 9/16"-18 hose connection.

Order No.	Mfr. No.	Desc.
5317 00029	H-4	Rear Control Valve

TURBOTORCH® Self-Lighting Torches TurboLite®




Operate on propane or MAPP® gases. Replaceable swirl tip with 180° swivel feature. Convenient Piezo igniter and trigger lock.

Order No.	Mfr. No.	Desc.
5317 00260	TL-44	Self-Lighting Torch

Plusco Supply Corp.

TURBOTORCH® Brass Regulators



For use with acetylene gas. Adjustable. Include contents gauge.

No. AR-B. CGA-520 regulators fit "B" tanks and 3/8" 24-thread LH hose nuts.

No. AR-MC. CGA-200 regulators fit "MC" tanks and 3/8" 24-thread LH hose nuts.

Order No.
Mfr. No.

5317 00600
5317 00605

Mfr. No.
AR-B
AR-MC

Desc.
B
MC

TURBOTORCH® Hand Torch Kits MAPP® - Propane



Designed to operate with 1 lb. cylinder Mapp or Propane gas. Choice of gas to suit heat requirements for silver soldering copper tubing, bronze brazing steel pipe, soldering with water in line. Perform well in temperatures below freezing, but not below 10°F. Portable. Feature swirl burners, 360° swivel tips, metal capped regulator, cleanable orifice. Large and small interchangeable tips available, as well as tip heat shields. Torches light instantly, do not blow out, operate upside down.

No. STK-8B. Dual Gas Kit includes pressure regulator, ST-3 large tip. MT-1 Mapp tank, heat shield, spark-lighter, (3) 9" bronze brazing rods. Packed in steel carrying case.

Order No.
5317 00424

Mfr. No.
STK-8B

Desc.
Hand Torch Kit

If you don't find everything you need, please advise us and we will be happy to help you in your requirements!

TURBOTORCH® Brass Regulators



For use with propane, MAPP® and other LPG fuel gases. Adjustable to 60 psi. Regulator fit standard POL valves and 1/8" 18-thread LH hose nuts.

Order No.
5317 00300

Mfr. No.
R-LP

Desc.
Brass Regulators

Note: Not for use with acetylene.

TURBOTORCH® Propane Tanks Replacement



For use with hand torches and No. TT-LP leak detector. CGA 600 connection. Nonrefillable.

Order No.
5317 00570

Mfr. No.
PT-1

Size
Oz.
14.1

Pkg.
Qty.
12

TURBOTORCH® Gas Tanks MAPP® - Replacement



For use with dual fuel hand torches and No. TT-LP leak detector. CGA 600 connection. Non-refillable.

Order No.
5317 00575

Mfr. No.
MT-1

Size
Oz.
16

Pkg.
Qty.
12

TURBOTORCH® Torch Tips MAPP® - Propane



Swirl tips for use with propane and MAPP® gases.

Order No.	Mfr. No.	Tip Size	Gas Flow @ 24 psi	Gas Flow @ 36 psi	Repl. Orifice Model
5317 00245	T-2	5/16	.14	.17	OR-A2
5317 00247	T-3	7/16	.20	.25	OR-T3
5317 00252	T-4	1/2	.39	.48	OR-A3
5317 00254	T-5	3/4	1.10	1.30	OR-A8
5317 00256	T-6	1	2.10	2.50	OR-T6

TURBOTORCH® Torch Tips MAPP® - Propane



Combination handle and tip for large heating, preheating and soldering jobs. Produce 1800°F and 158,000 Btu on target. Operate on LP gases with R-LP adjustable regulator. Use with 20-lb. propane cylinder or larger.

Order No.	Mfr. No.	Desc.	Repl. Orifice Model
5317 00028	T-8	Service Torch	OR-T8

TURBOTORCH® Propane Hoses



Fit H-4 handles, T-8 torches, and R-LP adjustable LP regulators. ID 3/16" with 1/8" 18-thread LH hose nuts.

Order No.	Mfr. No.	Lgth. Ft.
5317 00305	H-12	12
5317 00310	H-24	24

Plusco Supply Corp.

NOTES:

Terms and Conditions

PAYMENT:

- A. Open Account: Our terms are net 30 days from invoice date. Open account terms are extended to customers who have completed a credit application that has been approved by our accounting department.
- B. New Customers: For new customers, one initial order not greater than \$100.00 will be shipped open account with our receipt of a completed credit application.
- C. COD/Pre-Pay: Orders are accepted either COD or can be pre-paid.
- D. Credit Cards: We accept Visa, MasterCard, and American Express for orders greater than \$50.00.
- E. Overdue Payments: Any overdue payment shall accrue interest at the rate of 1½% per month. The customer is responsible for any costs incurred by Plusco Supply Corp. in collecting overdue payments, including attorney's fees. These rights are in addition to all other rights and remedies available to Plusco Supply Corp. at law or equity.

MINIMUM ORDER:

Minimum Order amount is \$50.00

FREIGHT:

- A. All material is shipped F.O.B. Plusco Supply Corp, Boca Raton, Florida. Title to the merchandise and all risk of loss with respect to the merchandise passes to the customer upon our delivery of the merchandise to the shipper. Transit damage claims must be made to the carrier and are not our responsibility.
- B. Full freight is allowed on orders greater than \$100.00. On orders less than \$100.00, freight is prepaid by Plusco Supply Corp. and included in the invoice for the material shipped.
- C. Orders comprised of hazardous materials and/or breakable and significantly heavy items such as toilets, sinks, lavatories, pipe, ceiling tile, etc. may not qualify for our standard freight allowance.

BACK ORDERS:

Back orders are shipped as soon as material is received by us from the manufacturer. All back orders with a value of less than \$15.00 are dropped.

CLAIMS:

All claims for damage, defects, shortages or errors must be made within two business days of delivery.

RETURNED MERCHANDISE:

Material is only accepted for return with our authorization or a Return Goods Authorization (RGA) number. We will gladly correct our errors at our expense. Merchandise returned due to a customer error is subject to applicable restocking charges.

WARRANTY AND DISCLAIMER:

This catalog was compiled from information and data furnished by the various manufacturers whose products appear herein and Plusco Supply Corp. assumes no responsibility nor makes any representation as to the accuracy of the specifications of the products. All warranties, express or implied, for all products are made by the manufacturer. Plusco Supply Corp. offers no warranty on any product or item it sells and specifically negates any warranty of merchantability of fitness for a particular purpose. Plusco Supply Corp. is not responsible for consequential damages, labor, repairs, lost time, loss of profit or revenue, personal injury, incident or related-to warranty problems or difficulties, or any other incidental damages or costs of any kind.

ADA COMPLIANT ITEMS:

All ADA-compliant information is supplied by the respective manufacturers. Plusco Supply Corp. claims no responsibility for such information. Please be aware that local codes can supercede the Federal ADA.

Index

A

ABRASIVE	
Cloth Rolls, Radiator Specialty Co.	221
ABS	
Cements, Radiator Specialty Co.	224
ABSORBERS	
Sound, Unaflex	172
ACETYLENE	
Hoses, TurboTorch	250
Torch Kits, TurboTorch	250
ACID	
Brushes, Hercules Chemical	223
ADAPTER FITTINGS	
Copper	195
PVC	200
ADAPTERS	
Collet, Ridgid	234
Copper	195
Drain Cleaner, Ridgid	228
Faucet, General Wire Spring	236
Hose, Chicago Specialty	206
Reducing	195
Slip, Sioux Chief	190
Spout, Chicago Specialty	206
ADD-A-VALVE	173
ADD-ON FAUCETS	
Pre-Rinse, T&S Brass and Bronze Works	13
ADHESIVE	
Caulk, Darworth Co.	221
ADJUSTABLE	
Wrenches, Pasco Specialty & Mfg.	246
Wrenches, Ridgid	237
ADVANCE TABCO	
Sinks, Convenience Store	31
Sinks, Hand Washing	30
AERATORS	
Faucet, Chicago Specialty	206
Faucet, Neoperl	206
Faucet, Radiator Specialty Co.	206
Faucet, T&S Brass and Bronze Works	15
AIR	
Blasters, Marco Products	236
ALSONS	
Bars, Wall	47
Breakers, Vacuum	48
Connectors, Swivel	47
Diverter, Water	48
Extensions, Shower Arm	46
Gaskets, Rubber	47
Glide Rails, Shower	47
Hoses, Shower	47
Knobs, Bar	47
Mounts, Shower Arm	47
Showerheads	45
Showers, Hand	46-47
Slides, Bar	47
Wall Mounts, Hand Shower	47
AMERICAN PLUMBER	
Filters, Ice Maker	40
Filters, Water	40
AMERICAN SPECIALTIES	
Bars, Grab	55
Dispensers, Soap	55
Dispensers, Toilet Seat Cover	55
Dispensers, Towel	55

AMERICAN STANDARD	
Faucets, Lavatory	7
Handles, Faucet	8
Lavatories	19
Repair Parts, Faucet	76
Repair Parts, Toilet	130-133
Sinks, Institutional	19
Toilets	20
Urinals	20
AMERICAN TRADE PRODUCTS	
Saws, Cable	243
Saws, PVC	243
Wrenches, Strap	243
ANCHOR SETS	
Pasco Specialty & Mfg.	246
ANDIS CO.	
Dryers, Hair	62
Mirrors, Wall Mount	62
ANGLE	
Plates, Don-Jo Mfg.	68
Seat Wrenches, Chicago Specialty	241
Sillcocks, Nibco	173
Stops, Brass Craft	186
Stops, Jameco Industries	185
APARTMENT	
Door Knockers, H.B. Ives	65
ARRESTORS	
Water Hammer, Precision Plumbing Products	182
ASH	
Trays, Franklin Brass	54
ASP	
Blankets, Flame	244
Blankets, Heat	244
Cutters, Pipe	243
Heat Dams	244
Igniters, Torch	244
Pipe Freezing Accessories	244
Pipe Freezing Kits	243
Pipe Plugging Kits	243
Plugs, Ballcock Changer	244
Rings, Soldering	244
AUGERS	
Closet, General Wire Spring	235
Drain, General Wire Spring	235-236
Drain, Marco Products	236
Drain, Ridgid	231, 233
Urinal, General Wire Spring	235

B

BACKFLOW	
Preventers, Watts Regulator	179
Preventer Test Kits, Watts Regulator ...	180
BAFFLE TWIN	
Elbows, Jameco Industries	188
BALL	
Valves, Nibco	175
Valves, Water Whiz	199
Valves, Watts Regulator	180
BALL & ROD ASSEMBLIES	
Pop-Up	215
BALLCOCK	
Nuts, Chicago Specialty	207
Repair Parts, American Standard	130-132
Repair Parts, Briggs	134-138, 141
Repair Parts, Chicago Specialty	203

BALLCOCK (CONT.)

Repair Parts, Coast Foundry	129, 202-203
Repair Parts, Crane	141
Repair Parts, Eljer	141-142
Repair Parts, Kohler	144-147
Repair Parts, Fluidmaster	204
Repair Parts, Mansfield	204-205
Washers, Radiator Specialty Co.	161, 211
BALLCOCKS	
American Standard	130-132
Briggs	134, 141
Burlington	129, 205
Cesco Brass	205
Chicago Specialty	203
Coast Foundry	129, 202
Crane	141
Eljer	141
Fluidmaster	129, 203
Hoov-R-Line	129
Kohler	144-147
Mansfield Plumbing	204
BALLS	
Delta	7
Eljer	143
Fluidmaster	204, 209
Kohler	144-147
Tank, Coast Foundry	138, 209
Tank, Lavelle Industries	209-210
Tank, Radiator Specialty Co.	210-211
BAR	
Faucets, Central Brass Mfg.	18
Faucets, Chicago Faucet	9
Faucets, Kohler	8
Faucets, Moen, Inc.	3
Faucets, Plusco	90
Knobs, Alsons	47
Sinks, Elkay	30
Slides, Alsons	47
BAR FAUCET	
Repair Parts, Perlick	109
BARS	
Grab, American Specialties	55
Grab, Franklin Brass	54
Grab, Plusco	217
Safety, Franklin Brass	55
Towel, Franklin Brass	50, 52
Towel, Plusco	217
Wall, Alsons	47
BASIN	
Coupling Nuts, Chicago Specialty	207
Gaskets, Radiator Specialty Co.	212
Rosettes, Pasco Specialty & Mfg.	213
Wrenches, Chicago Specialty	242
Wrenches, Radiator Specialty Co.	247
Wrenches, Ridgid	238
BASKET	
Strainers, Chicago Specialty	207
Strainers, Jameco Industries	184-185
BATH	
Bulb Heaters, NuTone	62
Drain Repair Parts	See Drain Repair Parts
Drains, LSP	39-40
Drains, Plusco	76, 80, 84, 93, 157

Index

BATH (CONT.)		BOBRICK WASHROOM EQUIPMENT (CONT.)		BROAN MFG. CO.	
Drains, Watco Mfg.....	37-38	Guards, Corner.....	60	Fan Lights, Bath.....	61
Fan Lights, Broan Mfg. Co.....	61	Hooks, Surface Mounted.....	58	Fans, Bath.....	61
Fans, Broan Mfg. Co.....	61-62	Mirrors, Channel-Frame.....	59	Fans, Exhaust.....	61
Safety Treads, Chatham Brass.....	23	Mirrors, Frameless.....	60	Heaters, Bulb.....	61
Tubs, Briggs Industries.....	23	Mirrors, Stainless Steel.....	60		
Waste Overflow Plates.....	39	Mirrors, Tilt.....	60	BRONZE	
BATHTUBS		Receptacles, Waste.....	59	Ball Valves, Nibco.....	175
Porcelain/Steel, Briggs Industries.....	23	Seats, Dressing Area.....	59	Ball Valves, Watts Regulator.....	180
BATON		Seats, Shower.....	59	Check Valves, Nibco.....	173-175
Hardware, Kirsch.....	164	Shelves, Folding.....	58	Gate Valves, Nibco.....	174
BATONS		Shelves, Steel.....	58	Valves, Nibco.....	174
Curtain Rod, Kirsch.....	164	Shelves, Utility.....	58	Valves, Watts Regulator.....	176
BEDPAN				Y-Strainers, Watts Regulator.....	180
Washers, Sloan Valve.....	27	BOILER		BRONZE THREADED FITTINGS	
BELL & GOSSETT		Drains, Nibco.....	173	Bushings.....	197
Circulators, Bronze.....	167	BOLT		Caps.....	197
Circulators, Cast Iron.....	168	Caps, Chicago Specialty.....	207	Couplings.....	196
Circulators, Compact.....	168	Cutters, Ridgid.....	240	Elbows.....	197
Circulators, Lubricated.....	166	Threading Machines, Ridgid.....	240	Plugs.....	197
Circulators, Maintenance-Free.....	167-168	Washers, Radiator Specialty Co.....	212	Tees.....	196
Circulators, Oil Lubricated.....	168	BOLT KITS		Unions.....	197
Valves, Control.....	170	Closet, Hercules Chemical.....	208	BRUSHES	
Valves, Pressure Reducing.....	169	Closet, Radiator Specialty Co.....	208	Acid, Hercules Chemical.....	223
Valves, Safety Relief.....	170	Tank, Wm. H. Harvey.....	209	Fitting, Richard Specialty.....	249
BELVEDERE		BOLTS		Flue, Ridgid.....	233
Fixtures, Sink.....	18	Closet, Hercules Chemical.....	208	Solder Flux, Hercules Chemical.....	223
Hoses, Spray.....	18	Closet, Radiator Specialty Co.....	208	Tubing, Richard Specialty.....	249
Repair Parts.....	77	Surface, H.B. Ives.....	64	BUBBLER	
BENDERS		Tank, Pasco Specialty & Mfg.....	208	Head Parts.....	158
Tube, Pasco Specialty & Mfg.....	246	Tank, Wm. H. Harvey.....	209	Heads, Central Brass Mfg.....	18, 158
BENEKE		BOTTLE		Heads, Ebco.....	158
Toilet Seats.....	35	Openers, Franklin Brass.....	54	Heads, Elkay.....	158
BENJAMIN MFG.		BOWL		BUCKET	
Lavatories, Countertop.....	23	Rings, Radiator Specialty Co.....	208-209	Openers, Franklin Machine Products.....	43
BERNZOMATIC		Rings, Wm. H. Harvey.....	208	BULB	
Flints, Torch.....	244	BOXES		Heaters, Broan Mfg. Co.....	61
Lighters, Torch.....	244	Tissue, Franklin Brass.....	51	Heaters, NuTone.....	62
Torches, Self-Igniting.....	244	BRACKETS		BUSHINGS	
BEVERLY COAT HANGER		Partition, Plusco.....	165	Brass Threaded.....	197
Hangers, Coat.....	60	Showerhead, Symmons Industries.....	2	PVC Pressure.....	200
BIBB		Wall, T&S Brass and Bronze Works.....	13	Reducing, Zin-Plas Corp.....	49
Screw Repair Sets, Radiator		BRADLEY CORP.		BUTTERFLY	
Specialty Co.....	212	Washes, Eye.....	35	Valves, Nibco.....	175
Screws, Radiator Specialty Co.....	212	Washes, Eye/Face.....	35		
B&K INDUSTRIES		BRASS		C	
Couplings, Compression.....	199	Compression Fittings.....	197-198	CABINETS	
Drains, Floor.....	190	Gate Valves, Jomar.....	175	Tissue, Franklin Brass.....	51
Faucets, Kitchen.....	19	Gate Valves, Nibco.....	175	CABLE	
Faucets, Laundry.....	19	Needle Valves.....	198	Carriers, Ridgid.....	229
Faucets, Lavatory.....	18-19	Nipples.....	196	Pin Keys, Ridgid.....	229
Faucets, Wall Mount.....	19	Saddle Valves.....	198	Saws, American Trade Products.....	243
Showerheads.....	45	Sleeves.....	198	CABLE KITS	
Valves, Shower.....	19	Stop Valves, Brass Craft.....	186-187	Drain Cleaner, Ridgid.....	228
BLADES		Stop Valves, Jameco Industries.....	185-186	CABLES	
Hacksaw, Radiator Specialty		Threaded Fittings.....	196-197	Drain Auger, General Wire Spring.....	236
Co.....	247-248	Water Line Valves.....	198	Drain Cleaner, Ridgid.....	230, 234
BLANKETS		BRASS CRAFT		CAMCO MANUFACTURING, INC.	
Flame, ASP.....	244	Stops, Supply.....	186	Element Repair Kits.....	201
BLOWDOWN SYSTEMS		BRIGGS INDUSTRIES		Elements, Water Heater.....	201
Sussman-Automatic.....	33	Bathtubs, Porcelain/Steel.....	23	Gaskets, Water Heater.....	202
BOBRICK WASHROOM EQUIPMENT		Lavatories.....	22	Thermostats, Water Heater.....	201
Dispensers, Paper Towel.....	58-59	Repair Parts, Faucet.....	78-79	CANS	
Dispensers, Sanitary Napkin.....	59	Repair Parts, Toilet.....	134-141	Empty Cement, J.C. Whitlam.....	225
Dispensers, Soap.....	58-59	Toilets.....	23	CAPS	
Dispensers, Tampon.....	59	BRK		Bolt, Chicago Specialty.....	207
Dispensers, Tissue.....	57	Detectors, Smoke.....	62-63	Brass Compression.....	198
Dispensers, Toilet Tissue.....	57-58			Brass Threaded.....	197
Dispensers, Towel.....	59				

Index

CAPS (CONT.)		CHANNELLOCK, INC.		CHICAGO SPECIALTY (CONT.)	
Copper Tube	194	Cutters, End	243	Plungers	226
Hose, Radiator Specialty Co.	220	Pliers, Diagonal Cutting	243	P-Traps	189
PVC Pressure	200	Pliers, Linemen's	243	Repair Parts, Ballcock	203
CARD		Pliers, Long Nose	243	Saws, Close Quarter	241
Holders, Ex-Cell Metal Products	65	Pliers, Tongue & Groove	242	Shields, Shower Splash	207
CARRIERS		CHATHAM BRASS		Stoppers, Tub	207
Cable, Ridgid	229	Controls, Water Heater	28	Strainers, Basin	207
Luggage, Ex-Cell Metal Products	66	Elements, Water Heater	28	Strainers, Sink	207
CARRYING		Replacement Kits, Thermocouple	201	Valves, Flush	203
Cases, General Wire Spring	236	Replacement Spray Heads	202	Wrenches, Basin	242
CARTRIDGE		Safety Treads, Bath	23	Wrenches, Combination	242
Repair Kits, Moen, Inc.	11	Sealants, Silicone	221	Wrenches, Faucet Seat	241
Tools, Moen	5	Showerheads, Adjustable Spray	44	Wrenches, Garbage Disposal	242
Wrenches, Pasco Specialty & Mfg.	246	Showerheads, Flow Control	44	Wrenches, Lock Nut	242
CARTRIDGES		Showerheads, Institutional	44	Wrenches, Socket	241
Faucet, American Standard	70-74	Showerheads, Wall Mount	44	Wrenches, Spud	242
Faucet, Belvedere	77	Valves, Flow Control	46	Wrenches, Strap	242
Faucet, Briggs	78	Valves, Shower Cut-Off	46	Wrenches, Trap Plug	242
Faucet, Chicago Faucet	10, 82	CHECK		CIRCULATOR PUMPS	
Faucet, Delta Faucet	7, 85-88, 214	Valve Assemblies, General		Bronze, Bell & Gossett	166-168
Faucet, Eljer	89	Wire Spring	236	Bronze, Grundfos Pump	170
Faucet, Elkay	90	Valve Assembly Kits, General		Cast Iron, Bell & Gossett	166-168
Faucet, Gerber	91	Wire Spring	236	Compact, Bell & Gossett	168
Faucet, Grohe	92	Valves, Mueller Steam Specialty	171	Stainless Steel, Grundfos Pump	170
Faucet, Kohler	93-96	Valves, Nibco	173-175	Maintenance-Free, Bell &	
Faucet, Moen	5, 11, 100-108, 214	CHEMICAL		Gossett	167-168
Faucet, Price Pfister	112-115, 214	Waste Fittings, Enfield Industrial	191	Oil Lubricated, Bell & Gossett	166, 168
Faucet, Symmons		CHICAGO FAUCET		CLAMPS	
Industries	118-119, 123	Breakers, Vacuum	10	Hose, Radiator Specialty Co.	218
Faucet, T&S Brass & Bronze Works	15	Cartridges, Faucet	10, 82	Repair, Richard Specialty	200
Faucet, Valley	125-128, 215	Cartridges, Hand Closing	10	Wall, Franklin Brass	51-52
Faucet, Universal Rundle	215	Cartridges, Push Button	10	CLEAN STEAMS	
Water Filter, American Plumber	40	Faucets, Bar	9	Automatic, Sussman-Automatic	31
Water Filter, Everpure	41	Faucets, Hospital	9-10	CLEANERS	
CASES		Faucets, Kitchen	9	Drain, Hercules Chemical	222
Carrying, General Wire Spring	236	Faucets, Metering	8	Drain, Ridgid	227-230, 232
CAULK		Faucets, Service Sink	9	Hand, Hercules Chemical	224
Adhesive, Darworth Co.	221	Faucets, Sink	9	Hand, Radiator Specialty Co.	221
Sealing, Hercules Chemical	224	Handles, Faucet	10	Pipe, Ridgid	234
CAULKING		Pedal Valves, Hospital	10	Plastic Pipe, Radiator Specialty Co.	224
Guns, Pasco Specialty & Mfg.	246	Repair Parts, Faucet	10-11, 82-83	Water System, Hercules Chemical	222
CEILING		Spouts, Hospital	10	CLEANING TOOLS	
Fans, Broan Mfg. Co.	61	Spouts, Swing	9	Copper, Radiator Specialty Co.	247
Fans, NuTone	62	Strainers, Grid	10	CLEANOUT	
CEMENTS		Valves, Prerinse	10	Covers, Sioux Chief	190
ABS, Radiator Specialty Co.	224	CHICAGO SPECIALTY		Plugs, Pasco Specialty & Mfg.	190
CPVC, Radiator Specialty Co.	224	Adapters, Hose	206	Plugs, Plastic Oddities	192
PVC, Hercules Chemical	224	Adapters, Spout	206	CLOBBER	
PVC, Radiator Specialty Co.	224	Aerators, Faucet	206	222
CENTRAL BRASS MFG.		Ballcocks	203	CLOSE COUPLE	
Faucet, Bar	18	Caps, Bolt	207	Gaskets, Radiator Specialty Co.	208
Faucets, Drinking	18	Covers, Sink Hole	207	CLOSE QUARTER	
Faucets, Lavatory	18	Covers, Toilet Tank	207	Saws, Chicago Specialty	241
Faucets, Sink	18	Covers, Ballcock Valve	203	CLOSERS	
Heads, Bubbler	18	Dressers, Faucet Seat	241	Door, S. Parker Hardware Mfg.	63
Repair Parts, Faucet	80-81	Flush Levers, Push Button	206	CLOSET	
Stops, Shower	18	Guards, Drain	207	Augers, General Wire Spring	235
CESCO BRASS		Guards, Splash	207	Attachments, General Wire Spring	236
Ballcocks	205	Hacksaws	241	Bolt Kits, Hercules Chemical	208
CHAIN		Legs, Lavatory	187	Bolt Sets, Radiator Specialty Co.	208
Knockers, Ridgid	231, 233	Lever, Flush	206	Bolts, Hercules Chemical	208
Wrenches, Ridgid	237	Nuts, Ballcock Coupling	207	Carrier Kits, Zurn Industries	20
CHAIRS		Nuts, Basin Coupling	207	Connectors, Jameco	186
Tub/Shower, Franklin Brass	55	Pins, Shower Curtain	207	Flange Spacer Kits, Plastic Oddities	191
		Plug Kits, Bath	39	Flanges, J-Tec Products	191
		Plugs, Bath	39	Flanges, Plastic Oddities	192
		Plugs, Test	201		

Index

CLOSET (CONT.)

Flush Systems, Sloan Valve.....	25
Flush Valves, Sloan Valve.....	24, 26
Gaskets, Zurn Industries.....	20
Seat Wrenches, Richard Specialty.....	249

CLOTHESLINES

Retractable, Franklin Brass.....	50
Retractable, Plusco.....	216

COAST FOUNDRY & MFG.

Ballcocks.....	202
Flappers, Toilet.....	209
Repair Parts, Ballcock.....	203
Spuds.....	27

COAT

Hangers, Beverly Coat Hanger.....	60
Hooks, H.B. Ives.....	65
Hooks, Plusco.....	165

COLLET

Adapters, Ridgid.....	234
Grippers, General Wire Spring.....	236

COMPOUNDS

Sealing, Hercules Chemical.....	223
Thread, Radiator Specialty Co.....	221

COMPRESSION

Couplings, B&K Industries.....	199
Fittings, Brass.....	197-198

CONDUIT & PIPE

Threaders, Ridgid.....	239
------------------------	-----

CONES

Rubber, General Wire Spring.....	236
----------------------------------	-----

CONNECTORS

Dishwasher, Radiator Specialty Co.....	212
Disposal, Radiator Specialty Co.....	212
Drain, Fernco.....	193
Drain Pipe, Fernco.....	193
Faucet, Fluidmaster.....	187
Faucet, Jameco Industries.....	186
Flex Hose, Robert Mfg.....	28
Pump, Unaflex.....	172
Swivel, Alsons.....	47
Toilet, Fluidmaster.....	187
Toilet, Jameco Industries.....	186
Trap, Fernco.....	193
Washing Machine, Fernco.....	193
Water Heater, Robert Mfg.....	28
Water Softener, Robert Mfg.....	28

CONTINUOUS

Waste Assemblies, Jameco Industries.....	183, 188
--	----------

CONTROL

Valves, Bell & Gossett.....	170
Valves, TurboTorch.....	250

CONTROLLED ENERGY

Heaters, Water.....	29
---------------------	----

CONTROLS

Steam Generator,	
Sussman-Automatic.....	31
Water Heater, Chatham Brass.....	28

CONVENIENCE STORE

Sinks, Advance Tabco.....	31
---------------------------	----

COOLERS

Water, Elkay Mfg.....	33-34
-----------------------	-------

COPPER

Adapters.....	195
Cleaning Tools, Radiator Specialty Co.....	247
Couplings.....	194-195
Elbows.....	194-195
Fitting Brushes, Richard Specialty.....	249

COPPER (CONT.)

Reducer Fittings.....	195
Reducing Adapters.....	195
Reducing Tees.....	195
Refrigeration Tubing.....	196
Tees.....	195
Tube Caps.....	194
Tube Straps.....	195
Tubing.....	196
Tubing Test Plugs, Chicago Specialty.....	201
Unions.....	195

CORNER

Guards, Bobrick Washroom Equipment.....	60
---	----

COUNTERTOP

Lavatories, American Standard.....	19
Lavatories, Benjamin Mfg.....	23
Lavatories, Briggs.....	22
Lavatories, Kohler.....	21

COUPLING

Nuts, Chicago Specialty.....	207
Nuts, Jameco Industries.....	184

COUPLINGS

Bronzed Threaded.....	196
Compression, B&K Industries.....	199
Copper.....	194
Double Slip, Jameco Industries.....	188
Fitting, Fernco.....	193
Flexible, Fernco.....	193
Hose, Radiator Specialty Co.....	220
No Hub, Fernco.....	193
PVC Pressure.....	199
Reducing.....	196
Repair, Nibco.....	199
Repair, Sioux Chief.....	194
Swivel, Radiator Specialty Co.....	220

COVERS

Cleanout, Sioux Chief.....	190
Pipe, Truebro.....	24
Sink Hole, Chicago Specialty.....	207
Toilet Tank, Chicago Specialty.....	207

COYNE & DELANY

Repair Parts.....	155-156
Retrofit Kits, Flush Valve.....	27
Valves, Flush.....	27

CPVC

Cements, Radiator Specialty Co.....	224
-------------------------------------	-----

CRANE

Repair Parts, Faucet.....	84
Repair Parts, Toilet.....	141

CUPS

Force, Radiator Specialty Co.....	227
Retainer, Radiator Specialty Co.....	212

CURB

Keys, Water Whiz.....	220
-----------------------	-----

CURTAIN

Hooks, Kirsch.....	164
Rods, Kirsch.....	164

CURTAIN ROD

Batons, Kirsch.....	164
Hardware, Kirsch.....	164
Pulleys, Kirsch.....	164
Slides, Kirsch.....	164

CURTAINS

Shower, Franklin Brass.....	53
Strip, Franklin Machine Products.....	42

CUTTERS

Bolt, Ridgid.....	240
Drain Cleaner, Ridgid.....	228
End, Channellock, Inc.....	243
Grease, Ridgid.....	233
Pipe, ASP.....	243
Pipe, Water Whiz.....	221
Pipe, Pasco Specialty & Mfg.....	246
Pipe, Ridgid.....	238-239
Plastic Pipe, Ridgid.....	239
Sharktooth, Ridgid.....	231, 233
Soil Pipe, Ridgid.....	238
Spade, Ridgid.....	231, 233
Spiral, Ridgid.....	231, 233
Tubing, Richard Specialty.....	249
Tubing, Ridgid.....	239

D

DARWORTH CO.

Adhesive Caulk, Tub & Tile.....	221
Caulk, Adhesive.....	221

DAUBER

Screw Caps, J.C. Whitlam.....	225
-------------------------------	-----

DELRIN

Sleeves.....	198
--------------	-----

DELTA

Balls, Faucet.....	6-7, 85-86, 214
Balls, Faucet Conversion.....	7
Cartridges, Faucet.....	7, 85-88, 214
Conversion Balls, Faucet.....	6
Dispensers, Soap & Lotion.....	7
Diverter Assemblies, Faucet.....	7, 85, 87, 214
Diverter Assemblies, Push Button.....	7, 87, 214
Drains, Lavatory.....	6, 86, 88
Faucets, Kitchen.....	6
Faucets, Lavatory.....	5-6
Faucets, Tub/Shower.....	6
Flappers, Toilet.....	7
Repair Parts, Faucet.....	6-7, 85-88, 213-214
Seats, Faucet.....	7, 85-88
Stems, Faucet.....	7, 85-88
Stoppers, Lavatory.....	6

DETECTORS

Smoke, BRK.....	62-63
-----------------	-------

DIAGONAL CUTTING

Pliers, Channellock, Inc.....	243
-------------------------------	-----

DIELECTRIC

Unions, Watts Regulator.....	180
------------------------------	-----

DIPPERWELL

Faucets, Franklin Machine Products.....	42
---	----

DISCS

Seat, American Standard.....	130-133
Seat, Lavelle Industries.....	210
Seat, Radiator Specialty Co.....	211

DISHES

Soap, Franklin Brass.....	50
Soap, Plusco.....	216

DISHWASHER

Branch Tailpieces, Jameco Industries.....	184, 188
Connectors, Radiator Specialty Co.....	212

Index

DISPENSERS

Hot Water, In-Sink-Erator	29
Liquid Soap, Franklin Brass	54
Paper Towel, Bobrick Washroom Equipment	58-59
Sanitary Napkin, Bobrick Washroom Equipment	59
Soap, American Specialties	55
Soap, Bobrick Washroom Equipment	58-59
Soap, Delta	7
Soap, Franklin Brass	54
Soap, Plusco	216
Tampon, Bobrick Washroom Equipment	59
Tissue, Bobrick Washroom Equipment	57
Toilet Seat Cover, American Specialties	55
Toilet Tissue, Bobrick Washroom Equipment	57-58
Towel, American Specialties	55
Towel, Bobrick Washroom Equipment	59
Towel, Franklin Brass	54

DISPOSAL

Connectors, Radiator Specialty Co.	212
Shields, Radiator Specialty Co.	212
Stoppers, Radiator Specialty Co.	212

DISPOSALS

Garbage, In-Sink-Erator	28
Garbage, WhiteRock	29
Waste Assembly, Jameco Industries	188

DIVERTER

Repair Parts	See Faucet Repair Parts
--------------------	-------------------------

DIVERTER ASSEMBLIES

Bedpan Washer, Sloan Valve	27
----------------------------------	----

DIVERTERS

Water, Alsons	48
---------------------	----

DON-JO MFG.

Interlocks, Door	68
Plates, Angle	68
Plates, Push	67
Plates, Kick	67
Pulls, Door	67-68
Signs, Information	69
Wraparounds, Door	68

DOOR

Closers, S. Parker Hardware Mfg.	63
Guards, Ex-Cell Metal Products	66
Guards, H.B. Ives	63-64
Guards, Plusco	218
Handles, Patio	165, 217
Hardware, Partition	165
Holders, H.B. Ives	64
Interlocks, Don-Jo Mfg.	68
Knockers, H.B. Ives	65
Locks, Plusco	217-218
Pins, Plusco	218
Plates, Don-Jo Mfg.	67
Pulls, Don-Jo Mfg.	67-68
Signs, Don-Jo Mfg.	69
Silencers, H.B. Ives	63
Stop Tips, H.B. Ives	64
Stops, H.B. Ives	64-65
Stops, Plusco	218
Viewers, Plusco	218
Wraparounds, Don-Jo Mfg.	68

DOORS

Shower, Peterson Industries	43
-----------------------------------	----

DOUBLE SLIP

Couplings, Jameco Industries	188
Elbows, Jameco Industries	188

DRAIN

Cleaners, General Wire Spring	235-236
Cleaners, Hercules Chemical	222
Cleaners, Marco Products	236
Cleaners, Ridgid	227-230, 232
Connectors, Fernco	193
Flushers, General Wire Spring	235
Guards, Chicago Specialty	207
Openers, Hercules Chemical	222
Openers, J.C. Whitlam	223
Pans, CDC Products	226
Snakes, Ridgid	227, 229
Traps, Fernco	193
Tubing, Radiator Specialty Co.	219
Uncloggers, GT Water Products	236
Wrenches, Pasco Specialty & Mfg.	245

DRAIN REPAIR PARTS

Bath, American Standard	76
Bath, Central Brass	80
Bath, Chicago Specialty	39
Bath, Crane	84
Bath, Kohler	93-95
Bath, LPS	39-40
Bath, Price Pfister	116
Bath, Sterling	117
Bath, Zin-Plas	39
Lavatory, American Standard	70-73, 75
Lavatory, Central Brass	80
Lavatory, Delta	6, 86
Lavatory, Kohler	93
Lavatory, Moen	103-104
Lavatory, Price Pfister	114-115
Lavatory, Sterling	117
Lavatory, Symmons Industries	118
Lavatory, Valley	125-126
Sink, Franklin Machine Products	42, 89
Sink, Kee	89

DRAINS

Bath, LSP	39-40
Bath, Watco Mfg.	37-39
Boiler, Nibco	173
Floor, B&K Industries	190
Floor, Zurn Industries	193
Lavatory, Delta	6, 86, 88
Lavatory, Jameco	19, 187
Lavatory, McGuire Mfg.	191
Lavatory, Symmons Industries	118
Lavatory, Watco Mfg.	37
Roof, Zurn Industries	192-193
Sink, Fisher Mfg.	17
Sink, Franklin Machine Products	41-42

DRAPERY HARDWARE

Kirsch	164
--------------	-----

DRESSERS

Faucet Seat, Chicago Specialty	241
--------------------------------------	-----

DRESSING AREA

Seats, Bobrick Washroom Equipment	59
---	----

DRILL KITS

Richard Specialty	249
-------------------------	-----

DRINKING

Faucets, Central Brass Mfg.	18
Glass Fillers, T&S Brass and Bronze Works	14

DRYERS

Hair, Andis Co.	62
Hair, World Dryer	60
Hand, World Dryer	60

DUAL OUTLET

Stop Valves, Jameco Industries	186
Stop Valves, Brass Craft	187

DUCT

Tape, Radiator Specialty Co.	221
-----------------------------------	-----

DUCTILE IRON

Valves, Nibco	175
---------------------	-----

DUPLEX

Strainers, Mueller Steam Specialty	172
--	-----

E

EBCO

Repair Parts, Water Cooler	158
----------------------------------	-----

E.L. MUSTEE & SONS

Trays, Laundry	23
Tubs, Laundry	23

ELBOWS

Baffle Twin, Jameco Industries	188
Brass Compression	197
Brass, Threaded	197
Copper	194-195
Double Slip, Jameco Industries	188
Overflow, Franklin Machine Products	41
Pipe, Enfield Industrial	191
PVC Pressure	199-200
Tubular, Jameco Industries	184
Twin, Jameco Industries	188

ELECTRIC

Water Heaters, Rheem	28
----------------------------	----

ELEMENT

Repair Kits, Camco Manufacturing, Inc.	201
Wrenches, Sioux Chief	248

ELEMENTS

Water Heater, Camco Manufacturing, Inc.	201
Water Heater, Chatham Brass	28

ELJER

Repair Parts, Faucet	89
Repair Parts, Toilet	141-143

ELKAY MFG.

Coolers, Water	33-34
Repair Parts, Faucet	90
Repair Parts, Water Cooler	158
Sinks, Double Bowl	30
Sinks, Hospitality	30
Sinks, Kitchen	29
Sinks, Single Bowl	29-30
Sinks, Utility	29
Water Coolers	33

EMERGENCY

Eye Washes, Bradley	35
Eye Washes, Haws Drinking Faucet	35
Face Washes, Haws Drinking Faucet	35

ENCLOSURES

Lavatory, Truebro	24
-------------------------	----

Index

END	
Cutters, Channellock, Inc.	243
ENFIELD INDUSTRIAL	
Elbows, Chemical Waste	191
P-Traps, Chemical Waste	191
Tees, Sanitary, Chemical Waste	191
ENGERT'S	
Latches, Patio Door	63
Latches, Security	63
Latches, Standard	63
Latches, Wide	63
EPOXY	
Putty, Hercules Chemical	223
ESCUTCHEONS	See Flanges
EVERPURE	
Filters, Ice Maker	41
Filters, Water	41
EX-CELL METAL PRODUCTS	
Carriers, Luggage	66
Guards, Door	66
Holders, Card	65
Racks, Folding	66
Racks, Luggage	66
Trucks, Utility	66
EXHAUST	
Fans, Broan Mfg. Co.	61
Fans, NuTone	62
EXPANSION	
Plugs, Chicago Specialty	201
Plugs, General Wire Spring	236
EXTENSION	
Couplings, Jameco Industries	184
Handle Kits, Moen, Inc.	5, 105-109
Hoses, General Wire Spring	236
Mirrors, Franklin Brass	52
Tubes, Jameco Industries	183, 187-188
Tubes, Richard Specialty	189
EXTENSIONS	
Shower Arm, Alsons	46
Slip Joint, Richard Specialty	189
Towel Bar, Franklin Brass	52
EXTRACTORS	
Nipple, Pasco Specialty & Mfg.	245
Pipe, Ridgid	239
Screw, Ridgid	241
EYE WASHES	
Bradley Corp.	35
EYE/FACE WASHES	
Haws Drinking Faucet	34

F

FACE WASHES	
Haws Drinking Faucet.....	35
FAN LIGHTS	
Bath, Broan Mfg. Co.....	61
FANS	
Bath, Broan Mfg. Co.....	61
Bath, NuTone.....	62
Exhaust, Broan Mfg. Co.....	61
Exhaust, NuTone.....	62
FAUCET	
Adapters, General Wire Spring.....	236
Aerators, Chicago Specialty	206
Aerators, Neoperl.....	206
Escutcheons, Sioux Chief	189
Grease, Wm. H. Harvey	226
Handle Pullers, Pasco Specialty & Mfg.....	245

FAUCET (CONT.)

Handle Pullers, Radiator
Specialty Co.247

Handle Screws, Radiator
Specialty Co.162, 212

Handles, American Standard8, 70–76

Handles, Belvedere77

Handles, Briggs78–79, 215–216

Handles, Central Brass80–81

Handles, Chicago Faucet10, 83

Handles, Crane84

Handles, Delta85–88

Handles, Eljer89

Handles, Elkay90

Handles, Fit-All206–207, 215–216

Handles, Fluidmaster207

Handles, Gerber91

Handles, Grohe92

Handles, Kohler93–97

Handles, Leonard Valve98–99

Handles, Moen, Inc.3–4, 11, 100–108

Handles, Perlick109

Handles, Powers Process
Controls110–111

Handles, Price Pfister112–116

Handles, Sayco215–216

Handles, Sterling117

Handles, Symmons Industries118–123

Handles, T&S Brass and Bronze
Works14, 124

Handles, Valley125–128

Handles, Zin-Plas Corp.206–207

Hole Covers, Chicago Specialty207

O-Rings, Plusco163

Repair Parts, American Standard70–76

Repair Parts, Belvedere77

Repair Parts, Briggs78–79

Repair Parts, Central Brass80–81

Repair Parts, Chicago Faucet10, 82–83

Repair Parts, Crane84

Repair Parts, Delta6–7, 85–88, 213–214

Repair Parts, Eljer89

Repair Parts, Elkay90

Repair Parts, Fisher Mfg.17–18

Repair Parts, Gerber91–92

Repair Parts, Grohe92

Repair Parts, Kohler93–97

Repair Parts, Leonard Valve Co.98–99

Repair Parts, Moen5, 11, 100–108, 214

Repair Parts, Perlick109

Repair Parts, Powers Process
Controls110–111

Repair Parts, Price Pfister112–116

Repair Parts, Sterling117

Repair Parts, Symmons
Industries118–123

Repair Parts, T&S Brass & Bronze
Works13–15, 124

Repair Parts, Touch-Flo Mfg.41

Repair Parts, Valley125–128, 215

Repair Parts, Universal Runde215

Seat Dressers, Chicago Specialty241

FAUCET (CONT.)

Seat Grinders, Radiator Specialty Co.	247
Seat Wrenches, Radiator Specialty Co.	247
Seat Wrenches, Sioux Chief	247
Seats, Radiator Specialty Co.....	211
Shank Wrenches, Pasco Specialty & Mfg.....	245
Supply Connectors, Jameco Industries	186
Washers, Radiator Specialty Co.	160-161, 213

FAUCETS

Add-On, T&S Brass and Bronze Works.....	13
Bar, Central Brass Mfg.	18
Bar, Chicago Faucet	9
Bar, Kohler	8
Bar, Moen, Inc.	3
Battery Powered, Sloan Valve	26
Dipperwell, Franklin Machine Products.....	42
Drinking, Central Brass Mfg.	18
Hand Sink, Franklin Machine Products.....	42
Hospital, Chicago Faucet	9-10
Hospital, Moen	11
Hospital, T&S Brass & Bronze Works.....	12
Kitchen, B&K Industries.....	19
Kitchen, Central Brass	16
Kitchen, Chicago Faucet	9
Kitchen, Delta	6
Kitchen, Kohler	8
Kitchen, Fisher Mfg.	17
Kitchen, Moen, Inc.	3, 11
Kitchen, Symmons Industries.....	1
Kitchen, Touch-Flo Mfg.....	41
Kitchen, T&S Brass and Bronze Works	11-13
Laundry, B&K Industries	19
Laundry, Kohler	8
Lavatory, American Standard	7
Lavatory, B&K Industries	18-19
Lavatory, Central Brass Mfg.	18
Lavatory, Chicago Faucet	8
Lavatory, Delta	5-6
Lavatory, Kohler	8
Lavatory, Moen, Inc.	2-3, 11
Lavatory, Sloan Valve	26
Lavatory, Speakman	11
Lavatory, Symmons Industries.....	1
Lavatory, T&S Brass and Bronze Works.....	12
Lawn, Woodford Mfg.	181
Metering, Chicago Faucet	8
Service Sink, Chicago Faucet	9
Service Sink, Fisher Mfg.	17
Service Sink, T&S Brass & Bronze Works.....	12
Shampoo, Belvedere	77
Shower, Central Brass	18
Shower, Delta	6
Shower, Leonard Valve Co.	16
Shower, Moen, Inc.	4

Index

FAUCETS (CONT.)

Shower, Powers Process Controls	16
Shower, Symmons Industries	1-2
Tub/Shower, Delta	6
Tub/Shower, Leonard Valve Co.	16
Tub/Shower, Moen, Inc.	4
Tub/Shower, Powers Process Controls	16
Tub/Shower, Symmons Industries	1-2
Workboard, T&S Brass and Bronze Works	14

FEMALE

Adapters, Brass Compression	198
Adapters, Copper	195

FERNCO

Connectors, Drain & Trap	193
Connectors, Drain Pipe	193
Connectors, Washing Machine	193
Couplings, Flexible	193
Couplings, No Hub	193
Flanges, Spanner	192
Traps, Drain	193

FILL VALVESSee Ballcocks

FILLERS

Drinking Glass, T&S Brass and Bronze Works	14
--	----

FILTERS

Ice Maker, American Plumber	40
Ice Maker, Everpure	41
Water, American Plumber	40
Water, Everpure	41

FISHER MFG.

Faucets, Wall Mount	17
Handles, Reel Rinse	17
Handles, Rinse	17
Hoses, Prerinse	17
Risers, Prerinse	17
Spouts, Gooseneck	17
Spouts, Swing	17
Stem Kits, Faucet	18
Valves, Spray	17
Valves, Waste	17

FITTING

Brushes, Richard Specialty	249
----------------------------------	-----

FITTINGS

Brass Compression	197-198
Brass Threaded	196-197
Chemical Waste, Enfield Industrial	191
Copper	194-195
PVC	199-200

FLAGS

Marking, Water Whiz	220
---------------------------	-----

FLAME

Blankets, ASP	244
---------------------	-----

FLANGES

Closet, J-Tec Products	191
Closet, Plastic Oddities	192
Escutcheons, Richard Specialty	189
Escutcheons, Sioux Chief	189
Mounting, Franklin Brass	53
PVC, Plastic Oddities, Inc.	192
Shower Rod, Franklin Brass	53
Shower Rod, Pasco Specialty & Mfg.	53
Spanner, Fernco	192
Urinal, Plastic Oddities, Inc.	192
Wall, Zin-Phal Corp.	46

FLAPPERS

Toilet, Coast Foundry & Mfg.	138, 209
Toilet, Delta	7
Toilet, Eljer	143
Toilet, Fluidmaster	209
Toilet, Kohler	144-147
Toilet, Lavelle Industries	209-210
Toilet, Plusco	210
Toilet, Radiator Specialty Co.	210-211

FLARING TOOLS

Ridgid	240
--------------	-----

FLEXIBLE

Couplings, Fernco	193
Grabbers, Sioux Chief	248
Supply Tubes, Jameco Industries	186

FLINTS

Torch, Bernzomatic	244
--------------------------	-----

FLOAT

Rods, Radiator Specialty Co.	211
Valves, Robert Mfg.	181

FLOATS

Tank, Radiator Specialty Co.	211
-----------------------------------	-----

FLOOR

Drains, B&K Industries	190
Drains, Zurn Industries	193
Strainers, Sioux Chief	190
Tubes, Jameco Industries	183

FLOOR & CEILING PLATES

Richard Specialty	189
Sioux Chief	189

FLOW CONTROL

Valves, Chatham Brass	46
-----------------------------	----

FLUE

Brushes, Ridgid	233
-----------------------	-----

FLUIDMASTER

Ballcocks	203-204
Fixers, Flusher	204
Flappers, Toilet	209
Flush Kits, Toilet	204
Handles, Faucet	207
Hoses, Washing Machine	187
Lines, Water Supply	187
Levers, Flush	205
Replacement Seals	204

FLUSH

Levers	See Tank Levers
--------------	-----------------

Valve Repair Parts, American

Standard	130-133
Valve Repair Parts, Briggs	138-139
Valve Repair Parts, Delany	155-156
Valve Repair Parts, Eljer	143
Valve Repair Parts, Kohler	144-145, 147
Valve Repair Parts, Mansfield	205
Valve Repair Parts, Sloan Valve	25, 149-154

Valves, American Standard

.....	130-133
Valves, Briggs	138
Valves, Chicago Specialty	203
Valves, Coast Foundry & Mfg.	202
Valves, Coyne & Delany	27
Valves, Douglas	129
Valves, Fluidmaster	204
Valves, Kohler	145
Valves, Mansfield Plumbing	204
Valves, Sloan Valve	24-27
Valves, Zurn Industries	27

FLUSHER

Fixers, Fluidmaster	204
---------------------------	-----

FLUSHERS

Drain, General Wire Spring	235
Drain, GT Water	236

FLUXES

Soldering, M.W. Dunton	226
------------------------------	-----

FORCE

Cups, See Plungers	227
--------------------------	-----

FORT RECOVERY INDUSTRIES

Levers, Toilet Tank	205
---------------------------	-----

FOUNTAINS

Bubbler Head, Central Brass Mfg.	18
Eye Wash, Haws Drinking Faucet	34

FRAMES

Hacksaw, Radiator Specialty Co.	247-248
--------------------------------------	---------

FRANKLIN BRASS

Bars, Grab	54
Bars, Towel	50, 52
Boxes, Tissue	51
Cabinets, Tissue	51
Clamps, Wall	51-52
Clotheslines, Retractable	50
Curtains, Shower	53
Dishes, Soap	50
Dispensers, Liquid Soap	54
Dispensers, Towel	54
Extensions, Towel Bar	52
Flanges, Mounting	53
Hangers, Shower Curtain	54
Holders, Toothbrush	50
Holders, Recessed	52
Holders, Soap	51-52
Holders, Toilet Paper	51-52, 54
Holders, Tumbler	52
Hooks, Robe	50
Hooks, Towel	50
Installation Kits, Towel Shelf	50
Legs, Vanity	52
Mirrors, Extension	52
Openers, Bottle	54
Pins, Shower Curtain	54
Pins, Towel	51
Rings, Towel	50
Rods, Shower	53
Seats, Tub/Shower	55
Shelves, Glass	52
Shelves, Steel	52
Shelves, Towel	50
Trays, Ash	54
Wall Clamps, Recessed	51

FRANKLIN MACHINE PRODUCTS

Curtains, Strip	42
Drain Assemblies, Cast	42
Drain Assemblies, Overflow	41
Elbows, Overflow	41
Faucets	42
Openers, Bucket	43
Reducers, Valve	42
Repair Kits, Waste	42
Repair Parts, Waste	41-42, 89
Valve Reducers, Waste	42
Valve Tools, Waste	42
Waste Valves, Lever	41
Waste Valves, Twist	41

FRICITION

Rings, Radiator Specialty Co.	211
------------------------------------	-----

FUNNEL

Augers, Ridgid	231, 233
----------------------	----------

Index

G

GARBAGE

- Disposal Wrenches, Chicago Specialty.....242
- Disposals, In-Sink-Erator.....28
- Disposals, WhiteRock.....29

GARDEN

- Hoses, Radiator Specialty Co.....219

GARDEN HOSE

- End Caps, Radiator Specialty Co.....220
- Nozzles, Radiator Specialty Co.....219

GASKETS

- Basin, Radiator Specialty Co.....212
- Bowl, Hercules Chemical.....208
- Bowl, Radiator Specialty Co. 208-209.....208
- Bowl, Wm. H. Harvey.....208
- Bowl, Zurn.....20
- Close Couple, Radiator Specialty Co.....160, 208
- Gauge Glass, Radiator Specialty Co.....160
- Hand Shower, Alsons.....47
- Tank Bolt, Radiator Specialty Co.....212
- Top Bibb, Radiator Specialty Co.....159-160, 211
- Urinal, Wm. H. Harvey.....208
- Water Heater, Camco Mfg. Co.....202

GATE

- Valves, Jomar.....173, 175
- Valves, Nibco.....174

GAUGES

- Liquid Filled, Pasco Specialty & Mfg.....181
- Pressure, General Wire Spring.....236
- Pressure, Pasco Specialty & Mfg.....181
- Seat, Radiator Specialty Co.....247
- Thread, Radiator Specialty Co.....247
- Vacuum, Pasco Specialty & Mfg.....181

GENERAL WIRE SPRING

- Adapters, Faucet.....236
- Augers, Closet.....235
- Augers, Drain.....235-236
- Augers, Urinal.....235
- Cable, Drain Auger.....236
- Cases, Carrying.....236
- Closet Attachments.....236
- Collet Grippers, Auger.....236
- Cones, Rubber.....236
- Drain Auger Accessories.....236
- Faucet Adapters, Universal.....236
- Flushers, Drain.....235
- Gauges, Pressure.....236
- Grippers, Collet.....236
- Hoses, Water Supply.....236
- Pick-Ups.....241
- Plugs, Expansion.....236
- Repair Kits, Ram.....236
- Replacement Auger Cable.....236
- Valve Assemblies, Check.....236
- Valve Assembly Kits, Check.....236
- Water Rams, Kinetic.....235

GENERATORS

- Steambath, Sussman-Automatic.....31-32

GERBER PLUMBING FIXTURES

- Repair Parts, Faucet.....91
- Toilets, Low Consumption.....23

GLASS

- Filler Repair Kits, T&S Brass and Bronze Works.....14
- Fillers, T&S Brass and Bronze Works...14
- Shelves, Franklin Brass.....52

GLOVES

- Work, Sioux Chief.....248

GRAB

- Bars, American Specialties.....55
- Bars, Franklin Brass.....54-55
- Bars, Plusco.....217

GRABBERS

- Flexible, Sioux Chief.....248

GREASE

- Cutters, Ridgid.....233
- Faucet, Wm. H. Harvey.....226
- Radiator Specialty Co.....225
- Valve, Wm. H. Harvey.....226

GRID

- Drains, Chicago Faucet.....10
- Drains, Jameco Industries.....184
- Drains, McGuire Mfg.....191

GRINDERS

- Faucet Seat, Radiator Specialty Co.....247

GRIPPERS

- Collet, General Wire Spring.....236

GROHE

- Repair Parts, Faucet.....92

GRUNDFOS PUMP

- Pumps, Circulator.....170
- Pumps, Sump.....171

GT WATER PRODUCTS

- Plungers.....226-227
- Pump Kits, Water.....241
- Uncloggers, Drain.....236

GUARDS

- Corner, Bobrick Washroom Equipment.....60
- Door, Ex-Cell Metal Products.....66
- Door, H.B. Ives.....63-64
- Door, Plusco.....218
- Drain, Chicago Specialty.....207
- Splash, Chicago Specialty.....207

GUNS

- Caulking, Pasco Specialty & Mfg.....246

H

HACKSAW

- Blades, Radiator Specialty Co.....247-248
- Frames, Radiator Specialty Co.....247-248

HACKSAWS

- Chicago Specialty.....241

HAIR

- Dryers, Andis Co.....62
- Dryers, World Dryer.....60

HALSEY TAYLOR

- Repair Parts, Water Cooler.....158

HAMMERS

- Nail, Pasco Specialty & Mfg.....245

HAND

- Cleaners, Hercules Chemical.....224
- Cleaners, Radiator Specialty Co.....221
- Dryers, World Dryer.....60
- Lotion Dispensers, Delta.....7
- Showers & Accessories, Alsons.....46-47

HAND (CONT.)

- Spinners, Ridgid.....227
- Torches, TurboTorch.....251
- Washing Sinks, Advance Tabco.....30

HANDLE

- Extension Kits, Moen, Inc.....5
- Faucet Inserts, Moen, Inc.....3
- Repair Kits, T&S Brass and Bronze Works.....15
- Screws, Plusco.....162
- Screws, Radiator Specialty Co.....212
- Moen, Inc.....3-4

HANDLES

- Faucet, See Faucet Handles.....14
- Patio Door, Plusco.....217

HANGER

- Straps, Plastic Oddities.....247

HANGERS

- Coat, Beverly Coat Hanger.....60
- Lavatory, Pasco Specialty & Mfg.....213
- Shower Curtain, Chicago Specialty.....207
- Shower Curtain, Franklin Brass.....54

HAT

- Hooks, H.B. Ives.....65

HAWS DRINKING FAUCET

- Eye Washes, Emergency.....35
- Eye Washes, Gravity Operated.....34
- Face Washes, Emergency.....35
- Repair Parts, Water Cooler.....158

H.B. IVES

- Bolts, Surface.....64
- Guards, Door.....63-64
- Hinges, Radius.....63
- Hinges, Square.....63
- Holders, Door.....64
- Hooks, Coat.....65
- Hooks, Hat.....65
- Knockers, Door.....65
- Silencers, Door.....63
- Stops, Door.....64-65
- Tips, Door Stop.....64
- Viewers, One-Way.....65

HEADS

- Bubbler, Central Brass Mfg.....18, 158
- Bubbler, Ebco.....158
- Bubbler, Elkay.....158
- Sprinkler, Water Whiz.....220
- Steam, Sussman-Automatic.....31, 33

HEAT

- Blanket Stoppers, ASP.....244

HEATERS

- Bulb, Broan Mfg. Co.....61
- Bulb, Nutone.....62
- Water, Controlled Energy.....29
- Water, Rheem.....28

HERCULES CHEMICAL

- Bolt Kits, Closet.....208
- Bolts, Closet.....208
- Brushes, Acid.....223
- Brushes, Solder Flux.....223
- Caulk, Sealing.....224
- Cements, PVC.....224
- Cleaners, Drain.....222
- Cleaners, Hand.....224
- Cleaners, Waste System.....222
- Cleaners, Water System.....222
- Compounds, Sealing.....223
- Gaskets, Closet.....208
- Joint Compounds, Lead-Free.....223

Index

HERCULES CHEMICAL (CONT.)

Lubricants, Pipe Joint	223
Oils, Lube	224
Openers, Drain	222
Putty, Epoxy	223
Putty, Plumbers'	222
Putty, Sealing	223
Root Destroyers	222
Sealants, Pipe Thread	223

HEX

Key Sets, Pasco Specialty & Mfg.	245
Wrenches, Ridgid	237

HIGH RISE

Shower Arms, Pasco Specialty & Mfg.	46
--	----

HINGE PIN

Door Stops, H.B. Ives	64
-----------------------------	----

HINGE PINS

Door, Plusco	165
--------------------	-----

HINGES

Radius, H.B. Ives	63
Square, H.B. Ives	63
Toilet Seat, Olsonite	36

HOLDERS

Card, Ex-Cell Metal Products	65
Door, H.B. Ives	64
Soap, Franklin Brass	51-52
Tissue, Plusco	216
Toilet Paper, Franklin Brass	52, 54
Toilet Paper, Plusco	216-217
Toothbrush, Franklin Brass	50
Toothbrush, Plusco	216
Towel, Plusco	216
Tumbler, Franklin Brass	52
Tumbler, Plusco	216

HOLE

Covers, Chicago Specialty	207
Saws, Ridgid	241

HOLE SAW KITS

Ridgid	241
--------------	-----

HOOKS

Coat, H.B. Ives	65
Coat, Plusco	165
Curtain, Plusco	164
Hat, H.B. Ives	65
Robe, Franklin Brass	50
Robe, Plusco	216
Surface Mounted, Bobrick Washroom Equipment	58
Towel, Franklin Brass	50

HOSE

Adapters, Chicago Specialty	206
Caps, Radiator Specialty Co.	220
Clamps, Radiator Specialty Co.	218
Couplings, Radiator Specialty Co.	220
Menders, Radiator Specialty Co.	219-220
Nipples, Water Whiz	220
Nipples, Radiator Specialty Co.	220
Nozzles, Radiator Specialty Co.	219
Spray Assemblies, T&S Brass and Bronze Works	13
Washers, Radiator Specialty Co.	212
Y-Connectors, Radiator Specialty Co.	220

HOSES

Acetylene, TurboTorch	250
Extension, General Wire Spring	236
Filler, Radiator Specialty Co.	219
Garden, Radiator Specialty Co.	219
Hand Shower, Alsons	47
Prerinse, Fisher Mfg.	17
Prerinse, T&S Brass and Bronze Works	13
Shampoo Spray, Belvedere	18
Torch, TurboTorch	250-251
Washing Machine, Fluidmaster	187
Washing Machine, Radiator Specialty Co.	219
Water Supply, General Wire Spring	236

HOSPITAL

Faucets, Chicago Faucet	9-10
Faucets, Moen	11
Faucets, Speakman	11
Faucets, T&S Brass & Bronze Works	11
Pedal Valves, Chicago Faucet	10

HOSPITALITY

Sinks, Elkay Mfg.	30
------------------------	----

HOT WATER

Dispensers, In-Sink-Erator	29
Thermometers, Pasco Specialty & Mfg.	181

I

ICE MAKER

Filters, American Plumber	40
Filters, Everpure	41
Kits	198

IGNITERS

Torch, ASP	244
------------------	-----

IMPULSE

Sprinklers, Water Whiz	220
------------------------------	-----

INFORMATION

Signs, Don-Jo Mfg.	69
-------------------------	----

INSERTS

Brass Compression	198
-------------------------	-----

IN-SINK-ERATOR

Dispensers, Hot Water	29
Disposals, Garbage	28

INSPECTION

Mirrors, Sioux Chief	248
----------------------------	-----

INSTALLATION KITS

Towel Shelf, Franklin Brass	50
-----------------------------------	----

INSULATION KITS

Lavatory, TCI Products	24
Lavatory, Truebro	24

INTERLOCKS

Door, Don-Jo Mfg.	68
------------------------	----

INTERNAL

Wrenches, Richard Specialty	249
Wrenches, Ridgid	238

J

JAMECO INDUSTRIES

Bends, Drain	182
Connectors, Waste	184
Couplings, Double Slip	188
Couplings, Extension	184
Elbows, Baffle Twin	188
Elbows, Double Slip	188
Nuts, Slip Joint	184, 188

JAMECO INDUSTRIES (CONT.)

Offsets, Tubular	183
P-Traps, Tubular	182, 187
Rods, Shower Curtain	53, 187
Stops, Supply	185
Strainers, Basket	185
Strainers, Sink	184-185
Supply Connectors, Faucet	186
Supply Connectors, Toilet	186
Supply Tubes, Flexible	186
Tailpieces	183, 188
Tailpieces, Dishwasher Branch	184, 188
Tees, Slipjoint	188
Trap Adapters, Tubular	187
Traps, J-Bend	187
Tubes, Extension	183, 187-188
Tubes, Floor	183
Tubes, Supply	186
Tubes, Threaded	183
Tubes, Wall	183
Tubes, Waste	182
Waste Assemblies, Continuous	183, 188
Waste Assemblies, Disposer	188
Wastes, Pop-Up	19, 187

JAWSETS

Drain Cleaner, Ridgid	234
-----------------------------	-----

J-BENDS

Jameco Industries	182, 187
Richard Specialty	189

J.C. WHITLAM

Cans, Empty	225
Openers, Drain	223
Screw Caps, Dauber	225

JOHNNY BOLTS

.....	208
-------	-----

JOMAR

Add-A-Valves	173
Valves, Gate	173, 175

J-TEC PRODUCTS

Flanges, Closet	191
-----------------------	-----

K

KEYS

Curb, Water Whiz	220
Valve, Pasco Specialty & Mfg.	246

KICK

Plates, Don-Jo Mfg.	67
--------------------------	----

KINETIC

Water Rams, General Wire Spring	235
---------------------------------------	-----

KIRSCH

Curtain Hardware	164
------------------------	-----

KITCHEN

Faucets, B&K Industries	19
Faucets, Chicago Faucet	9
Faucets, Delta	6
Faucets, Fisher Mfg.	17
Faucets, Kohler	8
Faucets, Moen, Inc.	3, 11
Faucets, Symmons Industries	1
Faucets, Touch-Flo Mfg.	41
Faucets, T&S Brass and Bronze Works	11-13
Sinks, Elkay Mfg.	29
Sinks, Kohler	21

KNIVES

Utility, Pasco Specialty & Mfg.	245
--------------------------------------	-----

KNOBS

Bar, Alsons	47
-------------------	----

Index

KNOCKERS

- Chain, Ridgid231, 233
- Door, H.B. Ives65

KOHLER

- Faucets, Bar8
- Faucets, Kitchen8
- Faucets, Laundry8
- Faucets, Lavatory8
- Faucets, Pull-Out8
- Lavatories, Countertop21
- Lavatories, Under-Counter20
- Lavatories, Wall Mount21
- Repair Parts, Faucet93-97
- Repair Parts, Toilet144-148
- Seats, Toilet21
- Sinks, Kitchen21
- Toilets21
- Urinals22

KUNKLE

- Valves, Safety177

L

LATCHES

- Door, Plusco165
- Patio Door, Engert's63
- Security, Engert's63
- Standard, Engert's63
- Wide, Engert's63

LAUNDRY

- Faucets, B&K Industries19
- Faucets, Kohler8
- Trays, E.L. Mustee & Sons23
- Tubs, E.L. Mustee & Sons23

LAUNDRY TRAY

- Faucets, B&K Industries19

LAVATORIES

- Countertop, American Standard19
- Countertop, Benjamin Mfg.23
- Countertop, Briggs22
- Countertop, Kohler21
- Porcelain/Steel, Briggs Industries22
- Under-Counter, American Standard19
- Under-Counter, Briggs Industries22
- Under-Counter, Kohler20
- Wall Hung, American Standard19
- Wall Hung, Briggs Industries22
- Wall Mount, Kohler21

LAVATORY

- Drain Repair PartsSee Drain Repair Parts
- Drains, Delta6, 86, 88
- Drains, Jameco19, 187
- Drains, McGuire Mfg.191
- Drains, Symmons Industries118
- Drains, Watco Mfg.37
- Enclosures, Truebro24
- Faucet Repair PartsSee Faucet Repair Parts
- Faucets, American Standard7
- Faucets, B&K Industries18-19
- Faucets, Central Brass Mfg.18
- Faucets, Chicago Faucet8
- Faucets, Delta5-6
- Faucets, Kohler8
- Faucets, Moen, Inc.2-3, 11
- Faucets, Sloan Valve26
- Faucets, Speakman11

LAVATORY (CONT.)

- Faucets, Symmons Industries1
- Faucets, T&S Brass and Bronze Works12
- Hangers, Pasco Specialty & Mfg.213
- Insulation Kits, TCI24
- Insulation Kits, Truebro24
- Legs, Chicago Specialty187
- Strainers, McGuire Mfg.191

LAVELLE INDUSTRIES

- Balls, Tank209-210
- Discs, Seat210
- Flappers, Toilet210
- Washers, Hinge37

LAWN

- Faucets, Woodford Mfg.181

LEGS

- Lavatory, Chicago Specialty187
- Vanity, Franklin Brass52

LEONARD VALVE

- Repair Parts, Faucet98-99
- Valves, Mixing16

LEVELS

- Radiator Specialty Co.247

LEVER

- Waste Valves, Franklin Machine Products41

LEVERS

- FlushSee Tank Levers

LIFT

- Wires, Radiator Specialty Co.211

LIGHTERS

- Torch, Bernzomatic244

LINEMEN'S

- Pliers, Channellock, Inc.243

LIQUID FILLED

- Gauges, Pasco Specialty & Mfg.181

LOCK NUT

- Wrenches, Chicago Specialty242

LOCKS

- Patio Door, Plusco217-218
- Strainer, Tundra Specialties42
- Window, Plusco218

LPS INDUSTRIES

- Stoppers, Tub39-40

LUBRICANTS

- Metal Part, Radiator Specialty Co.225
- Multi-Purpose, Hercules Chemical224
- Penetrant, Radiator Specialty Co.225
- Penetrating, WD-40 Company226
- Pipe Joint, Hercules Chemical223
- Pipe Joint, Wm. H. Harvey226
- Silicone, Radiator Specialty Co.225
- Super, Radiator Specialty Co.225

LUGGAGE

- Carriers, Ex-Cell Metal Products66
- Racks, Ex-Cell Metal Products66

LUTZ FILE & TOOL

- Screwdrivers, Multibit244

M

MAGNETIC TIP

- Screwdrivers, Ridgid240

MAINTAINING

- Flushometers151, 154

MALE

- Adapters, Brass Compression198
- Adapters, Copper195
- Elbows, Brass Compression198

MANSFIELD PLUMBING

- Ballcocks204
- Levers, Toilet Tank205
- Seals, Diaphragm205
- Service Kits, Ballcock204-205
- Service Kits, Flush Valve205
- Valves, Flush204

MAPP

- Tanks, TurboTorch251
- Tips, TurboTorch251
- Torches, TurboTorch250

MARCO PRODUCTS

- Augers, Drain236
- Blasters, Drain236

MARKING

- Flags, Water Whiz220

MCGUIRE MFG.

- Drain Assemblies191
- P-Traps191
- Strainers, Lavatory191
- Strainers, Urinal191

MEASURES

- Tape, Pasco Specialty & Mfg.244

MENDERS

- Hose, Radiator Specialty Co.219-220

METERING

- Faucets, Chicago Faucet8

MILBAR

- Pliers, Soft Jaw242

MIRRORS

- Channel-Frame, Bobrick Washroom Equipment59
- Extension, Franklin Brass52
- Frameless, Bobrick Washroom Equipment60
- Inspection, Sioux Chief248
- Stainless Steel, Bobrick Washroom Equipment60
- Tilt, Bobrick Washroom Equipment60
- Vanity, Plusco216
- Wall Mount, Andis Co.62

MITTS

- Drain Cleaner, Ridgid229, 233

MIXET

- Repair Parts, Faucet89

MIXING

- Valve Repair PartsSee Faucet Repair Parts
- Valves, Leonard Valve16
- Valves, Powers Process Controls16
- Valves, Symmons Industries1-2

MODERATORS

- Spout, Neoperl206

MOEN, INC.

- Cartridge Tools5
- Cartridges, Faucet5, 11, 100-108, 214
- Extension Kits, Handle5, 105-109
- Faucets, Bar3
- Faucets, Commercial11
- Faucets, Kitchen3, 11
- Faucets, Lavatory2-3, 11
- Faucets, Medical11

Index

MOEN, INC. (CONT.)

Faucets, Single Handle	3
Faucets, Tub/Shower	4
Handle Inserts	3-4
Handles, Faucet	3-4, 11
Handles, Wrist Blade	11
Repair Parts, Faucet ..5, 11, 100-108, 214	
Showerheads	4, 43-44
Spouts, Faucet	11
Spouts, Tub	4, 49

MOUNTING ACCESSORIES

Hand Shower, Alsons	46-47
---------------------------	-------

MUELLER STEAM SPECIALTY

Strainers, Duplex	172
Valves, Check	171
Y-Strainers	171

M.W. DUNTON

Fluxes, Soldering	226
-------------------------	-----

N

NEEDLE NOSE

Pliers, Channellock	243
Pliers, Pasco Specialty & Mfg.	246

NEEDLE VALVES

Brass	198
-------------	-----

NEOPERL

Aerators, Faucet	206
Moderators, Spout	206

NIBCO

Couplings, Repair	199
Drains, Boiler	173
Sillcocks, Angle	173
Valves, Ball	175
Valves, Boiler Drain	173
Valves, Butterfly	175
Valves, Check	173-175
Valves, Gate	174-175
Valves, PVC	175

NIPPLE

Extractors, Pasco Specialty & Mfg.	245
---	-----

NIPPLES

Brass	196
Hose, Water Whiz	220
Hose, Radiator Specialty Co.	220
Riser, Water Whiz	220
Swivel, Radiator Specialty Co.	220

NO HUB

Couplings, Fernco	193
Wrenches, Radiator Specialty Co.	247

NOKRODE

.....	226
-------	-----

NOZZLES

Garden Hose, Radiator Specialty Co.	219
--	-----

NUTDRIVER SETS

Ratcheting, Richard Specialty	249
-------------------------------------	-----

NUTONE

Bulb Heaters, Bath	62
Fans, Exhaust	62

NUTS

Ballcock, Chicago Specialty	207
Basin, Chicago Specialty	207
Brass Compression	198
Slip Joint, Jameco Industries	184, 188
Split Slip, Sioux Chief	190

O

OFFSETS

Tubular, Jameco Industries	183
----------------------------------	-----

OILS

Household, Radiator Specialty Co.	225
Lube, Hercules Chemical	224

OLSONITE

Hinges, Toilet Seat	36
Seats, Toilet	35-36

ONE-WAY

Bolt Sets, Plusco	165
Screwdrivers, Plusco	165
Viewers, H.B. Ives	65

OPENERS

Bottle, Franklin Brass	54
Bucket, Franklin Machine Products	43
Drain, Hercules Chemical	222
Drain, J.C. Whitlam	223

O-RING

Picks, Sioux Chief	248
--------------------------	-----

O-RINGS

Plusco	163
Radiator Specialty Co.	211

OVERFLOW

Drain Assemblies, Franklin Machine Products	41
Elbows, Franklin Machine Products	41
Plate Screws, Zin-Plas Corp.	39
Plates, Zin-Plas	39
Washers, Radiator Specialty Co.	162

P

PACKING

Sheet, Radiator Specialty Co.	212
Stem Valve, Radiator Specialty Co.	212

PANS

Drain, CDC Products Corp.	226
Water Heater, Plastic Oddities	28

PAPER

Holders, Franklin Brass	51-52
-------------------------------	-------

PAPER TOWEL

Dispensers, Bobrick Washroom Equipment	58-59
--	-------

PARTITION

Hardware, Plusco	165
------------------------	-----

PASCO SPECIALTY & MFG.

Anchor Sets	246
Benders, Tube	246
Bolts, Tank	208
Cutters, Pipe	246
Extractors, Nipple	245
Flanges, Shower Rod	53
Gauges, Liquid Filled	181
Gauges, Pressure	181
Gauges, Vacuum	181
Guns, Caulking	246
Hammers, Nail	245
Hangers, Lavatory	213
Key Sets, Hex	245
Keys, Valve	246
Knives, Utility	245
Measures, Tape	244
Pliers, Needle Nose	246
Pliers, Pipe Wrench	245
Pliers, Slip Joint	245

PASCO SPECIALTY & MFG. (CONT.)

Plugs, Cleanout	190
Pullers, Faucet Handle	245
Pullers, Sleeve	245
Repair Flanges, Closet	192
Rosettes, Basin	213
Saws, Pipe	246
Sealants, Plumbers'	225
Shower Arms, High Rise	46
Thermometers, Hot Water	181
Wrenches, Adjustable	246
Wrenches, Cartridge	246
Wrenches, Drain	245
Wrenches, Faucet Shank	245
Wrenches, Plug	246
Wrenches, Spud	247
Wrenches, Stem	246
Wrenches, Strainer	246
Wrenches, Torque	245

PASTE

Fluxes, M.W. Dunton	226
---------------------------	-----

PATIO DOOR

Latches, Engert's	63
-------------------------	----

PEDAL VALVES

Hospital, Chicago Faucet	10
--------------------------------	----

PENETRATING

Lubricants, WD-40 Company	226
Lubricants, Radiator Specialty Co.	225

PERLICK

Repair Parts, Faucet	109
----------------------------	-----

PETERSON INDUSTRIES

Doors, Tub/Shower	43
-------------------------	----

PHILLIPS TIP

Screwdrivers, Ridgid	240
----------------------------	-----

PICKS

O-Ring, Sioux Chief	248
---------------------------	-----

PICK-UPS

General Wire Spring	241
---------------------------	-----

PIGTAIL

Siphons, Richard Specialty	180
----------------------------------	-----

PILASTER

Shoes, Plusco	165
---------------------	-----

PIN KEYS

Cable, Ridgid	229
---------------------	-----

PINS

Door/Window, Plusco	218
Shower Curtain, Chicago Specialty	207
Shower Curtain, Franklin Brass	54
Towel, Franklin Brass	51

PINTELS

Door Hinge, Plusco	165
--------------------------	-----

PIPE

Cleaners, Ridgid	234
Cutters, ASP	243
Cutters, Pasco Specialty & Mfg.	246
Cutters, Ridgid	238-239
Cutters, Water Whiz	221
Extractors, Ridgid	239
Insulation Kits, TCI Products	24
Insulation Kits, Truebro	24
PVC	198
Saws, Pasco Specialty & Mfg.	246
Thread Compounds, Hercules	223
Thread Compounds, Radiator Specialty Co.	221

Index

PIPE (CONT.)

Thread Compounds, Wm H. Harvey.....	226
Thread Sticks, Wm. H. Harvey	226
Threading Machines, Ridgid	240
Wrench Pliers, Pasco Specialty & Mfg.....	245
Wrenches, Ridgid.....	237

PIPE FREEZING KITS

ASP	243
-----------	-----

PIPE PLUGGING KITS

ASP	243
-----------	-----

PLASTIC ODDITIES

Flanges, Closet.....	192
Flanges, Urinal.....	192
Pans, Water Heater.....	28
Plugs, Cleanout.....	192
Replacement Plates, Strainer	54
Spacer Kits, Closet Flange.....	191
Straps, Hanger.....	247

PLASTIC PIPE

Cements, Radiator Specialty Co.....	224
Cleaners, Radiator Specialty Co.....	224
Cutters, ASP	243
Cutters, Ridgid.....	239
Cutters, Water Whiz.....	221
Saws, American Trade.....	243
Saws, Pasco Specialty & Mfg.....	246

PLATES

Door, Don-Jo Mfg.	67
Floor & Ceiling, Richard Specialty	189
Floor & Ceiling, Sioux Chief	189
Kick, Don-Jo Mfg.....	67
Repair, Smitty Pan	2

PLIERS

Diagonal Cutting, Channellock, Inc.....	243
Linemen's, Channellock, Inc.	243
Long Nose, Channellock, Inc.	243
Needle Nose, Pasco Specialty & Mfg.....	246
Pipe Wrench, Pasco Specialty & Mfg.....	245
Slip Joint, Pasco Specialty & Mfg.	245
Soft Jaw, Milbar.....	242
Tongue & Groove, Channellock, Inc.	242

PLUG

Wrenches, Pasco Specialty & Mfg.	246
---------------------------------------	-----

PLUGS

Ballcock Changer, ASP	244
Brass Threaded.....	197
Cleanout, Pasco Specialty & Mfg.....	190
Cleanout, Plastic Oddities.....	192
Cleanout, Sioux Chief.....	190
Expansion, General Wire Spring	236
PVC Pressure.....	200
Test, Chicago Specialty.....	201

PLUMBERS'

Putty, Hercules Chemical.....	222
Sealants, Pasco Specialty & Mfg.....	225

PLUNGERS

Chicago Specialty	226
GT Water Products.....	227
Radiator Specialty Co.....	227

PO PLUGS

.....	191
-------	-----

POCKET

Thermometers, Richard Specialty.....	249
--------------------------------------	-----

POLYETHYLENE

Tubing.....	198
-------------	-----

POLYSEAM SEAL

.....	221
-------	-----

POP-UP

Ball & Rod Assemblies, Fit-All	215
--------------------------------------	-----

Drains	See Lavatory Drains
--------------	---------------------

POWERS PROCESS CONTROLS

Repair Parts, Faucet.....	110-111
---------------------------	---------

Valves, Mixing	16
----------------------	----

PRECISION PLUMBING PRODUCTS

Arrestors, Water Hammer	182
-------------------------------	-----

Valves, Pressure Compensating	182
-------------------------------------	-----

Valves, Trap Primer	182
---------------------------	-----

PRERINSE

Add-On Faucets, T&S Brass and Bronze Works.....	13
---	----

Faucets, T&S Brass & Bronze Works....	13
---------------------------------------	----

Hoses, Fisher Mfg.	17
-------------------------	----

Hoses, T&S Brass and Bronze Works ...	13
---------------------------------------	----

Repair Parts, Fisher Mfg.....	17-18
-------------------------------	-------

Repair Parts, T&S Brass & Bronze Works	13-15, 124
--	------------

Valves, Chicago Faucet	10
------------------------------	----

Valves, Fisher Mfg.	17
--------------------------	----

Valves, T&S Brass & Bronze Works	13
--	----

PRESSURE

Gauges, General Wire Spring	236
-----------------------------------	-----

Gauges, Pasco Specialty & Mfg.....	181
------------------------------------	-----

PRESSURE BALANCING

Tub/Shower Valves, Delta.....	6
-------------------------------	---

Tub/Shower Valves, Leonard Valve Co.....	16
--	----

Tub/Shower Valves, Moen, Inc.	4
------------------------------------	---

Tub/Shower Valves, Powers Process Controls	16
--	----

Tub/Shower Valves, Symmons Industries	1-2
---	-----

Moen, Inc.	4
-----------------	---

PRESSURE COMPENSATING

Valves, Precision Plumbing Products....	182
---	-----

PRESSURE REDUCING

Valves, Watts Regulator	176
-------------------------------	-----

PRICE PFISTER

Repair Parts, Faucet	112-116, 214
----------------------------	--------------

PROPANE

Tanks, TurboTorch.....	251
------------------------	-----

Torches, TurboTorch	250
---------------------------	-----

P-TRAPS

Cast, McGuire Mfg.	191
-------------------------	-----

Enfield Industrial.....	191
-------------------------	-----

Tubular, Chicago Specialty.....	189
---------------------------------	-----

Tubular, Jameco Industries	182, 187
----------------------------------	----------

PULLERS

Faucet Handle, Pasco Specialty & Mfg.....	245
---	-----

Faucet Handle, Radiator Specialty Co.	247
--	-----

Sleeve, Pasco Specialty & Mfg.	245
-------------------------------------	-----

PULLEYS

Curtain Rod, Plusco.....	164
--------------------------	-----

PULL-OUT

Faucets, Kohler.....	8
----------------------	---

Faucets, Moen.....	3
--------------------	---

PULLS

Door, Don-Jo Mfg.....	67-68
-----------------------	-------

PUMP CONNECTORS

Metal, Unaflex	172
----------------------	-----

PUMP KITS

Water, GT Water Products	241
--------------------------------	-----

PUMPS

Circulator, Bell & Gossett.....	166-168
---------------------------------	---------

Circulator, Grundfos Pump	170
---------------------------------	-----

Sump, Grundfos Pump	171
---------------------------	-----

PUTTY

Epoxy, Hercules Chemical	223
--------------------------------	-----

Plumbers', Hercules Chemical.....	222
-----------------------------------	-----

Sealing, Hercules Chemical.....	223
---------------------------------	-----

PVC

Ball Valves, Nibco	175
--------------------------	-----

Ball Valves, Water Whiz	199
-------------------------------	-----

Cements, Hercules Chemical	224
----------------------------------	-----

Cements, Radiator Specialty Co.....	224
-------------------------------------	-----

Flanges, Plastic Oddities, Inc.	192
--------------------------------------	-----

Plugs, Plastic Oddities.....	192
------------------------------	-----

Saws, American Trade Products	243
-------------------------------------	-----

Unions, Water Whiz.....	199
-------------------------	-----

PVC PRESSURE

Adapters	200
----------------	-----

Bushings.....	200
---------------	-----

Caps	200
------------	-----

Couplings.....	199
----------------	-----

Elbows	199-200
--------------	---------

Pipe	198
------------	-----

Plugs.....	200
------------	-----

Tees	199-200
------------	---------

R

RACKS

Luggage, Ex-Cell Metal Products.....	66
--------------------------------------	----

RADIATOR SPECIALTY CO.

Aerators, Female	206
------------------------	-----

Aerators, Male	206
----------------------	-----

Balls, Tank	210-211
-------------------	---------

Blades, Hacksaw	247-248
-----------------------	---------

Bolt Sets, Closet.....	208
------------------------	-----

Caps, Hose.....	220
-----------------	-----

Cements, ABS	224
--------------------	-----

Cements, CPVC.....	224
--------------------	-----

Cements, PVC.....	224
-------------------	-----

Clamps, Hose	218
--------------------	-----

Cleaners, Hand	221
----------------------	-----

Cleaners, Pipe	224
----------------------	-----

Cleaning Tools, Copper.....	247
-----------------------------	-----

Cloth Rolls, Abrasive	221
-----------------------------	-----

Compounds, Thread	221
-------------------------	-----

Connectors, Dishwasher	212
------------------------------	-----

Connectors, Disposal	212
----------------------------	-----

Couplings, Hose	220
-----------------------	-----

Couplings, Swivel	220
-------------------------	-----

Cups, Force	227
-------------------	-----

Cups, Retainer.....	212
---------------------	-----

Discs, Seat	211
-------------------	-----

Flappers, Toilet	210
------------------------	-----

Floats, Plumber	211
-----------------------	-----

Frames, Hacksaw	247-248
-----------------------	---------

Friction Rings	211
----------------------	-----

Gaskets, Basin	160, 212
----------------------	----------

Gaskets, Close Couple	160, 208
-----------------------------	----------

Gaskets, Gauge Glass.....	160
---------------------------	-----

Gaskets, Tank Bolt	160, 212
--------------------------	----------

Gaskets, Top Bibb	159-160, 211
-------------------------	--------------

Gauges, Seat	247
--------------------	-----

Gauges, Thread	247
----------------------	-----

Grease.....	225
-------------	-----

Grinders, Faucet Seat	247
-----------------------------	-----

Hacksaw Blades, Bi-Metal	248
--------------------------------	-----

Index

RADIATOR SPECIALTY CO. (CONT.)

Hose Menders, Posi-Clamp	220
Hoses, Garden	219
Hoses, Washing Machine	219
Levels	247
Lift Wires, Lower	211
Lift Wires, Upper	211
Lubricants, Penetrant	225
Lubricants, Silicone	225
Lubricants, Super	225
Menders, Hose	219-220
Nipples, Hose	220
Nozzles, Garden Hose	219
Oils, Household	225
O-Rings, Rubber	211
Packing Assortments, Stem	212
Packing, Sheet	212
Packing, Valve & Stem	212
Penetrants, Rust	225
Plungers, Utility	227
Pullers, Faucet Handle	247
Repair Sets, Bibb Screw	212
Retainer Cups	160
Rings, Bowl	208-209
Rings, Friction	211
Rods, Float	211
Screws, Bibb	162, 212
Screws, Handle	212
Sealers, Thread	221
Seat Discs, Flush Valve	211
Seats, Faucet	211
Shields, Disposal	212
Sprayers, Tank	219
Stoppers, Basin Bath	160
Stoppers, Disposal	212
Straps, Tie-Down	218
Tank Balls, Flapper	211
Tape, Duct	221
Thread Gauges, Leaf-Type	247
Tubing, Clear	219
Tubing, Drain	219
Washers, Ballcock	161, 211
Washers, Faucet	160-161, 211, 213
Washers, Hose	212
Washers, Sink Connection	162
Washers, Slip Joint	161
Washers, Spud	213
Washers, Tank Bolt	212
Washers, Waste & Overflow	162
Wires, Lift	211
Wrenches, Basin	247
Wrenches, Faucet Seat	247
Wrenches, No-Hub	247
Wrenches, Telescopic	247
Wrenches, Torque	247
Y-Connectors, Hose	220
RATCHETING	
Nutdriver Sets, Richard Specialty	249
RECEPTACLES	
Waste, Bobrick Washroom Equipment	59
RECESSED	
Paper Holders, Franklin Brass	51-52
Soap Holders, Franklin Brass	51-52
Toilet Tissue Dispensers, Bobrick Washroom Equipment	57
Tumbler Holders, Franklin Brass	52
Wall Clamps, Franklin Brass	51

REDUCERS

Copper	195
Valve, Franklin Machine Products	42

REDUCING

Adapters, Brass Compression	198
Adapters, Copper	195
Bushings, Zin-Plas Corp.	49
Couplings, Brass	196
Couplings, Copper	195
Tees, Brass Compression	197
Tees, Copper	195
Unions, Brass Compression	197
Valves, Bell & Gossett	169
Valves, Watts Regulator	176
Valves, Zurn	176

REFRIGERATION

Strip Curtains, Franklin Machine Products	42
---	----

REGULATOR

Valves, Watts Regulator	177
-------------------------------	-----

REGULATORS

Torch, TurboTorch	251
-------------------------	-----

RELIEF

Valves, Bell & Gossett	170
Valves, Kunkle	177
Valves, Watts Regulator	178-179

REPAIR

Clamps, Richard Specialty	200
Couplings, Nibco	199
Couplings, Sioux Chief	194
Flanges, Fernco	192
Flanges, Pasco Specialty & Mfg.	192
Plates, Smitty Pan	2

REPAIR PARTS

Ballcock, American Standard	130-132
Ballcock, Briggs	134-137, 141
Ballcock, Chicago Specialty	203
Ballcock, Coast	129, 202-203
Ballcock, Crane	141
Ballcock, Eljer	141
Ballcock, Fluidmaster	203
Ballcock, Kohler	144-147
Ballcock, Mansfield	204-205
Bath Drain, American Standard	76
Bath Drain, Central Brass	80
Bath Drain, Crane	84
Bath Drain, Kohler	93
Bath Drain, Plusco	157
Bath Drain, Price Pfister	116
Bath Drain, Sterling	117, 157
Diverter Spout, Zin-Plas	49
Faucet, American Standard	70-74
Faucet, Belvedere	77
Faucet, Briggs	78-79
Faucet, Central Brass	80-81
Faucet, Chicago Faucets	10, 82-83
Faucet, Crane	84
Faucet, Delta	6-7, 85-88, 213-214
Faucet, Eljer	89
Faucet, Elkay	90
Faucet, Fisher Mfg.	18
Faucet, Gerber	91
Faucet, Grohe	92
Faucet, Kohler	93-97
Faucet, Leonard Valve	99
Faucet, Mixet	89
Faucet, Moen	11, 100-108, 214
Faucet, Perlick	109

REPAIR PARTS (CONT.)

Faucet, Powers Process Controls	110-111
Faucet, Price Pfister	112-116, 214
Faucet, Sterling	117
Faucet, Symmons Industries	118-123
Faucet, T&S Brass & Bronze Works	14-15, 124
Faucet, Touch-Flo	41
Faucet, Valley	125-128, 215
Faucet, Universal Rundle	215
Flush Valve, American Standard	130-133, 211
Flush Valve, Briggs	138-140
Flush Valve, Delany	155-156
Flush Valve, Eljer	143
Flush Valve, Fluidmaster	203
Flush Valve, Kohler	144-148
Flush Valve, Mansfield	205
Flush Valve, Sloan Valve	25, 149-154
Glass Filler, T&S Brass & Bronze Works	14
Lavatory Drain, American Standard	71
Lavatory Drain, Central Brass	80
Lavatory Drain, Delta	86
Lavatory Drain, Kohler	93
Lavatory Drain, Plusco	215
Lavatory Drain, Moen	104
Lavatory Drain, Price Pfister	116
Lavatory Drain, Sterling	117
Lavatory Drain, Valley	126
Prerince, T&S Brass & Bronze Works	14-15, 124
Sink Drain, Franklin Machine Products	89
Tank Lever, Eljer	143
Tank Lever, Kohler	147-148
Water Cooler, Ebco	158
Water Cooler, Elkay	158
Water Cooler, Halsey Taylor	158
Water Cooler, Haws	158
Water Heater, Camco Mfg.	201-202
RETAINER	
Cups, Radiator Specialty Co.	160, 212
RETRACTABLE	
Clotheslines, Franklin Brass	50
Clotheslines, Plusco	216
RHEEM	
Water Heaters, Electric	28
RICHARD SPECIALTY	
Brushes, Fitting	249
Brushes, Tubing	249
Clamps, Repair	200
Cutters, Tube	249
Drill Kits	249
Extension, Tubes	189
Flanges, Low Pattern	189
Nutdriver Sets, Ratcheting	249
Plates, Floor & Ceiling	189
Siphons, Pigtail	180
Siphons, Straight	180
Tailpieces, Flanged	189
Thermometers, Pocket	249
Traps, J-Bend	189
Valve Removal Kits	248
Valve Removal Tools	248
Wrenches, Closet Seat	249
Wrenches, Inside Pipe	249

Index

RIDGID

Adapters, Collet.....	234
Adapters, Drain Cleaner.....	228
Augers, Drain Cleaner.....	228, 231, 233
Brushes, Flue.....	233
Cable Kits, Drain Cleaner.....	228
Cables, Drain Cleaner.....	230, 234
Carriers, Cable.....	229
Cleaners, Drain.....	227–230, 232
Cleaners, Pipe.....	234
Cutter Tools, Drain Cleaner.....	228, 231, 233
Cutters, Bolt.....	240
Cutters, Grease.....	233
Cutters, Pipe.....	238–239
Cutters, Plastic Pipe.....	239
Cutters, Sharktooth.....	231, 233
Cutters, Soil Pipe.....	238
Cutters, Spade.....	231, 233
Cutters, Spiral.....	231, 233
Cutters, Tubing.....	239
Extractors, Pipe.....	239
Extractors, Screw.....	241
Flaring Tools.....	240
Hole Saw Kits.....	241
Jawsets, Drain Cleaner.....	234
Knockers, Chain.....	231, 233
Levels, Torpedo.....	240
Mitts, Drain Cleaner.....	229, 233
Pin Keys, Cable.....	229
Pipe Extractor Sets.....	239
Saws, Hole.....	241
Screwdrivers, General Purpose.....	240
Screwdrivers, Magnetic Tip.....	240
Screwdrivers, Phillips Tip.....	240
Screwdrivers, Standard Tip.....	240
Snakes, Drain.....	227, 229
Spinners, Hand.....	227
Threaders, Conduit & Pipe.....	239
Threading Machines.....	240
Vises, Yoke.....	238
Water Jetters.....	234
Wrenches, Adjustable.....	237
Wrenches, Basin.....	238
Wrenches, Chain.....	237
Wrenches, Hex.....	237
Wrenches, Internal.....	238
Wrenches, Pipe.....	237
Wrenches, Spud.....	237
Wrenches, Strap.....	237
Wrenches, Torque.....	238

RINGS

Bowl, Hercules.....	208
Bowl, Radiator Specialty Co.....	208–209
Bowl, W.H. Harvey.....	208
Friction, Radiator Specialty Co.....	211
Soldering, ASP.....	244
Towel, Franklin Brass.....	50
Towel, Plusco.....	217

RINSE QUICK

RISER

Nipples, Lago Irrigation USA.....	220
-----------------------------------	-----

RISERS

Prerinse, Fisher Mfg.....	17
---------------------------	----

ROBE

Hooks, Franklin Brass.....	50
Hooks, Plusco.....	216

ROBERT MFG.

Connectors, Water Heater.....	28
Connectors, Water Softener.....	28
Valves, Float.....	181

RODS

Curtain, Kirsch.....	164
Float, Radiator Specialty Co.....	211
Shower, Franklin Brass.....	53
Shower, Jameco Industries.....	53, 187

ROOF

Drains, Zurn Industries.....	192–193
------------------------------	---------

ROOT DESTROYERS

Hercules Chemical.....	222
------------------------	-----

ROSETTES

Basin, Pasco Specialty & Mfg.....	213
-----------------------------------	-----

ROTARY

Valves, Fisher Mfg.....	17
-------------------------	----

RUST

Penetrants, Radiator Specialty Co.....	225
--	-----

S

S. PARKER HARDWARE MFG.

Closers, Door.....	63
--------------------	----

SADDLE

Valves, Brass.....	198
--------------------	-----

SAFETY

Bars, American Specialties.....	55
Bars, Franklin Brass.....	54–55
Bars, Plusco.....	217
Treads, Chatham Brass.....	23
Valves, Bell & Gossett.....	170
Valves, Kunkle.....	177
Valves, Watts Regulator.....	178–179

SAFETY EQUIPMENT

Eye/Face Wash, Haws Drinking Faucet.....	34
Eye Wash, Bradley.....	35

SAND CLOTH

Radiator Specialty Co.....	221
----------------------------	-----

SANDERSON PLUMBING PRODUCTS

Seats, Toilet.....	35
--------------------	----

SANITARY

Tees, Enfield Industrial.....	191
-------------------------------	-----

SANITARY NAPKIN

Dispensers, Bobrick Washroom Equipment.....	59
--	----

SAWS

Cable, American Trade Products.....	243
Close Quarter, Chicago Specialty.....	241
Hole, Ridgid.....	241
Pipe, Pasco Specialty & Mfg.....	246
PVC, American Trade Products.....	243

SCREW

Extractors, Ridgid.....	241
-------------------------	-----

SCREWDRIVERS

General Purpose, Ridgid.....	240
Magnetic Tip, Ridgid.....	240
Multibit, Lutz File & Tool.....	244
One-Way, Plusco.....	165
Phillips Tip, Ridgid.....	240
Standard Tip, Ridgid.....	240

SCREWS

Bibb, Radiator Specialty Co.....	162, 212
Handle, Radiator Specialty Co.....	162, 212
One-Way, Plusco.....	165

SEALANT

Tape, Wm. H. Harvey.....	226
--------------------------	-----

SEALANTS

Pipe Thread, Hercules Chemical.....	223
Pipe Thread, Radiator Specialty Co.....	221
Pipe Thread, Wm. H. Harvey.....	226
Plumbers', Pasco Specialty & Mfg.....	225
Silicone, Chatham Brass.....	221
Silicone Rubber, Chatham Brass.....	221
Thread, Hercules Chemical.....	223

SEALING

Caulk, Hercules Chemical.....	224
Compounds, Hercules Chemical.....	223
Putty, Hercules Chemical.....	223

SEAT

Discs, Lavelle Industries.....	210
Discs, Radiator Specialty Co.....	211
Gauges, Radiator Specialty Co.....	247

SEATS

Dressing Area, Bobrick Washroom Equipment.....	59
Shower, Bobrick Washroom Equipment.....	59
Toilet, Kohler.....	21
Toilet, Olsonite.....	35–36
Toilet, Sanderson Plumbing Products.....	35
Tub/Shower, Franklin Brass.....	55

SECURITY

Latches, Engert's.....	63
------------------------	----

SELF-IGNITING

Torches, Bernzomatic.....	244
Torches, TurboTorch.....	250

SENSOR KITS

Flush Valve, Coyne & Delany.....	27
Flush Valve, Sloan Valve.....	26–27

SERVICE SINK

Faucets, Chicago Faucet.....	9
Faucets, Fisher Mfg.....	17
Faucets, T&S Brass & Bronze Works.....	12

SHAMPOO

Faucets, Belvedere.....	77
Faucets, Plusco.....	77

SHAMPOO FAUCET

Spray Hoses, Plusco.....	77
--------------------------	----

SHANK

Washers, Plusco.....	162
----------------------	-----

SHARKTOOTH

Cutters, Ridgid.....	231, 233
----------------------	----------

SHEET

Packing, Radiator Specialty Co.....	212
-------------------------------------	-----

SHELVES

Folding, Bobrick Washroom Equipment.....	58
Glass, Franklin Brass.....	52
Steel, Bobrick Washroom Equipment.....	58
Steel, Franklin Brass.....	52
Towel, Franklin Brass.....	50
Towel, Plusco.....	216
Utility, Bobrick Washroom Equipment.....	58

SHIELDS

Disposal, Radiator Specialty Co.....	212
Shower Splash, Chicago Specialty.....	207
Steam, Sussman-Automatic.....	31, 33

SHOWER

Curtains, Franklin Brass.....	53
Doors, Peterson Industries.....	43
Faucet Repair Parts.....	See Faucet Repair Parts

Index

SHOWER (CONT.)

Faucets, Delta	6
Faucets, Moen, Inc.	4
Faucets, Symmons Industries	1
Glide Rails, Alsons	47
Hoses, Alsons	47
Rods, Jameco Industries	53, 187
Rods, Franklin Brass	53
Seats, Bobrick Washroom Equipment ..	59
Valves, B&K Industries	19
Valves, Central Brass	18
Valves, Leonard Valve Co.	16
Valves, Plusco	215
Valves, Powers Process Controls	16
Valves, Symmons Industries	2
SHOWER ARM	
Extensions, Alsons	46
Mounts, Alsons	47
SHOWER ARMS	
Brass, Zin-Plas Corp.	45
High Rise, Pasco Specialty & Mfg.	46
SHOWER CURTAIN	
Pins, Chicago Specialty	207
Pins, Franklin Brass	54
SHOWER ROD	
Flanges, Pasco Specialty & Mfg.	53
SHOWER SPLASH	
Shields, Chicago Specialty	207
SHOWERHEAD	
Brackets, Symmons Industries	2
SHOWERHEADS	
Alsons	45
B&K Industries	45
Chatham Brass	44
Kohler	96
Moen, Inc.	4, 44
Plusco	44
Sloan Valve	27, 43
Speakman	43
Symmons Industries	2, 43
Teledyne Water Pik	44
Zin-Plas Corp.	45
SHOWERS	
Hand, Alsons	46–47
SHUT-OFF	
Valves, Jomar	173
Valves, Watts Regulator	180
SIGNS	
Door, Don-Jo Mfg.	69
Information, Don-Jo Mfg.	69
SILENCERS	
Door, H.B. Ives	63
SILENT	
Check Valves, Mueller Steam Specialty	171
SILICONE	
Lubricants, Radiator Specialty Co.	225
Sealants, Chatham Brass	221
SILLCOCKS	
Angle, Nibco	173
SINK	
Faucet Repair Parts	See Faucet Repair Parts
Faucets, Belvedere	18
Faucets, B&K	19
Faucets, Central Brass Mfg.	18
Faucets, Chicago Faucet	9
Faucets, Delta	6

SINK (CONT.)

Faucets, Fisher Mfg.	17
Faucets, Kohler	8
Faucets, Moen	3
Faucets, Symmons Industries	1
Faucets, T&S Brass and Bronze Works	12–13
Hole Covers, Chicago Specialty	207
Strainers, Chicago Specialty	207
Strainers, Jameco Industries	184–185
T&S Brass and Bronze Works	15
SINKS	
Convenience Store, Advance Tabco	31
Hand Washing, Advance Tabco	30
Hospitality, Elkay Mfg.	30
Institutional, American Standard	19
Kitchen, Elkay Mfg.	29
Kitchen, Kohler	21
Utility, Elkay Mfg.	29
SIoux CHIEF	
Adapters, Slip	190
Couplings, Repair	194
Covers, Cleanout	190
Escutcheons, Faucet	189
Gloves, Work	248
Grabbers, Flexible	248
Mirrors, Inspection	248
Nuts, Slip	190
Picks, O-Ring	248
Plates, Floor & Ceiling	189
Plugs, Service	190
Strainers, Floor	190
Washers, Slip Joint	213
Washers, Tailpiece	213
Wedges, Stability	191
Wrenches, Element	248
Wrenches, Faucet Seat	247
Wrenches, Tailpiece	248
SIPHONS	
Pigtail, Richard Specialty	180
Straight, Richard Specialty	180
SIzzLE	222
SLEEVE	
Pullers, Pasco Specialty & Mfg.	245
SLEEVES	
Brass	198
Delrin	198
SLIDES	
Bar, Alsons	47
Curtain Rod, Plusco	164
SLIP	
Adapters, Sioux Chief	190
Repair Couplings, Nibco	199
SLIP JOINT	
Extensions, Richard Specialty	189
Nuts, Jameco Industries	184, 188
Nuts, Sioux Chief	190
Nuts, Split	190
Pliers, Pasco Specialty & Mfg.	245
Radiator Specialty Co.	161
Washers, Sioux Chief	213
SLOAN VALVE	
Diverter Assemblies, Washer	27
Faucets, Battery Powered	26
Flush Systems, Closet	25
Flush Valves, Automatic	26
Flush Valves, Bedpan	27

SLOAN VALVE (CONT.)

Flush Valves, Closet	24, 26
Flush Valves, Toilet	24, 26
Flush Valves, Urinal	25–26
Flushers, Urinal	25
Flushometers, Battery Powered	26
Repair Parts	25, 149–153
Sensor Kits, Flush Valve	26
Showerheads	27, 43
Vacuum Breakers	25
SMITTY PAN	
Plates, Repair	2
SMOKE	
Detectors, BRK	62–63
SNAKES	
Drain, General Wire Spring	235–236
Drain, Marco	236
Drain, Ridgid	227–234
SOAP	
Dishes, Franklin Brass	50
Dishes, Plusco	216
Dispensers, American Specialties	55
Dispensers, Bobrick Washroom Equipment	58–59
Dispensers, Delta	7
Dispensers, Franklin Brass	54
Dispensers, Plusco	216
Holders, Franklin Brass	51–52
SOCKET	
Wrench Sets, Chicago Specialty	241
Wrenches, Chicago Specialty	241
SOFT JAW	
Pliers, Milbar	242
SOIL PIPE	
Cutters, Ridgid	238
SOLDER	
Plusco	224
SOLDER FLUX	
Brushes, Hercules Chemical	223
SOLDERING	
Fluxes, M.W. Dunton	226
Rings, ASP	244
SOLVENT	
Cements, Radiator Specialty Co.	224
SOUND	
Absorbers, Unaflex	172
SPACER KITS	
Closet Flange, Plastic Oddities	191
SPADE	
Cutters, Ridgid	231, 233
SPANNER	
Flanges, Fernco	192
Flanges, Pasco Specialty & Mfg.	192
SPEAKMAN	
Faucets, Lavatory	11
Showerheads	43
SPIRAL	
Cutters, Ridgid	231, 233
SPLASH	
Guards, Chicago Specialty	207
SPLIT ESCUTCHEONS	189
SPOUT	
Adapters, Chicago Specialty	206
Moderators, Neoperl	206
SPOUTS	
Faucet, American Standard	73
Faucet, Briggs	78
Faucet, Central Brass	80
Faucet, Chicago Faucet	9, 83

Index

SPOUTS (CONT.)

Faucet, Crane	84
Faucet, Delta	85
Faucet, Elkay	90
Faucet, Fisher Mfg.	17
Faucet, Kohler	94
Faucet, Moen, Inc.	11, 101-103
Faucet, Perlick	109
Faucet, Price Pfister	112-113
Faucet, Symmons Industries	118-119
Faucet, T&S Brass and Bronze Works	14, 124
Faucet, Valley	125-127
Tub, Kohler	96
Tub, Moen, Inc.	4, 49
Tub, Zin-Plas Corp.	48-49

SPRAY

Hoses, Belvedere	18
Hoses, Fisher Mfg.	17
Hoses, T&S Brass and Bronze Works ..	13
Valves, Fisher Mfg.	17
Valves, T&S Brass & Bronze Works	13

SPRAY ASSEMBLIES

Prerinse, T&S Brass and Bronze Works	13
--	----

SPRAY HEAD

Outlets, T&S Brass and Bronze Works	15
Repair Parts, T&S Brass & Bronze Works	124

SPRAY HEADS

Prerinse, Fisher Mfg.	17
Prerinse, Chicago Faucet	10
Prerinse, T&S Brass and Bronze Works	13-14
Rinse-Quik, Chatham Brass	202

SPRAYERS

Tank, Radiator Specialty Co.	219
-----------------------------------	-----

SPRING

Tube Bender Sets, Pasco Specialty & Mfg.	246
---	-----

SPRINKLER

Heads, Water Whiz	220
-------------------------	-----

SPRINKLERS

Impulse, Water Whiz	220
---------------------------	-----

SPUD

Washers, Radiator Specialty Co.	213
Wrenches, Chicago Specialty	242
Wrenches, Pasco Specialty & Mfg.	247
Wrenches, Ridgid	237

SPUDS

Coast Foundry & Mfg.	27
---------------------------	----

STABILITY

Wedges, Sioux Chief	191
---------------------------	-----

STAINLESS STEEL

Sinks, Elkay Mfg.	29
------------------------	----

STEAMBATH

Generator Accessories, Sussman-Automatic	31-32
Generators, Sussman-Automatic	31-32

STEM

Packing Assortments, Radiator Specialty Co.	212
Wrenches, Pasco Specialty & Mfg.	246

STICKS

Thread, Wm. H. Harvey	226
-----------------------------	-----

STOP

Valves, Brass Craft	186
Valves, Jameco	185-186

STOPPERS

Basin/Bath, Radiator Specialty Co.	160
Disposal, Radiator Specialty Co.	212
Tub, Chicago Specialty	207
Tub, LPS Industries	39-40
Tub, Plusco	157
Tub, Watco Mfg.	38-39

STOPS

Door, H.B. Ives	64-65
Door, Plusco	218
Supply, Brass Craft	186
Supply, Jameco Industries	185

STRAINER

Locks, Tundra Specialties	42
Replacement Plates, Plastic Oddities	54
Wrenches, Pasco Specialty & Mfg.	246

STRAINERS

Basin, Chicago Specialty	207
Basket, Jameco Industries	184-185
Drain, Plastic Oddities	54
Duplex, Mueller Steam Specialty	172
Floor, B&K	190
Floor, Sioux Chief	190
Grid, Chicago Faucet	10
Lavatory, McGuire Mfg.	191
Sink, Chicago Specialty	207
Sink, Jameco Industries	184-185
Urinal, McGuire Mfg.	191

STRAP

Wrenches, American Trade Products ..	243
Wrenches, Chicago Specialty	242
Wrenches, Ridgid	237

STRAPS

Hanger, Plastic Oddities	247
Tie-Down, Radiator Specialty Co.	218
Tube	195

STRIKE PLATES & KEEPERS

Door, Plusco	165
--------------------	-----

STRING

Teflon, Wm. H. Harvey	226
-----------------------------	-----

STRIP

Curtains, Franklin Machine Products	42
--	----

SUMP

Pumps, Grundfos Pump	171
----------------------------	-----

SUPPLY

Stops, Brass Craft	186
Stops, Jameco Industries	185
Tubes, Jameco Industries	186

SUPPLY CONNECTORS

Faucet, Fluidmaster	187
Faucet, Jameco Industries	186
Toilet, Fluidmaster	187
Toilet, Jameco Industries	186

SURFACE

Bolts, H.B. Ives	64
------------------------	----

SURFACE MOUNTED

Hooks, Bobrick Washroom Equipment ..	58
--------------------------------------	----

SUSSMAN-AUTOMATIC

Blowdown Systems, Automatic	33
Blowdown Systems, Hard Water	33
Blowdown Systems, Soft Water	33
Clean Steams, Automatic	31
Controls	31
Generator Accessories, Steambath	31

SUSSMAN-AUTOMATIC (CONT.)

Generators, Steambath	31-32
Heads, Steam	31, 33
Shields, Steam	31, 33
Timers	33
Transformers	33

SWIVEL

Connectors, Alsons	47
Nipples, Radiator Specialty Co.	220

SYMMONS INDUSTRIES

Brackets, Showerhead	2
Faucets, Kitchen	1
Faucets, Lavatory	1
Faucets, Tub/Shower	1
Repair Parts, Faucet	118-123
Showerheads, Ball Joint Type	2, 43
Valves, Mixing	1-2

T

TAILPIECE

Washers, Sioux Chief	213
Wrenches, Sioux Chief	248

TAILPIECES

Dishwasher Branch, Jameco Industries	184, 188
Flanged, Richard Specialty	189
Tubular, Jameco Industries	183, 188

TAMPON

Dispensers, Bobrick Washroom Equipment	59
--	----

TANK

Balls, Coast	138, 209
Balls, Delta	7
Balls, Eljer	143
Balls, Fluidmaster	204, 209
Balls, Kohler	144-147
Balls, Lavelle Industries	209-210
Balls, Radiator Specialty Co.	210-211
Bolt Kits, Wm. H. Harvey	209
Bolts, Pasco Specialty & Mfg.	208
Bolts, Wm. H. Harvey	209
Levers, Briggs	135, 139-140
Levers, Chicago Specialty	206
Levers, Eljer	143, 214
Levers, Fit-All	133
Levers, Fit-All Pushbutton	215
Levers, Fluidmaster	205
Levers, Fort Recovery Industries	205
Levers, Kohler	144, 147-148
Levers, Mansfield	205
Levers, Plusco	148, 214-215
Sprayers, Radiator Specialty Co.	219

TANKS

MAPP, TurboTorch	251
Propane, TurboTorch	251
Toilet, Briggs Industries	23

TAPE

Duct, Radiator Specialty Co.	221
Measures, Pasco Specialty & Mfg.	244
Teflon, Wm. H. Harvey	226

TCI PRODUCTS

Insulation Kits, Pipe	24
-----------------------------	----

Index

TEES			TOILET (CONT.)			TRANSFORMERS		
Brass Compression	197		Supply Connectors, Jameco Industries	186		Sussman-Automatic	33	
Brass Threaded.....	196		Supply Tubes, Jameco	186		TRAP		
Copper.....	195		Tank Covers, Chicago Specialty.....	207		Connectors, Fernco	193	
PVC Pressure.....	199–200		Tanks, Briggs Industries.....	23		TRAP ADAPTERS		
Sanitary, Enfield Industrial.....	191		TOILET PAPER			Tubular, Jameco Industries	187	
TEFLON			Dispensers, Franklin Brass.....	57–58		TRAP PLUG		
String, Wm. H. Harvey.....	226		Holders, Franklin Brass.....	52, 54		Wrenches, Chicago Specialty.....	242	
Tape, Wm. H. Harvey.....	226		Holders, Plusco	216–217		TRAP PRIMERS		
TELEDYNE WATER PIK			TOILET SEAT COVER			Flow Through, Watts Regulator	179	
Showerheads.....	44		Dispensers, American Specialties	55		Precision Plumbing Products	182	
TELESCOPIC			TOILETS			TRAVERSE RODS		
Wrenches, Radiator Specialty Co.	247		American Standard	20		Kirsch	164	
TEMPERATURE & PRESSURE			Briggs.....	23		TRAPS		
Relief Valves, Watts Regulator	178–179		Gerber.....	23		Drain, Fernco	193	
TEMPERING			Kohler.....	21–22		J-Bend, Jameco Industries.....	187	
Valves, Precision Plumbing Products...	182		TONGUE & GROOVE			J-Bend, Richard Specialty.....	189	
TEST			Pliers, Channellock, Inc.....	242		TRAYS		
Plugs, Chicago Specialty	201		TOOTHBRUSH			Ash, Franklin Brass.....	54	
Plugs, General Wire & Spring	236		Holders, Franklin Brass	50		Laundry, E.L. Mustee & Sons	23	
TEST KITS			Holders, Plusco	216		TREADS		
Backflow Preventer, Watts Regulator...	180		TOP BIBB			Safety, Chatham Brass.....	23	
THERMOCOUPLE			Gaskets, Radiator Specialty Co.....	211		TRIP		
Replacement Kits, Chatham Brass	201		TORCH			Lever	See Tank Levers	
THERMOMETERS			Flints, Bernzomatic.....	244		TROUBLESHOOTING		
Hot Water, Pasco Specialty & Mfg.	181		Hoses, TurboTorch	250–251		Flushometers	151, 154	
Pocket, Richard Specialty	249		Igniters, ASP	244		TRUCKS		
THERMOSTATIC			Lighters, Bernzomatic.....	244		Utility, Ex-Cell Metal Products.....	66	
Valves, Leonard Valve.....	16		Regulators, TurboTorch.....	251		TRUEBRO		
Valves, Powers Process Controls	16		Tips, TurboTorch.....	250–251		Covers, Pipe.....	24	
THERMOSTATS			TORCHES			Enclosures, Lavatory	24	
Water Heater, Camco Manufacturing, Inc.	201		Acetylene, TurboTorch	250		T&S BRASS AND BRONZE WORKS		
THREAD			Hand, TurboTorch	251		Aerators, Sink	15	
Gauges, Radiator Specialty Co.....	247		MAPP, TurboTorch	250		Brackets, Wall	13	
Sealants, Hercules Chemical	223		Propane, TurboTorch.....	250		Faucets, Add-On.....	13	
Sealants, Radiator Specialty Co.....	221		Self-Igniting, Bernzomatic	244		Faucets, Kitchen	11–13	
Sticks, Wm. H. Harvey.....	226		Self-Lighting, TurboTorch.....	250		Faucets, Lavatory	12	
THREADED			TORPEDO			Faucets, Medical.....	12	
Tubes, Jameco Industries	183		Levels, Radiator Specialty Co.....	247		Faucets, Sink	12–13	
THREADERS			Levels, Ridgid.....	240		Faucets, Workboard.....	14	
Conduit & Pipe, Ridgid	239		TORQUE			Fillers, Glass.....	14	
THREADING MACHINES			Wrenches, Pasco Specialty & Mfg.	245		Handles, Faucet.....	14	
Ridgid	240		Wrenches, Radiator Specialty Co.	247		Hoses, Perinse	13	
TIE-DOWN			Wrenches, Ridgid.....	238		Outlets, Spray Head.....	15	
Straps, Radiator Specialty Co.....	218		TOUCH-FLO MFG.			Repair Kits, Glass Filler.....	14	
TIMERS			Faucets, Kitchen	41		Repair Kits, Handle	15	
Sussman-Automatic	33		Repair Kits, Faucet	41		Repair Kits, Spindle	15	
TIPS			TOWEL			Repair Kits, Spray Valve	15	
Door Stop, H.B. Ives	64		Bars, Franklin Brass	50, 52		Repair Parts.....	14–15, 124	
Torch, TurboTorch	250–251		Bars, Plusco.....	217		Spouts, Faucet.....	14	
TISSUE			Dispensers, American Specialties	55		Spray Assemblies, Perinse	13	
Cabinets, Franklin Brass.....	51		Dispensers, Bobrick Washroom Equipment	59		TUB		
Dispensers, Bobrick Washroom Equipment	57		Dispensers, Franklin Brass	54		Doors, Peterson Industries	43	
Holders, Franklin Brass	51		Holders, Franklin Brass	52		Drains.....	See Bath Drains	
Holders, Plusco	216		Holders, Plusco	216		Spout Repair Parts, Zin-Plas.....	49	
TOILET			Hooks, Franklin Brass.....	50		Spouts, Moen, Inc.	4, 49	
Bowls, Briggs Industries	23		Pins, Franklin Brass	51		Spouts, Zin-Plas Corp.....	48–49	
Flush Valves, Coyne & Delany.....	27		Rings, Franklin Brass.....	50		Stoppers, Chicago Specialty	207	
Flush Valves, Sloan Valve.....	24, 26		Rings, Plusco	217		Stoppers, Plusco	157	
Flush Valves, Zurn Industries	27		Shelves, Franklin Brass.....	50		Stoppers, Watco Mfg.....	38–39	
Gaskets, Hercules.....	208		Shelves, Plusco.....	216		TUB & TILE		
Gaskets, Wm. H. Harvey.....	208		TOWEL BAR			Adhesive Caulk, Darworth Co.....	221	
Lids, Briggs Industries.....	23		Extensions, Franklin Brass	52		TUBE BENDER SETS		
Seat Hinges, Olsonite	36		TOWEL SHELF			Spring, Pasco Specialty & Mfg.	246	
Seats, Kohler	21		Installation Kits, Franklin Brass	50		TUBES		
Seats, Olsonite	35–36					Extension, Jameco Industries.....	183, 187–188	
Seats, Sanderson Plumbing Products...	35					Floor, Jameco Industries	183	
Supply Connectors, Fluidmaster	187					Reducing, Jameco Industries	183	

Index

TUBES (CONT.)

Supply, Jameco Industries	186
Threaded, Jameco Industries	183
Wall, Jameco Industries	183
Waste, Jameco Industries	182

TUBING

Benders, Pasco Specialty & Mfg.	246
Brushes, Richard Specialty	249
Clear, Radiator Specialty Co.	219
Copper	196
Copper Refrigeration	196
Cutters, Richard Specialty	249
Cutters, Ridgid	239
Drain, Radiator Specialty Co.	219
Feed Cutters, Ridgid	239
Polyethylene, Brass Fittings	198
Straps	195

TUBS

Bath, Briggs Industries	23
Laundry, E.L. Mustee & Sons	23

TUB/SHOWER

Doors, Peterson Ind.	43
Faucet Repair Parts	See Faucet Repair Parts
Faucets, Delta	6
Faucets, Moen, Inc.	4
Faucets, Symmons Industries	1
Seats, Franklin Brass	55
Valves, Leonard Valve	16
Valves, Powers Process Controls	16
Valves, Symmons Industries	1-2

TUBULAR

Bathwastes, Watco Mfg.	37
Elbows, Jameco Industries	184
Offsets, Jameco Industries	183
P-Traps, Jameco Industries	182, 187
Tailpieces, Jameco Industries	183, 188
Trap Adapters, Jameco Industries	187

TUMBLER

Holders, Franklin Brass	52
Holders, Plusco	216

TUNDRA SPECIALTIES

Locks, Strainer	42
-----------------------	----

TURBOTORCH

Hand Torch Kits	251
Hoses, Torch	250-251
Regulators, Torch	251
Tanks, MAPP	251
Tanks, Propane	251
Tips, Torch	250-251
Torch Kits, Acetylene	250
Torches, Hand	251
Torches, MAPP	250
Torches, Propane	250
Torches, Self-Lighting	250
Valves, Control	250

TWIN

Elbows, Jameco Industries	188
---------------------------------	-----

U

UNAFLEX

Absorbers, Sound	172
Pump Connectors, Metal	172

UNCLOGGERS

Drain, GT Water Products	236
--------------------------------	-----

UNDER-COUNTER

Lavatories, American Standard	19
Lavatories, Briggs Industries	22
Lavatories, Kohler	20

UNIONS

Brass Compression	197
Brass Threaded	197
Copper	195
Dielectric, Watts Regulator	180
PVC, Water Whiz	199

UNIVERSAL RUNDLE

Repair Parts, Faucet	215
----------------------------	-----

URINAL

Augers, General Wire Spring	235
Flanges, Plastic Oddities, Inc.	192
Flush Valves, Coyne & Delany	27
Flush Valves, Sloan Valve	25-26
Flush Valves, Zurn	27
Gaskets, Wm. H. Harvey	208
Strainers, McGuire Mfg.	191

URINALS

American Standard	20
Kohler	22

UTILITY

Knives, Pasco Specialty & Mfg.	245
Shelves, Bobrick Washroom Equipment	58
Sinks, Elkay Mfg.	29
Trucks, Ex-Cell Metal Products	66

V

VACUUM

Breakers, Alsons	48
Breakers, Belvedere	77
Breakers, Chicago Faucet	10
Breakers, Sloan Valve	25, 150, 153
Breakers, Watts Regulator	179
Gauges, Pasco Specialty & Mfg.	181

VALLEY FAUCET

Repair Parts, Faucet	125-128, 215
----------------------------	--------------

VALVE

Grease, Wm. H. Harvey	226
Keys, Pasco Specialty & Mfg.	246
Packing, Radiator Specialty Co.	212
Reducers, Franklin Machine Products	42

VALVE HANDLE

Wrenches, Plusco	243
------------------------	-----

VALVE REDUCERS

Waste, Franklin Machine Products	42
--	----

VALVE REMOVAL TOOLS

Richard Specialty	248
-------------------------	-----

VALVE TOOLS

Waste, Franklin Machine Products	42
--	----

VALVES

Ball, Water Whiz	199
Ball, Nibco	175
Ball, Watts Regulator	180
Boiler Drain, Nibco	173
Butterfly, Nibco	175
Check, Mueller Steam Specialty	171
Check, Nibco	173-175
Control, Bell & Gossett	170
Control, TurboTorch	250
Float, Robert Mfg.	181
Flow Control, Bell & Gossett	170

VALVES (CONT.)

Flow Control, Chatham Brass	46
Flush, American Standard	130-133
Flush, Briggs	138
Flush, Chicago Specialty	203
Flush, Coast Foundry & Mfg.	202
Flush, Coyne & Delany	27
Flush, Douglas	129
Flush, Fluidmaster	204
Flush, Kohler	145
Flush, Mansfield Plumbing	204
Flush, Sloan Valve	24-27
Flush, Zurn Industries	27
Gate, Jomar	173, 175
Gate, Nibco	174
Mixing, Leonard Valve	16
Mixing, Powers Process Controls	16
Mixing, Symmons Industries	1-2
Prerinse, Chicago Faucet	10
Prerinse, Fisher Mfg.	17
Prerinse, T&S Brass & Bronze Works	13
Pressure Compensating, Precision Plumbing Products	182
Pressure Reducing, Bell & Gossett	169
Pressure Reducing, Watts Regulator	176
Pressure Regulator, Watts Regulator	177
Relief, Bell & Gossett	170
Relief, Kunkle	177
Relief, Watts Regulator	178-179
Saddle, Brass	198
Safety, Bell & Gossett	170
Safety, Kunkle	177
Shower, B&K Industries	19
Shower, Central Brass	18
Shower, Chatham Brass	46
Shower, Plusco	215
Stop, Brass Craft	186
Stop, Jameco	185-186
Thermostatic, Leonard Valve	16
Thermostatic, Powers Process Controls	16
Trap Primer, Precision Plumbing Products	182
Tub/Shower, Leonard Valve	16
Tub/Shower, Powers Process Controls	16
Tub/Shower, Symmons Industries	2
Washing Machine, Watts Regulator	180
Waste, Fisher Mfg.	17
Waste, Franklin Machine Products	41

VANITY

Legs, Franklin Brass	52
Mirrors, Plusco	216

VENTILATORS

Broan Mfg. Co.	61
NuTone	62

VIBRATION ABSORBERS

UnaFlex	172
---------------	-----

VIEWERS

Door, H.B. Ives	65
Door, Plusco	218

VICES

Yoke, Ridgid	238
--------------------	-----

Index

W

WALL

Bars, Alsons	47
Brackets, T&S Brass and Bronze Works	13
Clamps, Franklin Brass	51-52
Door Stops, H.B. Ives	65
Fans, Broan Mfg. Co.	61
Flanges, Zin-Plas Corp.	46
Tubes, Jameco Industries	183

WALL MOUNT

Faucets, B&K Industries	19
Faucets, Central Brass	18
Faucets, Chicago Faucet	9
Faucets, Fisher Mfg.	17
Faucets, Moen	11
Faucets, T&S Brass & Bronze Works	12-14
Lavatories, American Standard	19
Lavatories, Briggs Industries	22
Lavatories, Kohler	21

WASHERS

Ballcock, Radiator Specialty Co.	161, 211
Beveled, Radiator Specialty Co.	211
Bolt, Radiator Specialty Co.	212
Faucet, Plusco	161
Faucet, Radiator Specialty Co. ...	160-161, 213
Fiber, Radiator Specialty Co.	211
Flat, Radiator Specialty Co.	211
Hinge, Lavelle Industries	37
Hose, Radiator Specialty Co.	212
Overflow, Plusco	162
Shank, Plusco	162
Sink Connection, Radiator Specialty Co.	162
Slip-Joint, Radiator Specialty Co.	161
Slip-Joint, Sioux Chief	213
Spud, Radiator Specialty Co.	213
Tailpiece, Sioux Chief	213
Waste Overflow, Radiator Specialty Co.	162

WASHES

Eye, Bradley Corp.	35
Eye/Face, Bradley Corp.	35

WASHING MACHINE

Connectors, Fernco	193
Hoses, Fluidmaster	187
Hoses, Radiator Specialty Co.	219
Valves, Watts Regulator	180

WASHROOM ACCESSORIES

Public, Franklin Brass	54
------------------------------	----

WASTE

Fittings, Jameco Industries	184
Overflow Plates, Zin-Plas Corp.	39
Receptacles, Bobrick Washroom Equipment	59
Repair Parts, Franklin Machine Products	42, 89
Tubes, Jameco Industries	182
Valve Reducers, Franklin Machine Products	42
Valve Tools, Franklin Machine Products	42

WASTE (CONT.)

Valves, Fisher Mfg.	17
Valves, Franklin Machine Products	41
Washers, Radiator Specialty Co.	162

WASTE ASSEMBLIES

Continuous, Jameco Industries	183, 188
Disposer, Jameco Industries	188

WASTE SYSTEM

Cleaners, Hercules Chemical	222
-----------------------------------	-----

WATCO MFG.

Bathwastes, Tubular	37
Drains, Lavatory	37
Stoppers, Tub	39
Trim Kits, Bathwaste	38

WATER

Coolers, Elkay Mfg.	33-34
Diverter, Alsons	48
Filters, American Plumber	40
Filters, Everpure	41
Hammer Arrestors, Precision Plumbing Products	182
Hammer Arrestors, Watts Regulator ...	180
Heaters, Controlled Energy	29
Heaters, Rheem	28
Hoses, General Wire Spring	236
Jetters, Ridgid	234
Pressure Reducing Valves, Watts Regulator	176
Pump Kits, GT Water Products	241

WATER COOLER

Repair Parts, Plusco	158
----------------------------	-----

WATER FOUNTAIN

Repair Parts, Plusco	158
----------------------------	-----

WATER HEATER

Connectors, Robert Mfg.	28
Controls, Chatham Brass	28
Elements, Chatham Brass	28
Heating Elements, Camco Manufacturing, Inc.	201
Pans, Plastic Oddities	28
Thermostats, Camco Manufacturing, Inc.	201

WATER PRESSURE

Reducing Valves, Zurn Industries	176
Relief Valves, Watts Regulator	178
Valves, Watts Regulator	176

WATER RAMS

Kinetic, General Wire Spring	235
------------------------------------	-----

WATER SOFTENER

Connectors, Robert Mfg.	28
------------------------------	----

WATER SYSTEM

Cleaners, Hercules Chemical	222
-----------------------------------	-----

WATER WHIZ

Ball Valves, PVC	199
Cutters, Pipe	221
Flags, Marking	220
Heads, Sprinkler	220
Keys, Curb	220
Nipples, Hose	220
Nipples, Riser	220
Sprinklers	220
Unions, PVC	199

WATTS REGULATOR

Backflow Preventive Devices	179
Hammer Arrestors, Water	180
Test Kits, Backflow Preventer	180
Trap Primers, Flow Through	179

WATTS REGULATOR (CONT.)

Unions, Dielectric	180
Vacuum Breakers	179
Valves, Ball	180
Valves, Pressure Reducing	176
Valves, Regulator	177
Valves, Relief	178-179
Valves, Shut-Off	180
Y-Strainers, Bronze	180

WAX

Toilet Bowl Gaskets, Hercules	208
Toilet Bowl Gaskets, Radiator Specialty Co.	208
Toilet Bowl Gaskets, Wm. H. Harvey ...	208

WD-40 COMPANY

Lubricants, Penetrating	226
-------------------------------	-----

WEDGES

Stability, Sioux Chief	191
------------------------------	-----

WHITEROCK

Disposals, Garbage	29
--------------------------	----

WINDOW

Locks, Plusco	218
---------------------	-----

WIRE SOLDER

Solid, Plusco	224
---------------------	-----

WIRES

Lift, Radiator Specialty Co.	211
-----------------------------------	-----

WM. H. HARVEY

Bolt Kits, Tank	209
Bolts, Tank	209
Gaskets, Bowl	208
Gaskets, Urinal	208
Grease, Valve	226
Lubricants, Pipe Joint	226
Sealants, Pipe Thread	226
Sticks, Thread	226
String, Teflon	226
Tape, Teflon	226

WOODFORD MFG.

Faucets, Lawn	181
---------------------	-----

WORK

Gloves, Sioux Chief	248
---------------------------	-----

WORKBOARD

Faucets, T&S Brass and Bronze Works	14
--	----

WORLD DRYER

Dryers, Hair	60
Dryers, Hand	60

WRAPAROUNDS

Door, Don-Jo Mfg.	68
------------------------	----

WRENCHES

Adjustable, Pasco Specialty & Mfg.	246
Adjustable, Ridgid	237
Basin, Chicago Specialty	242
Basin, Radiator Specialty Co.	247
Basin, Ridgid	238
Cartridge, Pasco Specialty & Mfg.	246
Chain, Ridgid	237
Closet Seat, Richard Specialty	249
Combination, Chicago Specialty	242
Drain, Pasco Specialty & Mfg.	245
Drum Trap Plug, Chicago Specialty	242
Element, Sioux Chief	248
Faucet Seat, Chicago Specialty ..	208, 241
Faucet Seat, Hercules	208
Faucet Seat, Radiator Specialty Co.	247
Faucet Seat, Sioux Chief	247

Index

WRENCHES (CONT.)

Faucet Shank, Pasco Specialty & Mfg.....	245
Garbage Disposal, Chicago Specialty.....	242
Hex, Ridgid.....	237
Inside Pipe, Richard Specialty.....	249
Internal, Ridgid.....	238
Lock Nut, Chicago Specialty.....	242
Pipe, Ridgid.....	237
Plug, Pasco Specialty & Mfg.....	246
Socket, Chicago Specialty.....	241
Spud, Chicago Specialty.....	242
Spud, Pasco Specialty & Mfg.....	247
Spud, Ridgid.....	237
Stem, Pasco Specialty & Mfg.....	246
Strainer, Pasco Specialty & Mfg.....	246
Strap, American Trade Products.....	243
Strap, Chicago Specialty.....	242
Strap, Ridgid.....	237

WRENCHES (CONT.)

Tailpiece, Sioux Chief.....	248
Telescopic, Radiator Specialty Co.....	247
Torque, Pasco Specialty & Mfg.....	245
Torque, Radiator Specialty Co.....	247
Torque, Ridgid.....	238
Valve Handle, Plusco.....	243

Y

Y-CONNECTORS

Hose, Radiator Specialty Co.....	220
----------------------------------	-----

YOKE

Vises, Ridgid.....	238
--------------------	-----

Y-STRAINERS

Bronze, Watts Regulator.....	180
Mueller Steam Specialty.....	171

Z

ZIN-PLAS CORP.

Bushings, Reducing.....	49
Flanges, Wall.....	46
Handles, Faucet.....	206-207
Overflow Assemblies, Waste.....	39
Overflow Plates, Bath Waste.....	39
Plate Screws, Overflow.....	39
Repair Kits, Diverter.....	49
Shower Arms, Brass.....	45
Showerheads.....	45
Spouts, Tub.....	48-49

ZURN INDUSTRIES

Carrier Kits, Closet.....	20
Drains, Floor.....	193
Drains, Roof.....	192-193
Flush Valves, Retrofit.....	27
Flush Valves, Toilet.....	27
Gaskets, Closet.....	20
Reducing Valves, Water Pressure.....	176

Portions of this catalog reprinted from manufacturer's material.

Compiled by Howard W. Sams Catalog Marketing 2647 Waterfront Parkway East Drive, Indianapolis, Indiana 46214

License Agreement

PLEASE READ THIS CAREFULLY BEFORE ACCEPTING THIS LICENSE AGREEMENT.

This package contains software from ADOBE SYSTEMS INCORPORATED ("ADOBE") and from HOWARD W. SAMS & COMPANY. The ADOBE® ACROBAT® READER ("SOFTWARE") is licensed by HOWARD W. SAMS & COMPANY ("SUBLICENSOR") to you ("SUBLICENSEE") only on the condition that you agree with and comply with the following terms and conditions. By your acceptance of this license agreement, you acknowledge that you have read and understand the foregoing and agree to be bound thereby.

IF YOU DO NOT AGREE WITH OR COMPLY WITH THESE TERMS AND CONDITIONS, DO NOT INSTALL THE PROGRAM AND RETURN THE PACKAGE TO THE FOLLOWING ADDRESS AND ANY PAYMENTS YOU HAVE MADE FOR IT WILL BE RETURNED TO YOU: HOWARD W. SAMS & COMPANY, 2647 Waterfront Parkway East Drive, Suite 100, Indianapolis, IN 46214-2041, Attention: Contracts Administrator.

SUBLICENSOR hereby grants to SUBLICENSEE and SUBLICENSEE accepts a perpetual, non-transferable, non-exclusive license to use the SOFTWARE subject to the terms and conditions set forth below.

- A. Title and all ownership rights in the SOFTWARE are and shall at all times remain with ADOBE and SUBLICENSOR. SUBLICENSOR warrants that it has the right to grant the sublicense granted herein. SUBLICENSEE may not sublicense, assign or transfer the license or the SOFTWARE. Any attempt to transfer sublicense, assign or transfer any of the rights, duties or obligations hereunder will result in termination of the sublicense.
- B. SUBLICENSEE shall not use, copy, modify, alter, adapt or transfer, in whole or in part, the SOFTWARE or documentation, for the purposes of, including, but not limited to, translating, decompiling, disassembling, or creating derivative works of any software or documentation provided by SUBLICENSOR hereunder. A single backup copy of the SOFTWARE may be made for archival purposes in support of the SOFTWARE's use.
- C. All copies of SOFTWARE shall contain the following copyright notice: "Copyright © 1987-1998 ADOBE SYSTEMS INCORPORATED" and all copies of documentation shall contain the following copyright notice: "Copyright © 1998 HOWARD W. SAMS & COMPANY."
- D. Upon termination of this sublicense, SUBLICENSEE agrees to return to SUBLICENSOR, or to destroy, the SOFTWARE and documentation along with all copies in any form thereof, and to provide SUBLICENSOR with an affidavit of destruction confirming that this has been done.
- E. NEITHER ADOBE NOR SUBLICENSOR WARRANT THAT THE SOFTWARE WILL MEET SUBLICENSEE'S REQUIREMENTS OR THAT IT WILL OPERATE IN AN ERROR-FREE MANNER. SUBLICENSOR warrants that the magnetic media on which the program is distributed and the documentation are free from defects in materials and workmanship for a period of ninety days from the date of delivery. If the media on which the SOFTWARE is stored is found to be defective within ninety (90) days from the date of delivery of the SOFTWARE, SUBLICENSOR will replace the SOFTWARE with SOFTWARE on a defect-free media.
- F. Except as specifically provided above, ADOBE AND SUBLICENSOR MAKE NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE SOFTWARE OR DOCUMENTATION, INCLUDING THEIR QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- G. THE WARRANTY SET FORTH ABOVE IS EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No ADOBE or SUBLICENSOR dealer, distributor, agent or employee is authorized to make any modification or addition to this warranty.
- H. IN NO EVENT WILL ADOBE OR SUBLICENSOR BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE OR DOCUMENTATION CONTAINED IN THE PRODUCTS, WHETHER BASED UPON CONTRACT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, even if advised of the possibility of such damages. Specifically, ADOBE and SUBLICENSOR are not responsible for any costs, including but not limited to, those incurred as a result of lost profits or revenue, loss of use of the computer program or other programs, loss of data, the cost of recovering such programs or data, the cost of any substitute program, claims by third parties, or for other similar costs. In no case shall ADOBE's and SUBLICENSOR's liability exceed the amount of the license fee or fees actually paid to ADOBE or SUBLICENSOR by SUBLICENSEE during the twelve (12) month period preceding the claim or notification of damages.
- I. All questions regarding the functionality of the Acrobat® Reader should be directed to ADOBE.